



Exit Device & Trim Designation

Outside Trim Functions

	10 Series	20 Series	21 Series	30 Series	40 Series	50 Series	51 Series	60 Series	61 Series
ANSI Function	ANSI Type 1	ANSI Type 2	ANSI Type 2 Top Rod Only	ANSI Type 3	ANSI Type 4	ANSI Type 5	ANSI Type 5 Top Rod Only	ANSI Type 6	ANSI Type 6 Top Rod Only
Exit Only	10 F10 H10 FH10	20 F20	21 F21	30 F30	40 F40 H40 FH40	50 F50	51 F51	60 F60	61 F61
01	1001 F1001 H1001 FH1001	2001 F2001	2101 F2101	3001 F3001	4001 F4001 H4001 FH4001	5001 F5001	5101 F5101	6001 F6001	6101 F6101
Exit Only - Plate Trim	01C 01D 01W	01C 01D 01W	01C 01D 01W	01CM 01WM	01CN 01DN	01CN 01DN	01CN 01DN	01CNV 01DNV	01CNV 01DNV
02	1002 F1002 H1002 FH1002	2002 F2002	2102 F2102	3002 F3002	4002 F4002 H4002 FH4002	5002 F5002	5102 F5102	6002 F6002	6102 F6102
Dummy Trim - No Cylinder	02C 02D	02C 02D	02C 02D	02CM 02DM	02CN 02DN	02CN 02DN	02CN 02DN	02CNV 02DNV	02CNV 02DNV
03	1003 F1003 H1003 FH1003	2003 F2003	2103 F2103	3003 F3003	4003 F4003 H4003 FH4003	5003 F5003	5103 F5103	6003 F6003	6103 F6103
Entrance by trim when latchbolt is retracted by key. Key removable only when locked.	03C* 03W* 03W*	03C* 03W* 03W*	03C* 03W* 03W*	03CM* 03WM*	03CN* 03WS*	03CN* 03WS*	03CN* 03WS*	03CNV*	03CNV*
08	1008 F1008 H1008 FH1008	2008 F2008	2108 F2108	3008 F3008	4008 F4008 H4008 FH4008	5008 F5008	5108 F5108	6008 F6008	6108 F6108
Entrance by lever. Key locks or unlocks lever.	08D**	080D**	08D**	08DM**	08DN**	08DN**	08DN**	08DNV**	08DNV**
09	1009 F1009 H1009 FH1009	2009 F2009	2109 F2109	3009 F3009	4009 F4009 H4009 FH4009	5009 F5009	5109 F5109	6009 F6009	6109 F6109
Entrance by lever trim activated by key; locked when key removed.	09D**	09D**	09D**	09DM**	09DN**	09DN**	09DN**	09DNV**	09DNV**
10	1010 F1010 H1010 FH1010			3010 F3010					
Entrance by lever. Inside or outside key locks or unlocks lever.	10D			10DM* **					
14	1014 F1014 H1014 FH1014	2014 F2014	2114 F2114	3014 F3014	4014 F4014 H4014 FH4014	5014 F5014	5114 F5114	6014 F6014	6114 F6114
Entrance by lever. Lever operable at all times.	14D	14D	14D	14DM	14DN	14DN	14DN	14DNV	14DNV

Prefix F denotes UL Listed Fire Exit Hardware

Prefix H denotes Hurricane Listed Rim Device

* Rim Cylinder Required

** Mortise Cylinder Required

	62 Series	63 Series	70 Series	71 Series	80 Series	81 Series	82 Series	83 Series
ANSI Function	ANSI Type 6	ANSI Type 6 Top Rod Only	ANSI Type 7	ANSI Type 7 Top Rod Only	ANSI Type 8	ANSI Type 8 Top Rod Only	ANSI Type 8	ANSI Type 8 Top Rod Only
Exit Only	62 F62	63 F63	70 F70	71 F71	80 F80	81 F81	82 F82	83 F83
01	6201 F6201	6301 F6301	7001 F7001	7101 F7101	8001 F8001	8101 F8101	8201 F8201	8301 F8301
Exit Only - Plate Trim	01CNV 01DNV	01CNV 01DNV	01CV 02CV	01CV 02CV	01CV 02CV	01CV 02CV	01CV 02CV	01CV 02CV
02	6202 F6202	6302 F6302	7002 F7002	7102 F7102	8002 F8002	8102 F8102	8202 F8202	8302 F8302
Dummy Trim - No Cylinder	02CNV 02DNV	02CNV 02DNV	02CV 02DV	02CV 02DV	02CV 02DV	02CV 02DV	02CV 02DV	02CV 02DV
03	6203 F6203	6303 F6303	7003 F7003	7103 F7103	8003 F8003	8103 F8103	8203 F8203	8303 F8303
Entrance by trim when latchbolt is retracted by key. Key removable only when locked.	03CNV*	03CNV*	03CV*	03CV*	03CV*	03CV*	03CV*	03CV*
08	6208 F6208	6308 F6308	7008 F7008	7108 F7108	8008 F8008	8108 F8108	8208 F8208	8308 F8308
Entrance by lever. Key locks or unlocks lever.	08CNV**	08CNV**	08CV**	08CV**	08CV**	08CV**	08CV**	08CV**
09	6209 F6209	6309 F6309	7009 F7009	7109 F7109	8009 F8009	8109 F8109	8209 F8209	8309 F8309
Entrance by lever trim activated by key; locked when key removed.	09DNV**	09DNV**	09DV**	09DV**	09DV**	09DV**	09DV**	09DV**
10								
Entrance by lever. Inside or outside key locks or unlocks lever.								
14	6214 F6214	6314 F6314	7014 F7014	7114 F7114	8014 F8014	8114 F8114	8214 F8214	8314 F8314
Entrance by lever. Lever operable at all times.	14DNV	14DNV	14DV	14DV	14DV	14DV	14DV	14DV

Prefix F denotes UL Listed Fire Exit Hardware

Prefix H denotes Hurricane Listed Rim Device

* Rim Cylinder Required

** Mortise Cylinder Required

DETEx[®]
Life Safety and Security Door Hardware



WIDE STILE

OUTSIDE PULL & PLATE TRIM DESIGNS

Assorted outside trims provide security for all types of installations. Built to be as durable as the panic devices, these heavy-duty trims will stand up to heavy use and abuse. The versatile design of the trims, combined with the device mounting plate, makes changing functions as simple as replacing the outside trim. This can easily be done without removing the exit device from the door. Wide stile trims can be used on 10 Series Rim and 20 and 21 Series Surface Vertical Rods. Add M to most trims for use with 30 Series Mortise devices. Add V to most trims for use with 70, 71, 80, 81, 82 and 83 Series Concealed Vertical Rod devices. Detex uses the BHMA functions/descriptions for all trims.

C/CM/CV TRIM S Pull Standard (Anti-Microbial Coating available)





01C / 01CM / 01CV



02C / 02CM / 02CV



03C / 03CM / 03CV



W/WM Trim




W/WM Trim not available with 70 and 80 Series



01W / 01WM



03W / 03WM





WS/WSV Trim

WS Trim not available with 30 Series




03WS / 03WSV




WP Trim

WP Trim available with 70/80 Series only



02WP



Z Trim

Z Trim (Vandal Pull) available with 10/20/21 Series only


*Available in 630 (Brushed Stainless Steel) Only



02Z



03Z



Where Trust is Built™
DETEX®
Life Safety and Security Door Hardware

BHMA Function/Description

- 01 - Exit only, no trim or blank escutcheon
- 02 - Entrance by trim when actuating bar is locked down (dummy trim)
- 03 - Entrance by trim when latch bolt is released by key. Key removable only when locked.

Technical Information

- C and W Trims are Stainless Steel
- WS Trims are Forged Brass
- When ordered with device, trim will match mounting plate specified
- Wide stile trim configured for use with BP1 or BP7 (when ordered with 03 function) - standard on 10, 20/21 Series, BP11 or BP13 (when ordered with 03 function) - standard on 70, 80/81/82/83 Series
Call factory for retrofit applications

Finishes

605 / US3	Polished Brass
606 / US4	Brushed Brass
611 / US9	Polished Bronze
612 / US10	Brushed Bronze
613 / US10B	Oil Rubbed Bronze
626 / US26D	Brushed Chrome
629 / US32	Polished Stainless Steel
630 / US32D	Brushed Stainless Steel



Detex Corporation
302 Detex Drive
New Braunfels, Texas 78130-3045 USA
PH. (830) 629-2900
(800) 729-3839
FAX (830) 620-6711
(800) 653-3839
<http://www.detex.com>
USA Sales:
marketing@detex.com
International Sales:
export@detex.com