160 SERIES Door Closer

۲



ASSA ABLOY, the global leader in door opening solutions



160 SERIES DOOR CLOSER

INTRODUCTION

The 160 Series door closer, is ideal for stocking distributors serving high volume aftermarket and storefront segments. The 160 Series features an adjustable spring, non-hold open arms and independent and separate latch, sweep and backcheck intensity valves. With easy installation and maintenance and dependable control, the 160 Series is perfect for office doors, utility doors and strip mall applications.

FEATURES

- Two models: 161BF: adjustable spring size 1 through 4
 - 164: size 4 spring
- Non-handed
- Cast aluminum body
- Rack-and-pinion design
- Independent latch sweep and backcheck intensity valves
- Non-hold open arms: 161BF, 164
- Hold open arms: 161BF only
- Closer footprint: 3/4" x 9-1/16"
- Closer projection: 2-5/8"
- Available in 689 (aluminum) or 690 (dark bronze) finishes



161BF x TPN shown

COMPLIANCE STANDARDS

- ANSI/BHMA A156.4, Grade 1
- $\bullet~$ UL / cUL listed for use on fire rated doors
- ULIOC listed for positive pressure fire test
- Meets requirements for for Americans with Disabilities Act (ADA) and ANSI/BHMA A117.1
- 5-year limited warranty


TABLE OF CONTENTS

Features, Compliance Standards	2
How To Order	3
Applications	3

160 SERIES DOOR CLOSER




HOW TO ORDER



Note: Specify 161BFxOP2 to order the 161BF closer packed with a cover.

APPLICATIONS







161BFxTPH

NOTE: Arms are not interchangeable with Norton's premium line of closers