

Price Book 2025



HOW TO ORDER

- ▶ CALL 317-842-2545
- ▶ EMAIL custsvc@mssedco.com
- ▶ ORDER ONLINE at mssedco.com

To access the online store registration submittal form, go to: <https://mssedcoshop.godaddysites.com/online-store-registration>.

DO YOU NEED A RETURN, REPAIR, OR EXCHANGE?

MS SEDCO RETURN AND REPAIR POLICY

Warranty Returns

All product warranties begin on the MS Sedco original invoice date.

- **Unused and Unopened Products** – 30-day return (RMA must be submitted by 30th day from invoice, customer is responsible for all shipping back to MS Sedco and RMA will have a 15-day acceptance period from issue date)
- **Unused and Opened Products** – not eligible for return
- **Used Products** – not eligible for return
- **Custom Products** (including special finishes) – not eligible for return

Customers will pay all freight costs on returns. MS Sedco will only issue credit for returned products – no refunds. (If MS Sedco is at fault they will administer proper credit on a return and refund process at their discretion).

Shipping

- MS Sedco only schedules shipments via UPS. Standard shipping rates apply, and per MS Sedco policy reflect standard insurance.
- MS Sedco will not administer any third-party shipping outside of UPS. MS Sedco is not responsible for any claims via third party as customer assumes all responsibility.

Warranty Repairs

All product warranties begin on the MS Sedco original invoice date.

Used Products Under Warranty that are deemed faulty in some way, may be returned for assessment by MS Sedco to determine warranty eligibility. Warranties are void if products are found to have been altered by anyone other than MS Sedco. Products will be repaired to proper working order and returned in “cosmetically the same” condition or replaced with re-manufactured products – this is at MS Sedco’s sole discretion. MS Sedco will only pay return ground freight cost. If product inspection reveals that any malfunction or damage is not covered under warranty, MS Sedco will notify customer and provide options at that time. Customers must provide a purchase order prior to repairs commencing.

Door Warranty – 3 years (product upgrades not eligible for warranty)

Traffic Warranty – 3 years (product upgrades not eligible for warranty)

CONFIDENTIAL DOCUMENT

This document may not be posted online without the expressed written consent by MS Sedco. This price book will be updated from time to time and may be subject to change without prior notice.

CONTENTS

SWITCHES	5	TIMING MODULES	15
49 Series.....	5	TDM - Time Delay Module.....	15
59 Series.....	6	PTM - Privacy Time Module.....	15
89 Series.....	7	Timing Module Accessories.....	15
614 Series.....	7	SENSORS – DOORS	16
830 Series.....	8	Motion.....	16
830 Series Combo Keypress/59 Series.....	8	Presence.....	16
Switch Options.....	10	Combination.....	16
Switch Accessories.....	10	Door Beam.....	17
TOUCHLESS	11	Motion Sensor Accessories.....	17
NexGen.....	11	BOLLARDS	18
216 Series.....	11	608 Series.....	18
Touchless Kits.....	11	Bollard Accessories.....	18
Touchless Accessories.....	11	DECALS	19
RADIO CONTROL PRODUCTS –		SENSORS – TRAFFIC	20
ClearPath 300/390 MHz	12	Vehicle.....	20
Transmitters.....	12	Intersector Interface Products.....	20
Receivers.....	13	Intersector Accessories.....	20
ClearPath Kits.....	13	Motion.....	21
ClearPath Accessories.....	13	Motion Sensor Accessories.....	21
RADIO CONTROL PRODUCTS –		Presence.....	21
2.4 GHz	14	Misc. Accessories.....	21
Transmitters.....	14		
Receivers.....	14		
Kits.....	14		

RELIABILITY WHEN IT MATTERS

Introducing the 49 Series
“Screwless Face Plate”
Push Plate Switches



49-H



49-H



49-HSS



49-P

Built from heavy gauge stainless steel, aircraft quality fasteners, durable, anti-microbial finishes and the most reliable microswitch in the industry, the **49 Series Push Plate Switches** provide years of reliable activation to any automatic door.

PRODUCT FEATURES

- + Anti-vandal 4.5” square all-active, formed, stainless steel face plate is non-removable with *no visible screws*
- + 4.5” formed, stainless steel back plate eliminates possible wall damage from typical use
- + Custom colors available
- + Custom legends available
- + UL listed SPSD switch, N.O. or N.C. 15 Amp @125V AC
- + Attaches directly to single or 2-gang electrical boxes or MS Sedco surface mount boxes
- + Wireless options available
- + Weather resistant standard; IP68 rated waterproof option available








ORDER TODAY
Call 317-842-2545
or visit mssedco.com

SWITCHES

Click on images for additional product information at mssedco.com when applicable.

49 Series Screwless Door Activation Switches

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
4 1/2" Square Stainless Steel Switches				
 <p>49-H</p>  <p>49-HSS</p>  <p>49-P</p>  <p>-NY</p>  <p>-NY</p>	49-H	Blue Face Plate WHEELCHAIR/PRESS TO OPERATE DOOR	75.00	XX.XX
	49-HSS	Stainless Steel Face Plate WHEELCHAIR/PRESS TO OPERATE DOOR	75.00	XX.XX
	49-P	Stainless Steel Face Plate PRESS TO OPERATE DOOR	75.00	XX.XX
	49-W	Blue Face Plate WHEELCHAIR	75.00	XX.XX
	49-WSS	Stainless Steel Face Plate WHEELCHAIR	75.00	XX.XX
	49-PLAIN	Stainless Steel Face Plate NO LEGEND	75.00	XX.XX
	-NY	Add New York style handicap logo to any switch series.	75.00	XX.XX

SWITCHES

Click on images for additional product information at mssedco.com when applicable.



59 Series Door Activation Switches

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
4 1/2" Square Stainless Steel Switches				
 <p>59-H</p>	59-H	Blue Face Plate WHEELCHAIR/PRESS TO OPERATE DOOR	75.00	XX.XX
	59-HSS	Stainless Steel Face Plate WHEELCHAIR/PRESS TO OPERATE DOOR	75.00	XX.XX
	59-P	Stainless Steel Face Plate PRESS TO OPERATE DOOR	75.00	XX.XX
	59-W	Blue Face Plate WHEELCHAIR	75.00	XX.XX
	59-WSS	Stainless Steel Face Plate WHEELCHAIR	75.00	XX.XX
	59-PLAIN	Stainless Steel Face Plate NO LEGEND	75.00	XX.XX
4 1/2" Round Stainless Steel Switches				
 <p>59R4-HSS</p>	59R4-H	Blue Face Plate WHEELCHAIR/PRESS TO OPERATE DOOR	75.00	XX.XX
	59R4-HSS	Stainless Steel Face Plate WHEELCHAIR/PRESS TO OPERATE DOOR	75.00	XX.XX
	59R4-P	Stainless Steel Face Plate PRESS TO OPERATE DOOR	75.00	XX.XX
	59R4-W	Blue Face Plate WHEELCHAIR	75.00	XX.XX
	59R4-WSS	Stainless Steel Face Plate WHEELCHAIR	75.00	XX.XX
	59R4-PLAIN	Stainless Steel Face Plate NO LEGEND	75.00	XX.XX
6" Round Stainless Steel Switches				
 <p>59R6-H</p>	59R6-H	Blue Face Plate WHEELCHAIR/PRESS TO OPERATE DOOR	89.00	XX.XX
	59R6-HSS	Stainless Steel Face Plate WHEELCHAIR/PRESS TO OPERATE DOOR	89.00	XX.XX
	59R6-P	Stainless Steel Face Plate PRESS TO OPERATE DOOR	89.00	XX.XX
	59R6-W	Blue Face Plate WHEELCHAIR	89.00	XX.XX
	59R6-WSS	Stainless Steel Face Plate WHEELCHAIR	89.00	XX.XX
	59R6-PLAIN	Stainless Steel Face Plate NO LEGEND	89.00	XX.XX
1 11/16" x 4 1/2" Stainless Steel Jamb Switches				
 <p>59J-HSS</p>	59J-H	Blue Face Plate WHEELCHAIR/PUSH TO OPEN	71.00	XX.XX
	59J-HSS	Stainless Steel Face Plate WHEELCHAIR/PUSH TO OPEN	71.00	XX.XX
	59J-P	Stainless Steel Face Plate PUSH TO OPEN	71.00	XX.XX
	59J-W	Blue Face Plate WHEELCHAIR	71.00	XX.XX
	59J-WSS	Stainless Steel Face Plate WHEELCHAIR	71.00	XX.XX
	59J-PLAIN	Stainless Steel Face Plate NO LEGEND	71.00	XX.XX
	59J-E-R	Red Face Plate PUSH TO EXIT	71.00	XX.XX


SWITCHES

Click on images for additional product information at mssedco.com when applicable.


59 Series Door Activation Switches continued

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 <p>59V-H</p>  <p>59V-HSS</p>	59V-H	2 Blue Face Plates WHEELCHAIR/PUSH TO OPEN/ARROWS	150.00	XX.XX
	59V-HSS	2 Stainless Steel Face Plates WHEELCHAIR/PUSH TO OPEN/ARROWS	150.00	XX.XX
	59V-P	2 Stainless Steel Face Plates PUSH TO OPEN/ARROWS	150.00	XX.XX
	59V-W	2 Blue Face Plates WHEELCHAIR/ARROWS	150.00	XX.XX
	59V-WSS	2 Stainless Steel Face Plates WHEELCHAIR/ARROWS	150.00	XX.XX
	59V-PLAIN	2 Stainless Steel Face Plates NO LEGEND	150.00	XX.XX

89 Series Door Activation Switches

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
4 1/2" Square Switches and Heat Resistant Acrylic Face Plate				
 <p>89-H</p>	89-H	Blue Acrylic Face Plate WHEELCHAIR/PRESS TO OPERATE DOOR	75.00	XX.XX
	89-HSS	Silver Acrylic Face Plate WHEELCHAIR/PRESS TO OPERATE DOOR	75.00	XX.XX


614 Series Door Activation Switches

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
1" Diameter Red Piezo Button Switch is waterproof and built to withstand any environment. Patented piezo technology has no moving parts making this switch virtually indestructible. Includes WHEELCHAIR and PUSH TO OPEN self-sticking MYLAR decals.				
 <p>614-SS / 614-NSS</p>	614-SS	4 1/2" Square Stainless Steel Face Plate	125.00	XX.XX
	614-NSS	1 11/16" x 4 1/2" Stainless Steel Face Plate	125.00	XX.XX


SWITCHES

Click on images for additional product information at mssedco.com when applicable.

830 Series Door Activation Switches

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
Rugged Keyswitches with SPDT switch in a choice of either momentary contact or maintained contact. For ultimate durability, the integral lock cylinder cover provides a key "dead stop" and protects against wires becoming tangled in the locking mechanism. Includes a stainless steel face plate.				
 <p>830-A / 830-AL</p>	830-A	Maintained Keyswitch & 4 1/2" Square Face Plate	68.00	XX.XX
	830-B	Momentary Keyswitch & 4 1/2" Square Face Plate (Fits Single & 2-Gang Boxes)	68.00	XX.XX
	830-AL	Maintained Keyswitch & 2 3/4" x 4 1/2" Face Plate	68.00	XX.XX
	830-BL	Momentary Keyswitch & 2 3/4" x 4 1/2" Face Plate (Fits Single-Gang Box)	68.00	XX.XX
	830-AN	Maintained Keyswitch 1 11/16" x 4 1/2" Face Plate	68.00	XX.XX
	830-BN	Momentary Keyswitch 1 11/16" x 4 1/2" Face Plate (Fits 1 3/4" Door Frame)	68.00	XX.XX
	-RG	Add RG to any of the part numbers to include red or green LED options.	40.00 Add	XX.XX

830 Series Combo Keyswitch/59 Series

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
Rugged 830 Series Keyswitch and 59J Series Jamb Switch are integrated onto a single 4 1/2" square stainless steel back plate. Mounts to a 2-gang electrical box.				
 <p>830A-59J-H</p>	830A-59J-H	Maintained Keyswitch & 59J-H	131.00	XX.XX
	830B-59J-H	Momentary Keyswitch & 59J-H	131.00	XX.XX
	830A-59J-HSS	Maintained Keyswitch & 59J-HSS	131.00	XX.XX
	830B-59J-HSS	Momentary Keyswitch & 59J-HSS	131.00	XX.XX
	830A-59J-P	Maintained Keyswitch & 59J-P	131.00	XX.XX
	830B-59J-P	Momentary Keyswitch & 59J-P	131.00	XX.XX
	830A-59J-W	Maintained Keyswitch & 59J-W	131.00	XX.XX
	830B-59J-W	Momentary Keyswitch & 59J-W	131.00	XX.XX
	830A-59J-WSS	Maintained Keyswitch & 59J-WSS	131.00	XX.XX
	830B-59J-WSS	Momentary Keyswitch & 59J-WSS	131.00	XX.XX
	830A-59J-PLAIN	Maintained Keyswitch & 59J-PLAIN	131.00	XX.XX
	830B-59J-PLAIN	Momentary Keyswitch & 59J-PLAIN	131.00	XX.XX
	-RG	Add RG to any of the part numbers to include red or green LED options.	40.00 Add	XX.XX

ALL WEATHER PROTECTION

Available for Every Switch –
Simply add **IP68**



49-H



49-HSS



49-P



59-H



59R4-HSS



59R6-H



59J-HSS



59V-H



59V-HSS



89-H



49-H-NY



49-HSS-NY



ORDER TODAY
Call 317-842-2545
or visit mssedco.com

Add the maximum layer of protection to every switch.

PRODUCT FEATURES

- + IP68 rated waterproofing upgrade available for 49, 59, 59J, 59V & 89 series switches
- + Maximum protection, submersible, dustproof, and designed for outdoor use

SWITCHES

Click on images for additional product information at mssedco.com when applicable.


Switch Options

PART #	DESCRIPTION	RETAIL	YOUR PRICE
-DPDT	Double Pole Double Throw switch. Add suffix DPDT to part number (example: 59-H-DPDT).	16.00	XX.XX
-IP68	Weatherproof option for all switches (49, 59, and 89 series).	40.00	XX.XX
59-XXX	For "Face Plate Only", add "-PO" to the part number. Excludes custom face plates and dual vestibule switches.	47.00	XX.XX
59-XXX	For "Face Plate Only", on vestibule dual switch assemblies, add "-PO" to the part number. Excludes custom face plates.	95.00	XX.XX
59-Custom Plate	Switch with custom printed face plate. One time set up fee of \$100. Call for pricing. More colors available.	Call for pricing	XX.XX
-NY	Add New York style handicap logo to any switch series.	XX.XX	XX.XX

Switch Accessories

PART #	DESCRIPTION	RETAIL	YOUR PRICE
ESC-59R4	Escutcheon Plate for 59R4 Series Switches. Attractive stainless steel plates that can be surface mounted directly to the wall or attached to a single-gang or 2-gang electrical box.	79.00	XX.XX
ESC-59R6	Escutcheon Plate for 59R6 Series Switches. Attractive stainless steel plates that can be surface mounted directly to the wall or attached to a single-gang or 2-gang electrical box.	89.00	XX.XX
E13-25JA	UL listed replacement SPDT micro-switch. Includes mounting nuts and spring.	14.00	XX.XX
E19-00J	UL listed DPDT micro-switch. Includes mounting nuts and spring	29.00	XX.XX
HDWE-XX	Screw packs for mounting switches. Specify switch series.	5.00	XX.XX
HDWE-SECURITY-XX	Screw packs for security mounting switches. Specify switch series.	5.00	XX.XX


Surface Mount Boxes / Exterior Grade Polycarbonate

					
	1035	1010	1020	1025	1030
1035					
	1035	One piece mounting box. 2" deep jamb box. Compatible with 59J Series switches and many other switches designed for jamb mount.	32.00	XX.XX	
	1010	Two piece mounting box. 2 Piece design makes battery replacement quick and easy for wireless applications. Compatible with 59J & 614-NSS Series switches.	32.00	XX.XX	
	1015	Two piece mounting box. 2 Piece design makes battery replacement quick and easy for wireless applications. Compatible with 59, 59V, 1078, 216, 830, & 614 series switches.	37.00	XX.XX	
	1020	Two piece mounting box. 2 Piece design makes battery replacement quick and easy for wireless applications. Compatible with 59, 216, & 614 Series switches.	37.00	XX.XX	
	1025	Two piece mounting box. 2 Piece design makes battery replacement quick and easy for wireless applications. Round boxes compatible with all 59R4 Series switches.	37.00	XX.XX	
	1030	Two piece mounting box. 2 Piece design makes battery replacement quick and easy for wireless applications. Round boxes compatible with all 59R6 Series switches.	37.00	XX.XX	


TOUCHLESS

Click on images for additional product information at mssedco.com when applicable.


NexGen Touchless Switches

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 <p>NG-IR-A</p>	NGS-IR-A	NexGen Infrared WIRELESS Touchless Activation Switch. Replaceable battery with estimated 3-year battery life.	287.00	XX.XX
	NG-IR-A	NexGen Infrared WIRED Touchless Activation Switch. Can also be used with the 2WIRE MODULE.	213.00	XX.XX


216 Series Touchless Switches

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 <p>216</p>	216	IR Switch & 4 1/2" Face Plate (Fits Single & 2-Gang Junction Boxes) Can also be used with the 2WIRE MODULE.	257.00	XX.XX
	216-L	IR Switch & 2 3/4" x 4 1/2" Face Plate (Fits Single-Gang Box) Can also be used with the 2WIRE MODULE.	257.00	XX.XX
	216-N	IR Switch & 1 11/16" x 4 1/2" Face Plate (Fits 1 3/4" Door Frame) Can also be used with the 2WIRE MODULE.	257.00	XX.XX

Touchless Kits

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 <p>STK-NGS-IR-A</p>	2WIRE-216	Single Door Wired Kit - 2:216, 1:2WIRE MODULE	578.00	XX.XX
	2WIRE-216L	Single Door Wired Kit - 2:216-L, 1:2WIRE MODULE	578.00	XX.XX
	2WIRE-216N	Single Door Wired Kit - 2:216-N, 1:2WIRE MODULE	578.00	XX.XX
	2WIRE-NG-IR-A	Single Door Wired Kit - 2:NG-IR-A, 1:2WIRE MODULE	470.00	XX.XX
	STK-NGS-IR-A	Single Door IR Kit - 2:NGS-IR-A; 1:S-COR	702.00	XX.XX

Touchless Accessories







	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 <p>S-COR</p>	S-COR	Spectrum S-COR Coordinator- functions similar to the standard radio control receiver. Provides two outputs. Compatible with NexGen NGS-IR-A and all S-TRX transceivers. 2.4 GHz frequency provides superior activation reliability. Pairs with up to 64 transceivers.	203.00	XX.XX
	2WIRE MODULE	2WIRE Module: Enable power and signal with the use of 2 wires only. Great solution when retrofitting from a push plate to a wired touchless switch.	129.00	XX.XX
	1015-A	Angled mounting box for direct sunlight mounting of NG and NGS switches.	60.00	XX.XX
	NGS-RPL-BAT	Replacement battery for NexGen Infrared WIRELESS Touchless Activation Switch.	20.00	XX.XX

RADIO CONTROL PRODUCTS - *ClearPath 300/390 MHz*

Universal radio control products. All products feature selectable frequencies: HDRC™, 300 MHz and 390 MHz. *ClearPath* provides the most reliable wireless activation of automatic doors.

Click on images for additional product information at mssedco.com when applicable.

ClearPath Transmitters

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
All transmitters feature SignalLock™ that will guarantee the radio signal is transmitted every time a switch is activated.				
	CP-TX (59)		87.00	XX.XX
	CP-TX-R4 (59R4)	Wall mount transmitters. Complete with transmitter, integrated signal enhancing antennas, wire harness and 9V battery installed in a surface mounting box. For 1015 surface box, specify CP/TX-1015.	87.00	XX.XX
	CP-TX-R6 (59R6)		87.00	XX.XX
	CP-STX(59)	Vestibule sequencing transmitters. Vestibule sequencing version of the CP/TX. Sequence the opening of vestibule doors one after the other from either direction. For 1015 surface box, specify CP/STX-1015.	118.00	XX.XX
	CP-STX-R4(59R4)		118.00	XX.XX
	CP-STX-R6(59R6)		118.00	XX.XX
	CP-TX-J	Jamb mount transmitter. Complete with transmitter, wire harness and 9V battery installed in the 1010 jamb surface mounting box.	87.00	XX.XX
	CP-STX-J	Jamb sequencing transmitter. Vestibule sequencing version of the CP/TX-J. Sequence the opening of vestibule doors one after the other from either direction.	118.00	XX.XX
	CP-TX-V	Dual transmitters. Complete with 2 transmitters, wire harnesses and 9V batteries installed in the 1015 surface mounting box. Individually operate 2 doors in a vestibule when used in combination with the 59V Vestibule Series Switches.	162.00	XX.XX
	CP-TX-P	Bollard transmitter. Complete with transmitter, wire harness and 9V battery installed on a mounting platform that spans the top of the 608 Series Post assembly.	87.00	XX.XX
	CP-STX-P	Bollard sequencing transmitter. Vestibule sequencing version of the CP/TX-P. Sequence the opening of vestibule doors one after the other from either direction via 608 Series Posts.	118.00	XX.XX
	CP-TX-VP	Bollard dual transmitter. Complete with 2 transmitters, wire harnesses and 9V batteries installed on a mounting platform that spans the top of the 608 Series post assembly. Individually operate 2 doors in a vestibule when used in combination with the 608 Series Vestibule Posts.	167.00	XX.XX
	CP-TX-PCB	ClearPath transmitter only - no box	83.00	XX.XX
	CP-TX-HH1	Handheld Micro-Transmitter. 1-button micro-transmitter combines small overall size with a large easy to activate button. Small enough to wear on a neck chain (included).	92.00	XX.XX
CP-TX-HH2	Handheld Micro-Transmitter. 2-button micro-transmitter combines small overall size with 2 large easy to activate buttons. Small enough to wear on a neck chain (included).	100.00	XX.XX	


* Switches sold separately.

RADIO CONTROL PRODUCTS - ClearPath 300/390 MHz

Universal radio control products. All products feature selectable frequencies: HDRC™, 300 MHz and 390 MHz. ClearPath provides the most reliable wireless activation of automatic doors.

Click on images for additional product information at mssedco.com when applicable.

ClearPath Receivers

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
3 selectable frequencies: HDRCTM, 300 MHz, 390 MHz plus ClearPath™ receivers are capable of being programmed to one of four different modes: Mode 1: Standard Receiver Mode 2: Receiver with adjustable time delay 0-20 seconds Mode 3: Dual Receiver Mode 4: Receiver with 2 sequenced outputs & delay 0-20 seconds Mode 5: Receiver with ratchet relay output				
 CP/RX	CP-RX	Multi-Mode Receiver. Compact Receiver: Includes Mode 1 & 2.	92.00	XX.XX
	CP-RXM	Multi-Mode Receiver with Sequenced Output. Compact Receiver: Includes Mode 1, 2, 3 & 4. RXM provides sequenced output which allows processes such as releasing a lock before activating an opener.	132.00	XX.XX
	CP-RXR	Multi-Mode Receiver with Ratcheting Relay. Compact Receiver: Includes Mode 1, 2, & 5. RXR provides ratcheting relay which allows for a continuous output until a second activation signal is received.	104.00	XX.XX

ClearPath Kits

					
CTP-H	CTP-R4-H	CTP-R6-HSS	CTP-J-HSS	CTP-HSS	CTP-P
PART #	DESCRIPTION			RETAIL	YOUR PRICE
CTP-X	Single Door Kit - 2:59-X; 2:CP/TX; 1:CP/RX			388.00	XX.XX
CTP-R4-X	Single Door Kit - 2:59R4-X; 2:CP/TX-R4; 1:CP/RX			388.00	XX.XX
CTP-R6-X	Single Door Kit - 2:59R6-X; 2:CP/TX-R6; 1:CP/RX			419.00	XX.XX
CTP-J-X	Single Door Kit - 2:59J-X; 2:CP/TX-J; 1:CP/RX			381.00	XX.XX
CTP-XV	Vestibule Kit - 2:59-X; 2:CP/STX; 1:59V-X; 1:CP/TX-V; 2:CP/RX			805.00	XX.XX
CTP-J-XV	Vestibule Kit - 2:59J-X; 1:59V-X; 2:CP/STX-J; 1:CP/TX-V; 2:CP/RX			805.00	XX.XX
CTP2-X	Dual Door Kit -4:59-X; 4:CP/TX; 1:CP/RX			772.00	XX.XX

* For Push Plate Kits *X* = Specify push plate style "H", "HSS", "P", "W" and "WSS".



ClearPath Accessories

PART #	DESCRIPTION	RETAIL	YOUR PRICE
RXM	Plug-in module kit to field activate Mode 3 & 4.	50.00	XX.XX

RADIO CONTROL PRODUCTS - 2.4 GHz


Click on images for additional product information at mssedco.com when applicable.

Transmitters

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 S-TRX  S-TRX-HH	S-TRX	2.4 GHz transceiver, 1020 box, wire harness, 9v battery	135.00	XX.XX
	S-TRX-R4	2.4 GHz transceiver, 1025 box, wire harness, 9v battery	135.00	XX.XX
	S-TRX-R6	2.4 GHz transceiver, 1030 box, wire harness, 9v battery	135.00	XX.XX
	S-TRX-J	2.4 GHz jamb-mount transceiver, 1010 box, wire harness, 9v battery.	135.00	XX.XX
	S-TRX-V	2) 2.4 GHz transceivers, 1015 box, wire harnesses, 9v battery.	250.00	XX.XX
	S-TRX-P	2.4 GHz transceiver, wire harness, and 9v battery installed on a mounting platform that spans the top of a 608 Series post assembly.	135.00	XX.XX
	S-TRX-VP	(2) 2.4 GHz transceivers, wire harness, and 9v battery installed on a mounting platform that spans the top of a 608 Series post assembly.	250.00	XX.XX
	S-TRX-HH	1-button hand-held transceiver with lanyard.	156.00	XX.XX

* Switches sold separately.

Receivers

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 S-TRX-HH	S-COR	2.4 GHz S-COR Coordinator- functions similar to the standard radio control receiver. Provides two outputs. Compatible with NexGen NGS-IR-A and all S-TRX transceivers. Pairs with up to 64 transceivers.	203.00	XX.XX

Kits


PART #	DESCRIPTION	RETAIL	YOUR PRICE
2.4 GHz Dual-Switch Kits.			
STK-NGS-IR-A	Wireless Single Door Kit - 2:NGS-IR-A, 1: S-COR	702.00	XX.XX
STK-X	Single Door Kit - 2:59-X; 2:S-TRX; 1:S-COR	553.00	XX.XX
STK-R4-X	Single Door Kit - 2:59R4-X; 2:S-TRX; 1:S-COR	553.00	XX.XX
STK-R6-X	Single Door Kit - 2:59R6-X; 2:S-TRX; 1:S-COR	553.00	XX.XX
STK-J-X	Single Door Kit - 2:59J-X; 2:S-TRX; 1:S-COR	553.00	XX.XX
STK-XV	Vestibule Kit - 2:59-X; 2:S-TRX; 1:59V-X; 1:S-TRX-V; 2:S-COR	1,068.00	XX.XX
STK-J-XV	Vestibule Kit - 2:59J-X; 1:59V-X; 2:S-TRX-J; 1:S-TRX-V; 2:S-COR	1,068.00	XX.XX

* For Push Plate Kits *X* = Specify push plate style "H", "HSS", "P", "W" and "WSS".

TIMING MODULES

Click on images for additional product information at mssedco.com when applicable.

TDM - Time Delay Module

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 <p>TDM</p>	TDM	Time Delay Module. Universal Time Delay Module provides up to 4 inputs that can be converted to sequential relay outputs. Each output is adjustable 0-99 seconds. The TDM can add additional time of 0-99 seconds, sequence electric locks and automatic doors or sequence vestibule doors all from a single device.	120.00	XX.XX
	TDM-HC	High-Current Time Delay Module. TDM with both output relays rated for a current inrush of 20 amps, making the TDM- HC compatible with all common locking devices.	194.00	XX.XX



PTM - Privacy Timing Module

PART #	DESCRIPTION	RETAIL	YOUR PRICE
<p>The Privacy Timing Module (PTM) is a timing module that allows users to control an automatic door operator for a room where privacy is a concern, such as a washroom, restroom, clean room, or photo development room. From the outside of the room, users are able to activate the door. Once inside, users are able to lock the door which prevents access from the outside “push to open” button. When egress is desired, the user presses an inside “push to open” button which deactivates the lock and activates the door. A keyswitch override is present on the exterior, as well as LEDs to indicate if the room is occupied.</p>			
PTM	Module and wire harness only.	174.00	XX.XX
PTM-KIT	Includes module, wire harness, interior dual switch (59V-PTM), exterior combo switch (830B-59J-PTM), and door position switch.	405.00	XX.XX


SENSORS - DOORS

Click on images for additional product information at mssedco.com when applicable.



Motion Sensors (Activation Only)

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 MicroStar	MicroStar	Microwave motion sensor with <i>Human Presence Radar™</i> (HPR) for activating all types of automatic doors. HPR helps to maintain detection of extremely slow moving individuals in approach zone of the door.	278.00	XX.XX
	VPR-27	Short Range Sensor ✓ High-mount microwave motion sensor with detection range of approximately 60 feet	800.00	XX.XX
 VPR-27				

Presence Sensors (Safety Only)

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 DH100	DH-400	Active infrared presence sensor for pedestrian doors. Not monitoring capable.	414.00	XX.XX
	DH100-CT	Active infrared presence sensor for pedestrian doors. Presence monitoring capable.	373.00	XX.XX
	SSS-5L1	Door-mounted monitored infrared presence sensor: 40" housing length.	502.00	XX.XX
	SSS-5M1	Door-mounted monitored infrared presence sensor: 27" housing length.	490.00	XX.XX


Combination Sensors (Activation and Safety)

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 3H-IR14C	3H-IR14C	Active infrared presence sensor for pedestrian doors. Presence monitoring capable.	305.00	XX.XX
	SSR-3F/BL	Microwave & active infrared sensor. Presence monitoring capable.	357.00	XX.XX
 SSR-3F				

SENSORS - DOORS

Click on images for additional product information at mssedco.com when applicable.

Door Beam Sensors (Not Monitoring Capable)

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 DB-11	DB-11	Flush-mount infrared emitter and receiver safety beam set with a 0' to 40' range and GDB mounting brackets included.	163.00	XX.XX
	GD11-GDB	Surface-mount infrared emitter and receiver safety beam set with a 0' to 40' range and GDB mounting brackets included.	184.00	XX.XX
	HP2	Infrared modular beam system consists of one control module, 2 transmitter beams with cables and 2 receiver beams with cables.	180.00	XX.XX


Motion Sensor Accessories

PART #	DESCRIPTION	RETAIL	YOUR PRICE
12024	24V AC transformer.	25.00	XX.XX
MS-BDB	Microstar- universal mounting bracket.	30.00	XX.XX
MSRC	Microstar- rain cover.	48.00	XX.XX
WC-ID-BL	Molded plastic rain cover for DH400 & DH100.	88.00	XX.XX

BOLLARDS

Click on images for additional product information at mssedco.com when applicable.

608 Series Bollards

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
Heavy duty construction. Each bollard is made from 1/8" thick tubular steel with a two-coat industrial grade exterior powder coated finish; these switch bollards are the most durable available. 608 Bollard assembly includes: 5"x5"x42" Bollard w/LongLife™ Finish, Rugged Polycarbonate Cap and ABS Plastic Rust Shield. Steel "U" Shaped Surface Mounting Shoe is included standard.				
	608-NP-NT-GR-SM	Bollard & Cap Assy, No Switch Prep, No Transmitter, Gray, Surface Mount.	446.00	XX.XX
	608-NP-NT-BR-SM	Bollard & Cap Assy, No Switch Prep, No Transmitter, Dk Bronze, Surface Mount.	446.00	XX.XX
	608-SP-NT-GR-SM	Bollard & Cap Assy, Flush Switch Prep, No Transmitter, Gray, Surface Mount.	394.00	XX.XX
	608-SP-NT-BR-SM	Bollard & Cap Assy, Flush Switch Prep, No Transmitter, Dk Bronze, Surface Mount.	394.00	XX.XX
	608-RP-NT-GR-SM	Bollard & Cap Assy, Recessed Switch Prep, No Transmitter, Gray, Surface Mount.	499.00	XX.XX
	608-RP-NT-BR-SM	Bollard & Cap Assy, Recessed Switch Prep, No Transmitter, Dk Bronze, Surface Mount.	499.00	XX.XX
ADD OPTIONS:				
XXX-XX-XX-XX-IG	Replace Surface Mount Shoe with In-ground Shoe.		49.00	XX.XX
XXX-XX-CT-XX-XX	Add (1) 300/390 MHz Transmitter.		88.00	XX.XX
XXX-XX-CS-XX-XX	Add (1) 300/390 MHz Sequencing Transmitter.		119.00	XX.XX
XXX-XX-CV-XX-XX	Add (2) 300/390 MHz Transmitters.		168.00	XX.XX
XXX-XX-ST-XX-XX	Add (1) 2.4 GHz Transmitter.		132.00	XX.XX
XXX-XX-SV-XX-XX	Add (2) 2.4 GHz Transmitters.		249.00	XX.XX
608-CUSTOM	Contact Factory for Customized Options.		call for pricing	XX.XX

* Bollard color options are Gray (GR) and Bronze (BR). Switch sold separately.

Bollard Accessories

PART #	DESCRIPTION	RETAIL	YOUR PRICE
608-SHOE-SM	Surface Mount Shoe & Hardware for 608 Bollard.	60.00	XX.XX
608-SHOE-IG	In-ground Mount Shoe & Hardware for 608 Bollard.	107.00	XX.XX
608-CAP	Plastic Cap & Hardware for 608 Bollard.	60.00	XX.XX

DECALS

Click on images for additional product information at mssedco.com when applicable.


Decals

	MSS-1		MSS-2		MSS-3		MSS-4
	MSS-5		MSS-6		MSS-13		MSS-15
PART #	DESCRIPTION	RETAIL	YOUR PRICE				
Two sided decals are depicted with opposite side partially shown.							
MSS-1	Blue & White, 1 qty	12.00	XX.XX				
MSS-1-40	Blue & White, 40 qty	252.00	XX.XX				
MSS-2	Yellow & Black, 1 qty	12.00	XX.XX				
MSS-2-40	Yellow & Black, 40 qty	252.00	XX.XX				
MSS-3	Green, Black & White, 1 qty	12.00	XX.XX				
MSS-3-40	Green, Black & White, 40 qty	252.00	XX.XX				
MSS-4	Red, Black & White/Green, Black & White, 1 qty	12.00	XX.XX				
MSS-4-40	Red, Black & White/Green, Black & White, 40 qty	252.00	XX.XX				
MSS-5	White & Blue, 1 qty	12.00	XX.XX				
MSS-5-40	White & Blue, 40 qty	252.00	XX.XX				
MSS-6	Red & White, 1 qty	12.00	XX.XX				
MSS-6-40	Red & White, 40 qty	252.00	XX.XX				
MSS-13	Red & White, 1 qty	12.00	XX.XX				
MSS-13-40	Red & White, 40 qty	252.00	XX.XX				
MSS-15	Yellow, Black & Blue, 1 qty	12.00	XX.XX				
MSS-15-40	Yellow, Black & Blue, 40 qty	252.00	XX.XX				

SENSORS - TRAFFIC

Click on images for additional product information at mssedco.com when applicable.

Vehicle Sensors

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 Intersector	TC-OA-SDLC	Intersector SDLC <ul style="list-style-type: none"> ✓ Stop bar & advanced detection; SDLC bus compatible ✓ Radar detection with presence-tracking capabilities ✓ Provides both stop bar and advanced detection capabilities in a single sensor ✓ Intersector HUB & SDLC Bus compatible 	6,250.00	XX.XX
	TC-CK1-SBE-2.0	Intersector SBE 2.0 <ul style="list-style-type: none"> ✓ Stop bar & advanced detection ✓ Radar detection with presence-tracking capabilities ✓ Provides both stop bar and advanced detection capabilities in a single sensor ✓ TCIB-UNI compatible 	6,250.00	XX.XX

Intersector Interface Products

PART #	DESCRIPTION	RETAIL	YOUR PRICE
TC-HUB	Intersector Hub <ul style="list-style-type: none"> ✓ Communication link for up to 6 Intersector SDLC sensors ✓ Integrated power supply ✓ Integrated WiFi & ethernet switch ✓ Integrated data reporting ✓ Provides sensor setup via web-based user interface ✓ Remote sensor monitoring & setup capability 	2,875.00	XX.XX
Intersector Interface Cards <ul style="list-style-type: none"> ✓ Communication link between the Intersector sensors and a traffic controller ✓ Provides user interface to set up and program Intersector Sensor models: SBE; 1.9 & 2.0 			
TCIB-UNI-2.1	✓ TCIB-UNI-2.1 = 2 Outputs/Single Cabinet Slot	700.00	XX.XX
TCIB-UNI-4.1	✓ TCIB-UNI-4.1 = 4 Outputs/Single Cabinet Slot	700.00	XX.XX
TCIB-UNI-4.2	✓ TCIB-UNI-4.2 = 4 Outputs/2 Cabinet Slots	700.00	XX.XX


Intersector Accessories

PART #	DESCRIPTION	RETAIL	YOUR PRICE
TCIPI-4	Intersector Power Injector <ul style="list-style-type: none"> ✓ Robust power supply for up to 4 sensors ✓ Injects 24V DC on the Ethernet cable between each TCIB Card and sensor 	930.00	XX.XX
TCIP-CC	Intersector Card Cage <ul style="list-style-type: none"> ✓ Hardware and Cable necessary to power and operate a TCIB-UNI-2.1 or 4.1, 60" cable assembly included 	825.00	XX.XX
ECX	Ethernet Cable Extender <ul style="list-style-type: none"> ✓ Extends the maximum cable length for sensors from 300 ft. to 600 ft. 	825.00	XX.XX

SENSORS - TRAFFIC

Click on images for additional product information at mssedco.com when applicable.

Motion Sensors

	PART #	DESCRIPTION	RETAIL	YOUR PRICE
 <p>VPR-26</p>	VPR-26	Long Range Sensor ✓ Detects cars up to 350 ft within target zone ✓ Selectable approach/depart or bi-direction motion detection	1,000.00	XX.XX
	VPR-27	Short Range Sensor ✓ High-mount microwave motion sensor with detection range of approximately 60 feet	800.00	XX.XX
	Smartwalk XP & XP-S	Pedestrian Sensor ✓ Curbside pedestrian presence sensor ✓ Replaces manual buttons ✓ Automatic activation of pedestrian signals or flashing warning lights ✓ XP-S model is solar powered (Solar panel by others)	Call for pricing	XX.XX

Motion Sensor Accessories

PART #	DESCRIPTION	RETAIL	YOUR PRICE
TCPS-170	Isolation Card - 170, 179, 2070 ✓ Single channel isolation/surge protection ✓ Single 12V AC output powers up to 2 sensors	200.00	XX.XX
TCPS-NEMA	Isolation Card - NEMA (Cabinet) ✓ Dual channel isolation/surge protection ✓ Two 12V AC output powers up to 2 sensors	200.00	XX.XX
TCPS-IRM	Isolation Relay Module ✓ Single channel isolation/surge protection ✓ Single 24V AC output powers up to 1 sensor	70.00	XX.XX

Presence Sensors

PART #	DESCRIPTION	RETAIL	YOUR PRICE
TC-30	Ultrasonic Presence Sensor ✓ Detects moving and stationary vehicles up to 22 ft. within target zone	Call for pricing	XX.XX

Misc. Accessories

PART #	DESCRIPTION	RETAIL	YOUR PRICE
12024	24 Volt Transformer ✓ Converts 120 Volts AC to 24 Volts AC ✓ Screw mount base ✓ Provides 1 Amp of power ✓ UL Listed	25.00	XX.XX
TDM	Time Delay Module ✓ Provides simplified programmable timer functions for misc. applications ✓ Provides 2 independent 3-Amp output relays with wet/dry contacts ✓ Provides delay-on-make and delay-on-break functions ✓ Low voltage power input	120.00	XX.XX



5706 W 74th St | Indianapolis, IN 46278

PHONE 317-842-2545

ORDERS & CUSTOMER SERVICE: custsvc@mssedco.com

TECH SUPPORT: techsupport@mssedco.com

WARRANTY & REPAIRS: rma@mssedco.com

mssedco.com



MS Sedco proudly assembled in the USA