



ASSA ABLOY

Experience a safer
and more open world



Competitor Indicator Kits

Best® and Schlage® Mortise Locks



Features:

- Can be mounted on the inside, outside or both sides of the door
- Available for a variety of Best® and Schlage® functions
- Large viewing window
- Patented curved design for viewing at multiple angles
- Window located prominently above the cylinder
- Highly reflective viewing window for increased safety
- Multiple color, text, graphic and language combinations available
- Covers existing Best® or Schlage® sectional trim indicator preps
- Two-year warranty.

Typical Applications:

- Classroom doors
- Privacy rooms
- Nursing/new mother rooms
- Patient rooms
- Restrooms
- Meeting rooms

Indicators can be used in a variety of applications and are most commonly used to identify occupancy or display the locked/unlocked status of a room. Upgrade existing Best® or Schlage® mortise locks with a retrofit indicator kit from Arrow.

These kits offer a seamless upgrade to existing sectional mortise locks to add security and privacy.

Certification:

UL/cUL Classified for use on 3 hr doors using Schlage® L9000 or Best® 45H/34H/35H mortise locks



*Cylinder not included.

WARNING

This product can expose you to lead which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov.

Finishes:

Arrow Code	BHMA	U.S. Equiv.	Finish Description	
605	605	US3	Bright Brass	
606	606	US4	Satin Brass	
612	612	US10	Satin Bronze	
613E	613E	US10BE	Dark Oxide Bronze Equivalent	

Arrow Code	BHMA	U.S. Equiv.	Finish Description	
618	618		Bright Nickel Plated, Clear Coated	
619	619	US15	Nickel Plated	
625	613	US26	Bright Chromium Plated	
626	626	US26D	Satin Chromium Plated	

Note: All finishes will be provided per Arrow color standards. Arrow does not guarantee finish will match to Best® or Schlage® finish.

1. Indicator escutcheon nickel plated to match stainless steel.

Indicator Option Codes:

Mortise indicator option codes are designed to convey wording and color in one simple code.



V10



V40



V20



V50



V30



V60

Option Code	Wording	Color
V10	Unlocked/Locked	Green/Red
V20	Vacant/Occupied	Green/Red
V30	Icons Only	Green/Red
V40	Unlocked/Locked	White/Red
V50	Vacant/Occupied	White/Red
V60	Icons Only	White/Red

Best® Mortise Locks:

Sectional trim indicator kits are available to retrofit to Best® 45H, 34H or 35H series mortise locks. Kits can be ordered to be used on the inside, outside or both sides of the door. Each kit includes a single side indicator plate with mechanism, screw pack, plastic template and instructions.

- Kits available for use on sectional trim installations only
- Can only be used with H or R roses. Roses greater than 3-1/4" in diameter cannot be used.
- Thumbturn design will be the standard Arrow thumbturn
- L and LT privacy functions will use a coin turn for emergency override

The following chart details the functions that can be accommodated.

Best® Function	Illustration	Description	Outside	Inside
L		Privacy F19	BE193 	
LT		Privacy		
AB		Office F20	BE190* 	
AT		Office F04		
RD		Classroom DL F29		
TA		Dormitory F12		
TD		Dormitory		
IND		Intruder F33		
INL		Intruder F32		
			BE190* 	

*Cylinder not included. Accepts a standard 1-1/8" mortise cylinder.

Function numbers, illustrations and descriptions above are from the Best® 40H series catalog. Refer to that catalog for more information and function details.

Schlage® Mortise Locks:

Sectional trim indicator kits are available to retrofit to Schlage® L series mortise locks. Kits can be ordered to be used on the inside, outside or both sides of the door. Each kit includes a single side indicator plate with mechanism, screw pack, plastic template and instructions.

- Kits available for use on sectional trim installations only
- Can be used with A, B, C, AVA or MER roses. Roses greater than 3-1/4" in diameter cannot be used.
- Thumbturn design will be the standard Arrow thumbturn
- L/LV9040 and L/LV9044 privacy functions will use a coin turn for emergency override

The following chart details the functions that can be accommodated.

Schlage® Function	Illustration	Description	Outside	Inside
L/LV9040		Privacy F22	SC193 	SC194
L/LV9044		Privacy		
L/LV9050		Office F04	SC190* 	
L/LV9456		Corridor F13		
L9473		Dormitory F21		
L/LV9060		Apartment Entrance Lock F09	SC190* 	SC190*
L/LV9071		Classroom Security F32		
L/LV9077		Classroom Security Holdback		
L/LV9457		Classroom Security F33		
L/LV9458		Classroom Security F34		
L9466		Store/utility Room Lock with Deadbolt F14		
L/LV9070		Classroom Lock F05		

*Cylinder not included. Accepts a standard 1-1/8" mortise cylinder.

Function numbers, illustrations and descriptions above are from the Schlage® L series catalog. Refer to that catalog for more information and function details.

Competitor Indicator Kits



ASSA ABLOY

How To Order:

To order, specify by model number. Indicator option code must be specified with each kit.

Standard door thickness is 1-3/4".

Competitor indicator kits are handed and easily field reversible. All units are shipped from the factory with a default handing. Handing must be field verified and adjusted as needed per product installation instructions.

Best®

Model Number	Door Thickness	Finish	Option Code
BE190	1-3/4"	626	V10


Schlage®

Model Number	Door Thickness	Finish	Option Code
SC190	1-3/4"	626	V10

Note: Indicators for both sides of the door require two kits.

Parts:

Replacement parts are available as follows:



ITEM #	DESCRIPTION	PART NUMBER
1	Best® Sectional Escutcheon - Cylinder	50-8800-2304 x Finish
	Schlage® Sectional Escutcheon - Cylinder	50-8800-2303 x Finish
	Best Sectional Escutcheon - Thumbturn (includes thumbturn)	50-8800-0390* x Finish
	Schlage Sectional Escutcheon - Thumbturn (includes thumbturn)	50-8800-0389* x Finish
	Best or Schlage Sectional Escutcheon - Cointurn (cointurn not included)	50-8800-2301 x Finish
	Best or Schlage Sectional Escutcheon - No Input / Blank	50-8800-2302 x Finish
2	Indicator Window	856F049
3	Display Assembly - Green Unlocked / Red Locked	858F241
	Display Assembly - Green Vacant / Red Occupied	858F251
	Display Assembly - Green Unlocked Icon / Red Locked Icon	858F261
	Display Assembly - White Unlocked / Red Locked	858F271
	Display Assembly - White Vacant / Red Occupied	858F281
	Display Assembly - White Unlocked Icon / Red Locked Icon	858F291
	Display Assembly - Green Ouvert / Red Fermé	865F241
	Display Assembly - Green Libre / Red Occupée	865F251
4A	Best Spindle Cam - Thumbturn	855F619
4B	Best Spindle Cam - Cylinder / No Input / Blank	855F707*
4C	Best Spindle Cam - Cointurn (includes cointurn)	855F747* x Finish
4D	Schlage Spindle Cam - Thumbturn	50-8800-9322
4E	Schlage Spindle Cam - Cylinder / No Input / Blank	50-8800-7314*
4F	Schlage Spindle Cam - Cointurn (includes cointurn)	50-8800-7318* x Finish
5	Retaining Pad and Screw Kit	50-8800-0391
7	Mounting Plate	855F658
Not Shown	Screw Pack	858F497 x Finish
Not Shown	Template Kit	50-8800-9327

*These parts are for 1-3/4" standard thickness doors. For other thicknesses, please contact factory.

Competitor Indicator Kits



ASSA ABLOY

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.



ASSA ABLOY

Arrow Lock & Door Hardware
225 Episcopal Road
Berlin, CT 06037
Customer Service: 1-800-327-8539
Technical Product Support: 1-800-327-8539 X2
www.arrowlock.com