



ASSA ABLOY

Experience a safer
and more open world

HK Series Cylindrical Lockset



Features:

Lock Chassis – Cold rolled steel with zinc dichromate finish for corrosion resistance. Latch retractor is precision cast stainless steel. Requires standard 2-1/8" (54mm) bore through the door.

Backset – 2-3/4" (70mm) backset standard.

Door Thickness – 1-3/8" (35mm) to 2" (51mm).

Latch – Stainless steel with 1/2" (13mm) throw. Latch housing is steel, zinc dichromate finish for corrosion resistance. 1" (25mm) bore in edge of door required.

Latch Front – Brass or stainless steel 2-1/4" (57mm) x 1-1/8" (29mm).

Handing – Reversible.

Strike – Brass or stainless steel. ANSI A115.2, 4-7/8" (124mm) x 1-1/4" (32mm) curved lip standard. Optional 2-3/4" (70mm) x 1-1/8" (29mm) available.

All strikes have 1-1/4" (32mm) lip to center dimension.

Cylinder, Standard – Solid brass, 6 pin cylinder with Arrow "A" keyway. Supplied with two 6 pin nickel plated brass keys. Optional Schlage® C keyway available.


Cylinder Options – Interchangeable core-lockset prepared for use with 6 or 7 pin interchangeable core. Supplied less core, but packed with 6 and 7 pin tailpieces. Will accept Best™ and Falcon™ type cores. Suffix "IC" to design.

The HK series Grade 1 Cylindrical Knob lock is designed and tested for the most robust applications for Grade 1 knob locksets. Backed by the Arrow 10 year warranty and Certified to BHMA Grade 1 it is the worry free solution when a Grade 1 knob lock is needed.

A great choice for a variety of commercial applications when a Grade 1 knob is needed.

Design:

Ball – BB
Knob: B Cold-forged
Rose: B Wrought



Finishes:

Arrow Code	BHMA	U.S. Equiv.	Finish Description	
605	605	US3	Bright Brass	
613E	613E	US10BE	Dark Oxidized Satin Bronze Equivalent	
630	US32D	630	Satin Stainless Steel	

Certification & Compliance:



- ANSI/BHMA A156.2, Series 4000, Grade 1.
- Underwriters Laboratories (UL and CUL) listed for use on 3 hour, A label single swinging doors.



WARNING

This product can expose you to lead which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov.


Function:

ARROW CODE	FUNCTION		DESCRIPTION
HK01	Passage/Closet		Latchbolt operated by knob either side.
HK02	Privacy/Bathroom		Latch operated by knob either side except when outside knob is locked by pushing inside button. Outside knob unlocked by turning inside knob, using emergency key, or closing door. Inside knob always operates latch.
HK08	Single Dummy		Rigid knob for one side of door. No operation.
HK11	Entry		Deadlocking latch operated by knob either side except when outside knob is locked by pushing inside turn button. Outside knob unlocked by outside key or turning inside knob. Outside knob may be retained in locked position by pushing and rotating inside turn button. Outside knob is not unlocked until turn button is manually rotated to unlocked position. Inside knob always operates latch.
HK12	Storeroom		Deadlocking latch operated by outside key or inside knob. Outside knob always locked. Inside knob always operates latch.
HK17	Classroom		Deadlocking latch operated by knob either side except when outside knob is locked by outside key. Key unlocks outside knob. Inside knob always operates latch.
HK33	Asylum		Deadlocking latch operated by key either side. Both knobs always locked.


Indicates knob rigid at all times.

Latches:

Spring Latch
Q73
2-3/4" Backset




Dead Latch
Q71
2-3/4" Backset




Strikes:

306
Standard with
HK Series



Installation:

161 prep for retrofit and secure installation.



Ordering Example:

Example: To order a HK Series entrance function lockset with a BB design, satin stainless steel finish, with an ASA strike and 2-3/4" backset, keyed different:

Specify:

Standard:

Series	Function	Design	Finish	Strike	Latch	Keying	Options (if required)
HK	11	BB	32D	306	Q71	KD	XXX

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.



ASSA ABLOY

Arrow Lock & Door Hardware
225 Episcopal Road
Berlin, CT 06037
Customer Service: 1-800-327-8539
Technical Product Support: 1-800-327-8539 X2
www.arrowlock.com