

# D Series Deadbolts

## Premier Product

Arrow D Series deadlocks are engineered to perform under the most extreme conditions where security is critical. Our Grade 1 extra heavy duty deadlock surpasses the demands of industrial, institutional and commercial applications.



### Certification & Compliance:

- ANSI A156.5, Auxiliary Locks, Grade 1
- Underwriters Laboratories (UL and CUL) listed for use on 20 minute fire doors when used in conjunction with a rated primary latching device



### General Specifications:

**Housing**—Two-piece housing, with free-spinning outer ring to prevent wrenching. Concealed mounting screws are standard on double cylinder functions.

**Deadbolt**—1" (25.40mm) throw, solid steel deadbolt with hardened, free spinning, steel pin & insert.

**Backset**—2-3/8" (60.32mm), 2-3/4" (69.85mm).

**Deadbolt fronts**—2-1/4" (57.15mm) x 1" (25.40mm) standard for 2-3/8" (60.32mm) backset, 2-1/4" (57.15mm) x 1-1/8" (28.57mm) standard for 2-3/4" (69.85mm) backset. Drive-in deadbolts are available.

**Doors**—1-3/8" (34.925mm) to 1-3/4" (44.45mm) thick standard.

**Strikes**—Supplied standard with the #346 wood frame strike and BX91D strike reinforcement. The #345 metal frame strike is optional.

**Handing**—All functions are reversible.

**Cylinder, Standard**—Solid brass, Arrow "A" keyway, 6 pin cylinder. Supplied with two nickel silver keys. Available in Schlage CS keyway and other competitive keyways.

**Cylinder Options**—Accepts 6 or 7 pin, small format, interchangeable cores. Supplied less cores. Will accept Best™ or Falcon™ type cores (except the E41).


### Finishes:




	BHMA	U.S. Equivalent	Arrow Equivalent	Finish
1	605	US3	03	Bright Brass
2	606	US4	04	Satin Brass
3	609	US5	05A	Antique Brass
4	612	US10	10	Satin Bronze
5	613	US10B	10B	Dark Oxide Bronze, Oil Rubbed
6	625	US26	26	Bright Chromium Plated
7	626	US26D	26D	Satin Chromium Plated

# D & E Series Deadbolts


## Deadbolts:



Deadbolt



Drive-In Deadbolt



Part No. #141  
Backset 2-3/8"

#142  
2-3/4"


#144  
2-3/4"




#145  
2-3/8"

#146  
2-3/4"


## Strikes:




#347  
ASA




#350  
T




#345  
(for metal doors)



#346  
(for wood doors)



BX91D  
(D Series)



BX91  
(E Series)

## Parts:

Thick Door Pack – For doors 2-1/4" thick

