

# Product Pricelist

U.S. & Canada Effective Date: April 17, 2023









# **Product Pricelist**

U.S. & Canada Effective date April 17, 2023







# **HES Product List**

1006
1500 Series <sup>TM</sup>
1600 Series™
ES100 Aperio® Wireless Electric Strike with Card Reader Kits • • • • • • 6
4500C
5000, 5200, 5300
7000
7501
8000, 8300
8500
Securitron UNL, MUNL
9100, 9200
9400, 9500, 9600, 9700, 9800
Folger Adam SB:310-1(X)
Folger Adam 310-2, 310-2 3/4, 310-2 3/4OB
Folger Adam 310-3-1
Folger Adam 310-4, 310-4 (S)
Folger Adam 310-4-X
Folger Adam 310-6-X
Folger Adam 310-1-X
Folger Adam 712, 712-75
Folger Adam 732, 732-75
Folger Adam SB710, SB710-75
Folger Adam SB730, SB730-75
Folger Adam 742-75
Folger Adam SB740-75
Electric Strike Accessories

Cadinet Locks
610
660
KP20 Stand-Alone Keypad Cabinet Lock
K100 Aperio® Wireless Cabinet Lock Kits · · · · · 27
K200 Integrated Wired Access Control Cabinet Lock
KS-M Mechanical Server Cabinet Lock
KS200 Wiegand Integrated Wired Access Control Server Cabinet Lock
KS210 Integrated Wired, RS-485 OSDP Access Control Server Cabinet Lock 29
K200, KS-M, KS200, KS210 Accessories 29

<b>Narranties</b>	Terms & Conditions	



# **Electric Strikes**

**1006CLB** Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	630
1006CLB		§755
1006CLB-F	Fail Safe	<sup>§</sup> 755
1006CLB-LBM		\$885
1006CLB-F-LBM	Fail Safe	\$885
1006CLB-LBSM		\$905
1006CLB-F-LBSM	Fail Safe	§905



MODEL	DESCRIPTION	630
1006CDB		<sup>§</sup> 785
1006CDB-F	Fail Safe	§785



**1006CAS** Complete Pacs for Locks with

Continuous Deadbolt Recapture

MODEL	DESCRIPTION	630
1006CAS		<sup>\$</sup> 796
1006CAS-F	Fail Safe	<sup>\$</sup> 796
1006CAS-2		§828
1006CAS-2-F	Fail Safe	<sup>\$</sup> 828

**1006CS** Complete Pacs for Latchbolts & Deadbolts

MODEL	DESCRIPTION	630
1006CS		§840
1006CS-F	Fail Safe	\$840


### **1006** Electric Strike Bodies

MODEL	DESCRIPTION	605	606	612	613	629	630	BLK
1006		§853	§836	\$836	\$800	§853	\$700	§750
1006-F	Fail Safe	§853	§836	\$836	§800	§853	<sup>\$</sup> 700	§750
1006-LBM		§983	\$966	\$966	\$930	§983	\$830	§880
1006-F-LBM	Fail Safe	§983	\$966	\$966	\$930	\$983	\$830	§880
1006-LBSM		§1003	§986	\$986	§950	§1003	\$850	\$900
1006-F-LBSM	Fail Safe	\$1003	\$986	\$986	\$950	§1003	\$850	\$900

How to Orders on next page


**Faceplates** 

	MODEL	605	606	612	613	629	630	BLK
LB							§55	
DB							§85	
DB2							<sup>\$</sup> 111	
J		\$136	<sup>§</sup> 122	§122	<sup>\$</sup> 74	<sup>\$</sup> 122	<sup>5</sup> 44	§73
KD		\$136	<sup>\$</sup> 122	§122	<sup>\$</sup> 74	<sup>\$</sup> 122	<sup>5</sup> 44	<sup>\$</sup> 73
KM		\$136	<sup>\$</sup> 122	§122	<sup>\$</sup> 74	<sup>\$</sup> 122	<sup>5</sup> 44	<sup>\$</sup> 73
ND		\$137	<sup>\$</sup> 120	<sup>§</sup> 120	§97	<sup>\$</sup> 120	§68	§96
NM		\$137	<sup>\$</sup> 120	<sup>§</sup> 120	§97	<sup>\$</sup> 120	§68	<sup>\$</sup> 96
НМ		\$137	<sup>\$</sup> 120	<sup>§</sup> 120	§97	<sup>\$</sup> 120	§68	§96
HTD		\$137	<sup>\$</sup> 120	<sup>§</sup> 120	§97	<sup>\$</sup> 120	§68	<sup>\$</sup> 96





MODEL	605	606	612	613	629	630	BLK
E	\$138	<sup>\$</sup> 122	<sup>\$</sup> 122	\$97	<sup>\$</sup> 122	§68	§96
R	\$138		<sup>\$</sup> 122	\$97	<sup>\$</sup> 122	§68	§96
Z	\$137		120	§75	<sup>\$</sup> 120	§45	§74
J-2	\$152		§133		§133	\$88	s117
KM-2	\$152	§133		<sup>\$</sup> 119	<sup>\$</sup> 133	§88	§117



# Accessories

ITEM	DESCRIPTION	PRICE
1000-102	Rain guard	§43
1000-104	Lip extension trim adapter (BLK)	<sup>§</sup> 79
1000-110	Replacement strike plate	<sup>\$</sup> 131
1000-130	KD filler plate	§58
1006-103	Full keeper shims	§15
1006-105	Trim enhancer (BLK)	§41

SERIES	MODEL	FAIL SAFE/SECURE	FINISH*	OPTION(S)
1006	_	– F	-630	– LBM
1006 Universal Electric	CS** Complete Electric Strike; includes the SMART	<b>F</b> Fail Safe	<b>605</b> Bright Brass	LBM Latchbolt Monitor
Strike Faceplates ordered separately	Pac® III and J, KD, KM, HM, and AD faceplates	(blank) Fail Secure	<b>606</b> Satin Brass	LBSM Latchbolt Strike
		(standard)	<b>612</b> Satin Bronze	Monitor
	<b>CLB</b> Complete Electric Strike for latchbolt locks; includes the J, K, KD, and KM faceplates		<b>613</b> Bronze Toned	
			629 Bright Stainless Steel	
			630 Satin Stainless Steel	
	CDB** Complete Electric Strike for Deadbolt Locks; includes the HM and AD faceplates		<b>BLK</b> Black	
	CAS Complete Electric Strike for Locks with Continuous Deadbolt Recature; includes the ND and NM faceplates			

\*Complete Pacs are only available in the 630 finish. \*\*Complete Pacs with deadbolts are not available with monitoring options.



**1500C Series**™ Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1500C		\$882	\$871	\$871	§742	\$882	§639	<sup>5</sup> 742
1500C-LM	Lock monitors	\$987	\$976	\$976	§847	\$987	<sup>\$</sup> 744	<sup>\$</sup> 847
1500C-DLM	Dual lock monitors	§1092	§1081	§1081	§952	§1092	§849	\$952
1500C-LMS	Lock monitors & strike monitors	\$1002	\$991	\$991	§862	§1002	§759	§862
1500C-DLMS	Dual lock monitors & strike monitors	\$1107	§1096	<sup>\$</sup> 1096	§967	§1107	<sup>\$</sup> 864	§967



## **1500 Series**™ Electric Strike Bodies

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1500		<sup>5</sup> 714	§700	\$700	§655	<sup>\$</sup> 714	\$590	§655
1500-LM	Lock monitor	<sup>\$</sup> 819	\$805	\$805	§760	§819	§695	\$760
1500-DLM	Dual lock monitors	\$924	§910	§910	\$865	\$924	\$800	§865
1500-LMS	Lock monitor & strike monitor	§834	\$820	\$820	§775	\$834	§710	\$775
1500-DLMS	Dual lock monitors & strike monitor	\$939	§925	\$925	\$880	\$939	§815	\$880

1500 Faceplates

	MODEL	605	606	612	613E	629	630	BSP
1LB		\$168	s171	<sup>\$</sup> 171	01	§168	§51	§87
1LB-2		\$231	<sup>\$</sup> 144	<sup>\$</sup> 144	<sup>§</sup> 122	<sup>\$</sup> 231	§85	<sup>§</sup> 122

# **1500 Accessories**

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1500-104	Lip extension trim adapter	<sup>\$</sup> 114	<sup>\$</sup> 107	§107	§91	<sup>\$</sup> 114	§50	§91
1500-106	4500 filler plates and trim enhancer kit	§106	<sup>\$</sup> 100	<sup>\$</sup> 100	<sup>5</sup> 84	§106	§43	<sup>5</sup> 84

## Accessories

ITEM	DESCRIPTION	PRICE
OPT-1SRK	Optional spring replacement kit	<sup>\$</sup> 54
OPT-1LM	Optional upgrade kit includes single lock monitor	§125
OPT-1DLM	Optional kit includes dual lock monitors	§250
MOD-1SOL	Solenoid replacement module	\$339

How to Order Specify quantity and the following information. Order related products separately.

SERIES	MODEL	FINISH	OPTION(S)*
1500	_	- 630	– LM
<b>1500</b> Universal Electric Strike	<b>C</b> Complete Electric Strike;	<b>605</b> Bright Brass	LM Lock Monitor
faceplate option kits	includes 1LB faceplate	<b>606</b> Satin Brass	<b>DLM</b> Dual Lock Monitor
ordered separately	kit for latchbolts	<b>612</b> Satin Bronze	LMS Lock Monitor and Strike Monitor
		613E Dark Oxidized Satin Bronze Powder	<b>DLMS</b> Dual Lock Monitors and Strike Monitor
		<b>629</b> Bright Stainless Steel	
		<b>630</b> Satin Stainless Steel	
		<b>BSP</b> Black Suede Powder	

\*LMS/DLMS factory installed only option.

**1600CLB Series**™ Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600-CLB		\$882	§871	\$871	<sup>5</sup> 742	\$882	§639	<sup>\$</sup> 742
1600-CLB-LM	Lock monitor	\$987	§976	§976	§847	§987	<sup>\$</sup> 744	§847
1600-CLB-DLM	Dual lock monitor	<sup>\$</sup> 1092	<sup>\$</sup> 1081	§1081	\$952	§1092	§849	§952
1600-CLB-LMS	Lock monitor & strike monitor	\$1002	§991	\$991	§862	\$1002	§759	§862
1600-CLB-DLMS	Dual lock monitors & strike monitor	§1107	§1096	§1096	\$967	§1107	§864	§967

**1600CDB Series**™ Complete Pacs for Locks with Deadbolts

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600-CDB		\$882	§871	\$871	§742	\$882	§639	§742
1600-CDB-LM	Lock monitor	\$987	§976	\$976	<sup>5</sup> 847	\$987	<sup>\$</sup> 744	§847
1600-CDB-DLM	Dual lock monitors	§1092	§1081	<sup>\$</sup> 1081	§952	§1092	§849	\$952
1600-CDB-LMS	Lock monitor & strike monitor	<sup>\$</sup> 1002	§991	§991	§862	§1002	§759	§862
1600-CDB-DLMS	Dual lock monitors & strike monitor	<sup>\$</sup> 1107	§1096	§1096	\$967	<sup>\$</sup> 1107	§864	\$967

**1600CS Series**™ Complete Pacs for Latchbolts & Deadbolts

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600-CS		\$1050	§1042	§1042	§829	§1050	§688	§829
1600-CS-LM	Lock monitor	<sup>\$</sup> 1155	s1147	<sup>§</sup> 1147	§934	<sup>\$</sup> 1155	§793	§934
1600-CS-DLM	Dual lock monitors	§1260	§1252	§1252	§1039	<sup>§</sup> 1260	\$898	§1039
1600-CS-LMS	Lock monitor & strike monitor	<sup>\$</sup> 1170	§1162	§1162	§949	§1170	\$808	§949
1600-CS-DLMS	Dual lock monitors & strike monitor	§1275	§1267	§1267	§1054	§1275	§913	§1054

# **1600** Electric Strike Bodies

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600		\$714	§700	§700	§655	§714	§590	§655
1600-LM	Lock monitor	<sup>\$</sup> 819	\$805	§805	§760	§819	§695	\$760
1600-DLM	Dual lock monitors	\$924	\$910	§910	§865	§924	\$800	§865
1600-LMS	Lock monitor & strike monitor	\$834	§820	§820	§775	\$834	§710	§775
1600-DLMS	Dual lock monitors & strike monitor	\$939	§925	\$925	\$880	\$939	§815	\$880

**1600 Faceplates** 

	MODEL	605	606	612	613E	629	630	BSP
1LB			<sup>\$</sup> 171	<sup>\$</sup> 171	<sup>\$</sup> 87	<sup>\$</sup> 168	§51	\$87
1LB-2		\$231	<sup>\$</sup> 144	<sup>\$</sup> 144	§122	§231	§85	§122
1DB		\$168	§171	s171	§87	§168	§51	\$87
1DB-2		\$231	<sup>\$</sup> 144	<sup>\$</sup> 144	§122	§231	§85	§122

# **1600 Accessories**

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600-104	1600 Lip extension trim adapter	<sup>\$</sup> 114	<sup>\$</sup> 107	§107	§91	<sup>\$</sup> 114	§50	§91
1600-106	1600 adapter and trim enhancer kit	<sup>\$</sup> 106	<sup>\$</sup> 100	<sup>\$</sup> 100	<sup>5</sup> 84	<sup>s</sup> 106	§43	<sup>\$</sup> 84

## **Accessories**

ITEM	DESCRIPTION	PRICE
OPT-1SRK	Optional spring replacement kit	<sup>\$</sup> 54
OPT-1LM	Optional upgrade kit includes single lock monitor	<sup>\$</sup> 125
OPT-1DLM	Optional kit includes dual lock monitors	<sup>\$</sup> 250
MOD-1SOL	Solenoid replacement module	\$339

How to Order Specify quantity and the following information. Order related products separately.

SERIES	MODEL	FINISH	OPTION(S)*
1600	– CS	-630	– LM
The state of Carilles		<b>605</b> Bright Brass	LM Lock Monitor
·	for latchbolts and 1DB faceplate kit for deadbolts	<b>606</b> Satin Brass	<b>DLM</b> Dual Lock Monitor
Faceplate option kits ordered CLB Complete Electric Strike for Latchbolt Locks;		<b>612</b> Satin Bronze	LMS Lock Monitor and Strike Monitor
separately	includes 1LB faceplate kit for latchbolts	<b>613E</b> Dark Oxidized Satin Bronze Powder	<b>DLMS</b> Dual Lock Monitors and Strike Monitor
separately	CDB Complete Electric Strike for Deadbolt Locks; includes 1DB faceplate kit for deadbolts	<b>629</b> Bright Stainless Steel	
	includes 100 faceplate kieror deadoores	<b>630</b> Satin Stainless Steel	
		BSP Black Suede Powder	

\*LMS/DLMS factory installed only option.



ES100-15 Aperio® Wireless Electric Strike with Card Reader Kits

MODEL	DESCRIPTION	630
ES100-15LH	Aperio® 1500 Wireless Electric Strike 1:1 Kit Latchbolts	§1737
ES100-15LMH	Aperio® 1500 Monitored Wireless Electric Strike 1:1 Kit Latchbolts	<sup>\$</sup> 1842

1500 Faceplates

MODEL	605	606	612	613E	629	630	BSP
1LB	\$168	s171	<sup>\$</sup> 171	\$87	§168	§51	\$87
1LB-2	\$231	<sup>\$</sup> 144	<sup>\$</sup> 144	§122	<sup>\$</sup> 231	<sup>\$</sup> 85	<sup>\$</sup> 122

### 1500 Accessories

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1500-104	Lip extension trim adapter	<sup>5</sup> 114	<sup>\$</sup> 107	s107	§91	§114	§50	<sup>\$</sup> 91
1500-106	4500 filler plates and trim enhancer kit	<sup>\$</sup> 106	<sup>\$</sup> 100	<sup>\$</sup> 100	<sup>5</sup> 84	§106	§43	<sup>\$</sup> 84

### ES100-15 Demo Mounts

ITEM	DESCRIPTION	PRICE
DEMO-ES100-	ES100-15 Aperio™ Wireless Electric Strike Demo Mount For Latchbolts With Black Suede	§1260
15L-IPS-BSP	Powdercoat Finish and HID multiCLASS SE Card Reader, HID NFC Mobile Access Enabled	1200

ES100-16 Aperio® Wireless Electric Strike with Card Reader Kits

MODEL	DESCRIPTION	630
ES100-16LH	Aperio® 1600 Wireless Electric Strike 1:1 Kit Latchbolts	§1737
ES100-16LMH	Aperio® 1600 Monitored Wireless Electric Strike 1:1 Kit Latchbolts	<sup>\$</sup> 1842
ES100-16SH	Aperio® 1600 Wireless Electric Strike 1:1 Kit Latchbolts and Deadbolts	<sup>\$</sup> 1786
ES100-16SMH	Aperio® 1600 Monitored Wireless Electric Strike 1:1 Kit Latchbolts and Deadbolts	<sup>s</sup> 1891

1600 Faceplates

	-p.a.co							
	MODEL	605	606	612	613E	629	630	BSP
1LB		\$168	§171	<sup>\$</sup> 171	§87	§168	§51	\$87
1LB-2		\$231	<sup>5</sup> 144	<sup>5</sup> 144	<sup>\$</sup> 122	§231	§85	<sup>§</sup> 122
1DB		\$168	§171	<sup>\$</sup> 171	§87	§168	§51	§87
1DB-2		\$231	<sup>\$</sup> 144	<sup>5</sup> 144	§122	§231	§85	§122

#### 1600 Accessories

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600-104	1600 Lip extension trim adapter	<sup>\$</sup> 114	<sup>\$</sup> 107	<sup>\$</sup> 107	§91	§114	\$50	§91
1600-106	1600 adapter and trim enhancer kit	§106	<sup>\$</sup> 100	<sup>\$</sup> 100	<sup>\$</sup> 84	§106	§43	§84

#### **ES100** Accessories

ITEM	DESCRIPTION	PRICE
OPT-1SRK	Optional spring replacement kit	§54
OPT-1LM	Optional upgrade kit includes single lock monitor	<sup>\$</sup> 125
EXT-10-ANT	ASSA ABLOY Aperio® Wireless Hub External Antenna (3, 9 DBi Omni-Directional)	§72
ACC10	RFID test credentials	\$35
APD10USB	Used to configure both the Aperio product and/or Aperio hubs via the Program Application software.	§667

 $How \ to \ Order \ \ \textit{Specify quantity and the following information. Order \textit{related products separately.}}$ 

PRODUCTFAMILY	COMMUNICATION	MODEL SERIES	FACEPLATES	OPTIONS	CARD TECHNOLOGY	STRIKE FINISH
ES	100	<b>– 15</b>	L	Н	-IPS	- 630
Electric Strike	<b>100</b> Aperio Wireless	<b>15</b> Reader and 1500 Strike	L Complete Pac for Latchbolts	H** Wholesale Kit MH** Wholesale Kit with	IPS RFID (HID multiCLASS SE)	<b>630</b> Satin Stainless Steel
		<b>16</b> Reader and 1600 Strike	<b>S*</b> Complete Pac for Latchbolts and Deadbolts	Monitoring for High Security		

 $\hbox{``Available with 1600 Only. $$^*$ Only available with LorSC omplete Pac Options in 630 Finish.}$ 

HES ES100: The HES ES100 Electric Strike is available as either a pre-paired lock and hub kit (no certification required) or as a field configurable component (requires Aperio® Certified Integrator certification). Pre-paired kits support limited features. Field configured devices are required in order to support all options. Visit IntelligentOpenings.com to learn more.





**4500C** Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
4500C		\$900	§884	\$884	§842	\$900	§750
4500C-LBM	Latchbolt monitor	<sup>\$</sup> 1030	§1014	§1014	§972	§1030	§880
4500C-LBSM	Latchbolt strike monitor	<sup>s</sup> 1050	1054	<sup>§</sup> 1034	3992	§1050	\$900

## Accessories

710003501103					
ITEM	DESCRIPTION	PRICE			
4500-105	Trim enhancer (BLK)	<sup>s</sup> 41			
4500-110	Replacement strike plate	<sup>\$</sup> 126			
4500-131	Filler block	§53			
4501-1/2	1/2" stackable lip extension	<sup>s</sup> 70			
4501-1	1" stackable lip extension	\$77			



 $How \ to \ Order \ \ \textit{Specify quantity and the following information. Order \textit{related products separately.}}$ 

SERIES	FINISH*	OPTION(S)
4500C	-630	– LBM
<b>4500C</b> Complete Electric Strike;	<b>605</b> Bright Brass	LBM Latchbolt Monitor
includes faceplates	<b>606</b> Satin Brass	LBSM Latchbolt Strike Monitor
for cylindrical and mortise locks	<b>612</b> Satin Bronze	
IIIOI LISE IOCKS	<b>613</b> Bronze Toned	
	<b>629</b> Bright Stainless Steel	
	<b>630</b> Satin Stainless Steel	



**5000C, 5200C, 5300C** Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	630
5000C		<sup>\$</sup> 224
5000C-LBM	Latchbolt monitor	§314
5200C		<sup>5</sup> 234
5200C-LBM	Latchbolt monitor	<sup>\$</sup> 324
5200C-LBSM	Latchbolt strike monitor	<sup>5</sup> 344
5300C		§445
5300C-LBM	Latchbolt Monitor	\$535

**5000, 5200, 5300** Electric Strike Bodies

MODEL	DESCRIPTION	630
5000		<sup>\$</sup> 199
5000-LBM	Latchbolt monitor	<sup>\$</sup> 289
5200		<sup>s</sup> 209
5200-LBM	Latchbolt monitor	<sup>\$</sup> 299
5200-LBSM	Latchbolt strike monitor	§319
5300		<sup>s</sup> 420
5300-LBM	Latchbolt Monitor	§510

**Faceplates** 

MODEL	605	606	612	613	629	630	BSP
501	\$78	<sup>\$</sup> 57	§57	§48	<sup>\$</sup> 78	<sup>\$</sup> 23	<sup>5</sup> 48
501A	\$84	§60	§60	§53	<sup>\$</sup> 84	<sup>\$</sup> 28	§53
502	\$101	\$83	\$83	§69	<sup>\$</sup> 101	§49	§69
503	\$101	\$83	s83	§69	<sup>\$</sup> 101	§49	§69
504	\$101	\$83	\$83	§69	<sup>\$</sup> 101	§49	§69

### Accessories

ITEM	DESCRIPTION	PRICE
5000-105	Trim enhancer (goof plate)	\$35
5104-1/2	1/2" stackable lip extension	\$60
5104-1	1" stackable lip extension	<sup>\$</sup> 68
5104-1-1/4	1-1/4" stackable lip extension	§70
5200 105	Trim enhancer (goof plate)	<sup>§</sup> 35
5200-500	Filler block	\$77
5204-1/2	1/2" stackable lip extension	\$60
5204-1	1" stackable lip extension	\$68
5204-1-1/4	1-1/4" stackable lip extension	<sup>\$</sup> 70

 $How \ to \ Order \ \ \textit{Specify quantity and the following information.} \ \textit{Order related products separately.}$ 

SERIES	MODEL	FINISH*	OPTION(S)*
5000	_	- 630	– LBM
5000, 5200, 5300 Universal Electric Strike; faceplate option kits ordered separately	C* Complete Electric Strike; includes the 501 and 501A faceplates	<b>630</b> Satin Stainless Steel	<b>LBM</b> Latchbolt Monitor <b>LBSM**</b> Latchbolt Strike Monitor

\*Complete Pacs are only available in the 630 finish. \*\*LBSM only available with 5200.

FACEPLATE OPTIONS	FINISH		
502	- 613E		
For Cylindrical Locksets (ANSI Metal)	<b>605</b> Bright Brass		
<b>501 Option</b> 4-7/8" x 1-1/4"	<b>606</b> Satin Brass		
For Cylindrical Locksets (Aluminum)	<b>612</b> Satin Bronze		
<b>501A Option</b> 4-7/8" x 1-1/4"	<b>613E</b> Dark Oxidized Satin Brass		
<b>502 Option</b> 7-15/16" x 1-7/16"	<b>629</b> Bright Stainless Steel		
<b>503 Option</b> 6-7/8" x 1-1/4"	J		
For Cylindrical Locksets (Wood)	<b>630</b> Satin Stainless Steel		
<b>504 Option</b> 10" x 1-3/8"	BSP Black Suede Powder		



**7000C** Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	630
7000C		\$380
7000C-LBM	Latchbolt monitor	§500

# **7000** Electric Strike Bodies

	MODEL	DESCRIPTION	630
7	000		§310
7	000-LBM	Latchbolt monitor	§430

**Faceplates** 

MODEL	605	606	612	613E	629	630	BLK
791	\$122	§104	<sup>§</sup> 104	§89	§122	§68	\$89
792	\$122	<sup>\$</sup> 104	<sup>\$</sup> 104	<sup>\$</sup> 89	§122	§68	\$89
783S				<sup>s</sup> 261		<sup>\$</sup> 183	
786S				<sup>\$</sup> 296		§203	
7895				§296		§203	



## **Accessories**

ITEM	DESCRIPTION	PRICE
7000-104	Lip extension trim adapter (791 & 792 options only)	s37
7000-105	Trim enhancer (goof plate) (791 & 792 options only)	§37
7000-106	Keeper pocket adapter (783S & 789S options only)	<sup>\$</sup> 36
7000-107	Full keeper shim pack	<sup>\$</sup> 21
7000-108	Spacer plate (783S & 789S options, black finish only)	<sup>5</sup> 40
7000-110	Replacement strike plate (791 and 792 option)	§125
SMB	Surface mounting box	<sup>\$</sup> 239

 $How \ to \ Order \ \ \textit{Specify quantity and the following information. Order \textit{related products separately.}}$ 

	1 37 1 7 3		. 1
SERIES	MODEL	FINISH*	OPTION(S)
7000	<u>—</u>	- 630	– LBM
	C* Complete Electric Strike; includes the 791 and 792 faceplates	<b>630</b> Satin Stainless Steel	
·	(blank) Strike Body Only		<b>LBM</b> Latchbolt Monitor

\*Complete Pacs are only available in 630 finish.

FACEPLATE OPTIONS	FINISH			
792	-606			
For Cylindrical Locksets	<b>605</b> Bright Brass			
<b>791 Option</b> 4-7/8" x 1-1/4"	<b>606</b> Satin Brass			
<b>792 Option</b> 7-15/16" x 1-7/16"	<b>612</b> Satin Bronze			
For Rim Exit Devices 7835 Option 9" x 1-3/4" x 11/16"	<b>613E</b> Dark Oxidized Satin Brass			
7865 Option 6-1/2" x 1-3/4" x 1/2" 7895 Option 9" x 1-3/4" x 1/2"	<ul><li>629 Bright Stainless Steel</li><li>630 Satin Stainless Steel</li></ul>			
	BLK Black			



# **7501** Electric Strike

MODEL	DESCRIPTION	605	606	612	613	629	630
7501		\$834	§816	§816		\$834	§730
7501-LBM	Latchbolt monitor	\$954	\$936	\$936	\$920	\$954	§850

How to Order Specify quantity and the following information. Order related products separately.

SERIES	FINISH*	OPTION(S)
7501	-630	– LBM
<b>7501</b> Universal Electric Strike; includes	<b>605</b> Bright Brass	LBM Latchbolt Monitor
faceplate for cylindrical locksets	<b>606</b> Satin Brass	
	<b>612</b> Satin Bronze	
	<b>613</b> Bronze Toned	
	<b>629</b> Bright Stainless Steel	
	630 Satin Stainless Steel	



8000C, 8300C Complete Pac for Latchbolt Locks

MODEL		DESCRIPTION	630
8000C			§275
8000C-LBM	Latchbolt monitor		§385
8300C			§604
8300C-LBM	Latchbolt monitor		<sup>§</sup> 714

8000 8300 Flectric Strike Rodies

MODEL	DESCRIPTION	630
8000		<sup>s</sup> 240
8000-LBM	Latchbolt monitor	§350
8300		§569
8300-LBM	Latchbolt monitor	§679



**Faceplates** 

MODEL	605	606	612	613	629	630	BLK
801	\$95	s77	\$77	§62	\$95	§34	§58
801A	\$101	\$83	\$83	§67	§101	§42	§63
801E	\$95	s77	\$77	§62	\$95	§35	§58
802	\$118	§97	\$97	\$84	<sup>\$</sup> 118	§55	\$87
803	\$118	§97	\$97	\$84	§118	§55	§79
805	\$118	§97	§97	<sup>\$</sup> 84	<sup>\$</sup> 118	<sup>\$</sup> 55	§79

 $How \ to \ Order \ \ {\it Specify quantity and the following information. Order \ related \ products \ separately.}$ 

SERIES	MODEL	FINISH*	OPTION(S)
8000	_	- 630	– LBM
<b>8000, 8300</b> Universal Electric Strike; faceplates ordered separately	C Complete Electric Strike; includes the 801 and 801A faceplates	<b>630</b> Satin Stainless Steel	<b>LBM</b> Latchbolt Monitor
	(blank) Strike Body Only		

\*Complete Pacs are only available in 630 finish.

FACEPLATE OPTIONS	FINISH			
801	- 613E			
For Cylindrical Locksets (ANSI Metal)	605 Bright Brass			
<b>801 Option</b> 4-7/8" x 1-1/4"	<b>606</b> Satin Brass			
For Cylindrical Locksets (Aluminum)	<b>612</b> Satin Bronze			
<b>801A Option</b> 4-7/8" x 1-1/4"	613E Dark Oxidized Satin Brass			
<b>802 Option</b> 7-15/16" x 1-7/16"	<b>629</b> Bright Stainless Steel			
803 Option 6-7/8" x 1-1/4"	· ·			
For Cylindrical Locksets (Wood)	<b>630</b> Satin Stainless Steel			
<b>804 Option</b> 10" x 1-3/8"	BLK Black			

## 8500 Electric Strike Bodies

MODEL	DESCRIPTION	605	606	612	613	629	630
8500		<sup>\$</sup> 710	§695	§695	§695	§710	§600
8500-LBM	Latchbolt monitor	§830	§815	§815	§815	\$830	§720
8500-LBSM	Latchbolt strike monitor	§850	\$835	§835	§835	§850	§740

**Faceplates** 

	MODEL	605	606	612	613	629	630
851M		\$108	\$88	\$88	\$77	§108	\$47
852K		\$108	\$88	\$88	\$77	§108	\$47
852L		\$108	\$88	\$88	\$77	§108	\$47
852M		\$108	\$88	\$88	\$77	§108	\$47



 $How \ to \ Order \ \ \textit{Specify quantity and the following information. Order \textit{related products separately.}}$ 

SERIES	FINISH*	OPTION(S)
8500	-630	– LBM
8500 Universal Electric	<b>605</b> Bright Brass	<b>LBM</b> Latchbolt Monitor
Strike; faceplates	<b>606</b> Satin Brass	LBSM Latchbolt Strike Monitor
ordered separately	<b>612</b> Satin Bronze	
	<b>613</b> Bronze Toned	
	629 Bright Stainless Steel	
	630 Satin Stainless Steel	

**Securitron UNL** Electric Strike for Latchbolt Locks

ITEM DESCRIPTION		PRICE
UNL-12	UnLatch for Cylindrical Locks - 12VDC	§601
UNL-24	UnLatch for Cylindrical Locks - 24VDC	<sup>\$</sup> 601
UNL-12-10B	UnLatch - 12VDC, Oil Rubbed Bronze	§669
UNL-24-10B	UnLatch - 24VDC, Oil Rubbed Bronze	§669

Securitron MUNL Electric Strike for Latchbolt Locks

ITEM	DESCRIPTION	PRICE
MUNL-12	12VDC	§837
MUNL-24	24VDC	<sup>\$</sup> 837
MUNL-12-10B		\$899
MUNL-24-10B		\$899
MUNL-12-US3		<sup>\$</sup> 857
MUNL-24-US3		<sup>\$</sup> 857





**Accessories** 

ITEM	DESCRIPTION	PRICE
FSUNL-12	Fail Safe/Fail Secure UnLatch Module, 12 VDC	<sup>s</sup> 162
FSUNL-24	Fail Safe/Fail Secure UnLatch Module, 24 VDC	<sup>§</sup> 162

How to Order Specify quantity and the following information. Order related products separately.

SERIES	FAIL SAFE/SECURE	VOLTAGE	FINISH
MUNL	_	- 24	– 10B
<b>UNL</b> Cylindrical	(blank) Fail Secure (Standard)	<b>12</b> 12 Volt	(blank) Stainless Steel
MUNL Mortise	Note: <b>FSUNL</b> for field-	<b>24</b> 24 Volt	<b>10B</b> Oil Rubbed Bronze
	selectable fail safe operation ordered separately		US3 Bright Brass



### 9100 Series Left Handed Surface Mounted Electric Strike

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
9100L-LM	Left handed with Latchbolt monitor	<sup>\$</sup> 1024	\$984	\$984	\$944	\$1024	\$874	\$944
9100L-LMS	Left handed with Latchbolt strike monitor	<sup>\$</sup> 1064	\$1024	\$1024	\$984	\$1064	\$914	\$984
9100L	Left handed	\$949	\$909	\$909	\$869	\$949	\$799	\$869



# 9100 Series Right Handed Surface Mounted Electric Strike

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
9100R	Right handed	\$949	\$909	\$909	\$869	\$949	\$799	\$869
9100R-LM	Right handed with Latchbolt monitor	<sup>\$</sup> 1024	\$984	\$984	\$944	\$1024	\$874	\$944
9100R-LMS	Right handed with Latchbolt strike monitor	<sup>\$</sup> 1064	\$1024	\$1024	\$984	\$1064	\$914	\$984



#### How to Order

	to order	:	:	
	SERIES	HANDING	FINISH	OPTION (S)
	9100	L	- 630	
9100	Electric Strike for	L Left Hand/Right Hand Reverse	<b>605</b> Bright Brass	(blank) No Monitoring
	tubular, vertical rod	R Right Hand/Left Hand Reverse	606 Satin Brass	LM Latchbolt Monitoring
	exit devices for single doors		<b>612</b> Satin Bronze	LMS Latchbolt and Strike Monitoring
	siligle doors		<b>613E</b> Dark Oxidized Satin Bronze Powder	
			<b>629</b> Bright Stainless Steel	
			630 Satin Stainless Steel	
			BSP Black Suede Powder	

NOTE: Electric strike compatibility is determined at time of electric strike product release. ASSA ABLOY is not responsible for incompatibility of products that have changed in design or craftsmanship by their respective manufacturers. When compatibility is a concern, contact Customer Support for application assistance.

#### 9200 Series

### Narrow Surface Mounted Electric Strike

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
9200N		<sup>\$</sup> 1749	<sup>\$</sup> 1699	<sup>\$</sup> 1699	§1609	<sup>\$</sup> 1749	<sup>\$</sup> 1499	§1609
9200N-LM	Latchbolt Monitoring	<sup>5</sup> 1874	<sup>\$</sup> 1824	<sup>\$</sup> 1824	§1734	<sup>5</sup> 1874	<sup>\$</sup> 1624	§1734
9200N-LMS	Latchbolt and Strike Monitoring	§1924	§1874	§1874	§1784	§1924	§1674	§1784



### 9200 Series Wide Surface Mounted Electric Strike

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
9200W		<sup>\$</sup> 1849	<sup>\$</sup> 1699	<sup>\$</sup> 1699	\$1609	<sup>\$</sup> 1749	§1499	<sup>\$</sup> 1709
9200W-LM	Latchbolt Monitoring	§1874	§1824	§1824	<sup>§</sup> 1734	§1774	§1624	§1734
9200W-LMS	Latchbolt and Strike Monitoring	<sup>\$</sup> 1924	<sup>5</sup> 1874	§1874	<sup>5</sup> 1784	<sup>\$</sup> 1924	§1674	§1784



#### How to Order

	SERIES	KEEPER SPACING	FINISH	OPTION (S)
	9200	W	-630	
9200	Electric Strike for	N 4-5/8"	605 Bright Brass	(blank) No Monitoring
	tubular, vertical rod	<b>W</b> 8-3/8"	<b>606</b> Satin Brass	LM Latchbolt Monitoring
	exit devices for double doors		<b>612</b> Satin Bronze	LMS Latchbolt and Strike Monitoring
	double doors		<b>613E</b> Dark Oxidized Satin Bronze Powder	
			<b>629</b> Bright Stainless Steel	
			630 Satin Stainless Steel	
			BSP Black Suede Powder	

NOTE: Electric strike compatibility is determined at time of electric strike product release. ASSA ABLOY is not responsible for incompatibility of products that have changed in design or craftsmanship by their respective manufacturers. When compatibility is a concern, contact Customer Support for application assistance.

# 9400, 9500, 9600, 9700, 9800 Surface Mounted Electric Strikes for Rim Exit Devices

MODEL	DESCRIPTION	605	606	612	613	613E	628E	629	630	BSP
9400		§709	§695	§695	§709	§650		§709	§575	§650
9400-LBM	Latchbolt monitor	§829	§815	§815	§829	§770		§829	§695	§770
9400-LBSM	Latchbolt strike monitor	\$844	\$830	§830	\$844	§785		\$844	§710	§785
9500		\$809	§795	§795	\$809	§750		\$809	§675	§750
9500-LBM	Latchbolt monitor	\$929	§915	§915	\$929	§870		\$929	§795	§870
9500-LBSM	Latchbolt strike monitor	\$944	\$930	§930	\$944	\$885		\$944	§810	§885
9600		§709	§695	§695	§709	§650		§709	§575	§650
9600-LBM	Latchbolt monitor	§829	§815	§815	§829	§770		§829	§695	§770
9600-LBSM	Latchbolt strike monitor	\$844	\$830	§830	\$844	§785		\$844	§710	§785
9700		§829	§815	§815	§829	§770		§829	§695	§770
9700-LBM	Latchbolt monitor	\$949	§935	§935	\$949	\$890		\$949	§815	\$890
9700-LBSM	Latchbolt strike monitor	\$964	\$950	§950	\$964	\$905		<sup>\$</sup> 964	\$830	§905
9800		§829	§815			\$770	\$770	§829	§695	§770



### **Accessories**

ITEM	DESCRIPTION	PRICE
9000-MTK	Metal template installation kit	\$89
SMB	Surface mounting box	\$239

**Spacer Plates/ Brackets** 

MODEL	DESCRIPTION	613E	628	628E	630	BSP
9000-108	1/8" Spacer plate			§53	§38	§53
9000-116	1/16" Spacer plate			§53	§38	§53
9000-ASB	Aluminum spacer bracket	<sup>\$</sup> 125	<sup>5</sup> 114			§125

 $How \ to \ Order \ \ \textit{Specify quantity and the following information.} \ \textit{Order related products separately.}$ 

SERIES	FINISH	OPTION(S)		
9600	-630	– LBM		
9400 Surface Mounted Electric Strike for 1/2" Pullman	<b>605</b> Bright Brass	LBM Latchbolt Monitor		
Exit Device; no faceplates required	<b>606</b> Satin Brass	LBSM Latchbolt		
<b>9500</b> Surface Mounted Electric Strike for 3/4" Pullman,	<b>612</b> Satin Bronze	Strike Monitor		
fire rated; no faceplates required	<b>613</b> Bronze Toned			
<b>9600</b> Surface Mounted Electric Strike for 3/4" Pullman Rim	<b>613E</b> Dark Oxidized Satin Bronze			
Exit Devices, non-fire rated; no faceplates required	<b>629</b> Bright Stainless Steel			
<b>9700</b> Surface Mounted Electric Strike for Corbin Russwin SecureBolt®	628E* Satin Aluminum Powder			
and Yale SquareBolt® Rim Exit Devices; no faceplates required	<b>630</b> Satin Stainless Steel			
9800 Surface Mounted Electric Strike for Adams Rite® Starwheel and Interlocking Rim Exit Devices; no faceplates required	<b>BSP</b> Black Suede Powder			
		*0   4 :    1   000		







(This page was intentionally left blank)

# Folger Adam SB:310-1(1/2) Electric Strike Bodies

Electric Strike Bodies					
ITEM	DESCRIPTION	PRICE			
SB:310-1(1/2)-12D		<sup>5</sup> 710			
SB:310-1(1/2)-24D		<sup>\$</sup> 710			
SB:310-1(1/2)-F-12D	Fail safe	<sup>\$</sup> 710			
SB:310-1(1/2)-F-24D	Fail safe	§710			
SB:310-1(1/2)-12D-LCBMA		<sup>\$</sup> 890			
SB:310-1(1/2)-24D-LCBMA		§890			
SB:310-1(1/2)-F-12D-LCBMA	Fail safe	\$890			
SB:310-1(1/2)-F-24D-LCBMA	Fail safe	\$890			



# Folger Adam SB:310-1(3/4) Electric Strike Bodies

ITEM	DESCRIPTION	PRICE
SB:310-1(3/4)-12D		<sup>\$</sup> 710
SB:310-1(3/4)-24D		<sup>\$</sup> 710
SB:310-1(3/4)-F-12D	Fail safe	<sup>\$</sup> 710
SB:310-1(3/4)-F-24D	Fail safe	\$710
SB:310-1(3/4)-12D-LCBMA		\$890
SB:310-1(3/4)-24D-LCBMA		\$890
SB:310-1(3/4)-F-12D-LCBMA	Fail safe	\$890
SB:310-1(3/4)-F-24D-LCBMA	Fail safe	\$890

# **Folger Adam SB:310-1(1)** Electric Strike Bodies

ITEM	DESCRIPTION	PRICE
SB:310-1(1)-12D		\$710
SB:310-1(1)-24D		§710
SB:310-1(1)-F-12D	Fail safe	<sup>\$</sup> 710
SB:310-1(1)-F-24D	Fail safe	\$710
SB:310-1(1)-12D-LCBMA		\$890
SB:310-1(1)-24D-LCBMA		\$890
SB:310-1(1)-F-12D-LCBMA	Fail safe	\$890
SB:310-1(1)-F-24D-LCBMA	Fail safe	\$890

# Folger Adam SB:310-1(PK) Electric Strike Bodies

ITEM	DESCRIPTION	PRICE	
SB:310-1(PK)-12D		§710	
SB:310-1(PK)-24D		§710	
SB:310-1(PK)-F-12D	Fail safe	§710	
SB:310-1(PK)-F-24D	Fail safe	§710	
SB:310-1(PK)-12D-LCBMA		\$890	
SB:310-1(PK)-24D-LCBMA		\$890	
SB:310-1(PK)-F-12D-LCBMA	Fail safe	\$890	
SB:310-1(PK)-F-24D-LCBMA	Fail safe	\$890	

# Folger Adam SB:310-1(SK) Electric Strike Bodies

ITEM	DESCRIPTION	PRICE
SB:310-1(SK)-12D		<sup>\$</sup> 738
SB:310-1(SK)-24D		<sup>5</sup> 738
SB:310-1(SK)-F-12D	Fail safe	<sup>\$</sup> 738
SB:310-1(SK)-F-24D	Fail safe	<sup>§</sup> 738
SB:310-1(SK)-12D-LCBMA		<sup>5</sup> 918
SB:310-1(SK)-24D-LCBMA		<sup>s</sup> 918
SB:310-1(SK)-F-12D-LCBMA	Fail safe	§918
SB:310-1(SK)-F-24D-LCBMA	Fail safe	§918

 $How \ to \ Order \ \ \textit{Specify quantity and the following information. Order \textit{related products separately.}}$ 

PREFIX	SERIES	KEEPER STYLE	FAIL SAFE/SECURE	VOLTAGE	OPTION(S)	
SB	310-1	(3/4)	– F	- 24D	– LCBMA	
Strike BODY	ONLY					
SB Strike Body 310-1 Strike Body Only	310-1 Strike Body	(1/2) 1/2" keeper	(blank) Fail Secure (Standard)	<b>12D</b> 12 Volt	LCBMA Latchbolt & locking	
	Only	( <b>3/4</b> ) 3/4" keeper	<b>F</b> Fail Safe	<b>24D</b> 24 Volt	cam monitor with	
		<b>(1)</b> 1" keeper			auxiliary switch	
		(PK) For use with 3/4" Pullman style latchbolts				
		(SK) For use with Squarebolt® style rim exit devices				




Folger Adam 310-2 Electric Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
310-2-12D		§1053	§1011	§1011	§954	§1053	\$905
310-2-24D		§1053	§1011	§1011	§954	§1053	\$905
310-2-F-12D	Fail safe	§1053	§1011	§1011	§954	§1053	§905
310-2-F-24D	Fail safe	§1053	§1011	§1011	§954	§1053	§905
310-2-12D-LCBMA		§1233	§1190	§1190	§1145	§1233	§1084
310-2-24D-LCBMA		§1233	§1190	§1190	§1145	§1233	<sup>\$</sup> 1084
310-2-F-12D-LCBMA	Fail safe	§1233	§1190	§1190	§1145	§1233	§1084
310-2-F-24D-LCBMA	Fail safe	§1233	§1190	§1190	§1145	§1233	§1084

Folger Adam 310-2 3/4 Electric Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
310-2 3/4-12D		§1165	<sup>\$</sup> 1126	§1126	§1082	<sup>§</sup> 1163	<sup>\$</sup> 1032
310-2 3/4-24D		§1165	<sup>§</sup> 1126	§1126	<sup>\$</sup> 1082	<sup>§</sup> 1163	§1032
310-2 3/4-F-12D	Fail safe	§1165	<sup>\$</sup> 1126	§1126	§1082	§1163	<sup>\$</sup> 1032
310-2 3/4-F-24D	Fail safe	§1165	<sup>\$</sup> 1126	§1126	<sup>\$</sup> 1082	<sup>§</sup> 1163	§1032
310-2 3/4-12D-LCBMA		<sup>\$</sup> 1359	§1306	§1306	§1259	§1342	§1211
310-2 3/4-24D-LCBMA		<sup>\$</sup> 1359	§1306	<sup>§</sup> 1306	<sup>\$</sup> 1259	§1342	§1211
310-2 3/4-F-12D- LCBMA	Fail safe	<sup>\$</sup> 1359	§1306	<sup>\$</sup> 1306	<sup>\$</sup> 1259	§1342	§1211
310-2 3/4-F-24D- LCBMA	Fail safe	<sup>\$</sup> 1359	§1306	<sup>\$</sup> 1306	§1259	§1342	§1211



Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
310-2 3/4OB-12D		§1427	§1386	<sup>§</sup> 1386	§1344	§1427	§1278
310-23/40B-24D		<sup>§</sup> 1427	<sup>\$</sup> 1386	<sup>\$</sup> 1386	<sup>\$</sup> 1344	§1427	<sup>§</sup> 1278
310-2 3/40B-F-12D	Fail safe	§1427	§1386	<sup>§</sup> 1386	§1344	§1427	§1278
310-23/40B-F-24D	Fail safe	<sup>5</sup> 1427	§1386	§1386	§1344	§1427	§1278

# Folger Adam 310-3-1 Electric Strike for

Latchbolt Locks & Deadbolts

MODEL	DESCRIPTION	605	606	612	613	629	630
310-3-1-12D		§1366	§1345	§1345	§1299	§1366	§1294
310-3-1-24D		<sup>\$</sup> 1366	§1345	<sup>§</sup> 1345	<sup>\$</sup> 1299	§1366	<sup>§</sup> 1294
310-3-1-F-12D	Fail safe	<sup>\$</sup> 1366	§1345	§1345	§1299	§1366	§1294
310-3-1-F-24D	Fail safe	§1366	§1345	§1345	§1299	§1366	§1294
310-3-1-12D-LCBMA		<sup>\$</sup> 1557	§1524	§1524	§1481	§1557	§1473
310-3-1-24D-LCBMA		§1557	§1524	§1524	§1481	§1557	§1473
310-3-1-F-12D-LCBMA	Fail safe	<sup>\$</sup> 1557	§1524	§1524	§1481	§1557	§1473
310-3-1-F-24D-LCBMA	Fail safe	§1557	<sup>\$</sup> 1524	§1524	§1481	<sup>\$</sup> 1557	<sup>\$</sup> 1473

 $How \ to \ Order \ \ \textit{Specify quantity and the following information.} \ \textit{Order related products separately.}$ 

SERIES	FAIL SAFE/SECURE	VOLTAGE	FINISH	OPTION(S)		
310-2	– F	- 24D	- 613	– LCBMA		
KEEPER STYLE						
<b>310-2</b> 1/2" keeper standard;	(blank) Fail	<b>12D</b> 12 Volt	605 Bright Brass	LCBMA*		
for up to a 5/8" throw latchbolt	Secure (Standard)	<b>24D</b> 24	<b>606</b> Satin Brass	Latchbolt &		
<b>310-2 3/4</b> 3/4" keeper	<b>F</b> Fail Safe		<b>612</b> Satin Bronze	locking cam monitor with		
standard; for up to a 3/4" throw latchbolt without deadbolt			<b>613</b> Bronze Toned	auxiliary switch		
			629 Bright	j		
<b>310-2 3/4OB*</b> 3/4" keeper standard; for a pair of doors			Stainless Steel			
without a door coordinator			630 Satin Stainless Steel			
<b>310-3-1</b> 1" keeper standard; for up to a 3/4" throw latchbolt and a 1" deadbolt			JUCI			

\*LCBMA not available with 310-2 3/40B.



Faceplate	25					
MODEL	605	606	612	613	629	630
FP-310-2	\$338	<sup>5</sup> 294	<sup>\$</sup> 294	<sup>\$</sup> 250	\$338	§200
Faceplate	es					
MODEL	605	606	612	613	629	630
FP-310-2-34	\$463	§425	§425	§378	§461	§328
Faceplate	es					
MODEL	605	606	612	613	629	630
FP-310-2-34OB	\$714	§675	§681	§631	§714	§576
Faceplate	es				,	
MODEL	605	606	612	613	629	630
FP-310-3-1	\$667	§633	§633	\$589	§667	§595

# How to Order

PREFIX	SERIES	FINISH
FP	- 310-2 3/4OB	- 630
FACEPLATE O	NLY	
<b>FP</b> Faceplate	<b>310-2</b> 1/2" keeper standard;	<b>605</b> Bright Brass
	for up to a 5/8" throw latchbolt	<b>606</b> Satin Brass
	<b>10-23/4</b> 3/4" keeper	<b>612</b> Satin Bronze
	standard; for up to a 3/4" throw	<b>613</b> Bronze Toned
	latchbolt without deadbolt 310-2 3/40B 3/4" keeper	<b>629</b> Bright Stainless Steel
	standard; for a pair of doors without a door coordinator	630 Satin Stainless Steel
	<b>310-3-1</b> 1" keeper standard; for up to a 3/4" throw latchbolt and a 1" deadbolt	5.55.

# **Folger Adam 310-4** Electric Strike for Pullman Rim Exit Devices

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4-12D		§1088	<sup>\$</sup> 1047	<sup>\$</sup> 1047	\$998	§1088	§947
310-4-24D		§1088	<sup>\$</sup> 1047	<sup>\$</sup> 1047	\$998	§1088	§947
310-4-F-12D	Fail safe	§1088	<sup>s</sup> 1047	<sup>\$</sup> 1047	\$998	§1088	§947
310-4-F-24D	Fail safe	§1088	<sup>s</sup> 1047	<sup>\$</sup> 1047	\$998	§1088	§947
310-4-12D-LCBMA		§1275	§1225	§1225	<sup>\$</sup> 1176	§1275	<sup>§</sup> 1124
310-4-24D-LCBMA		§1275	§1225	§1225	§1176	§1275	§1124
310-4-F-12D-LCBMA	Fail safe	§1275	<sup>§</sup> 1225	§1225	<sup>s</sup> 1176	§1275	§1124
310-4-F-24D-LCBMA	Fail safe	§1275	§1225	§1225	§1176	§1275	§1124


# **Folger Adam 310-4(S)** Electric Strike for Squarebolt® Rim Exit Device

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4(S)-12D		s1140	§1101	§1101	§1055	§1140	§1005
310-4(S)-24D		s1140	§1101	§1101	§1055	§1140	§1005
310-4(S)-F-12D	Fail safe	s1140	§1101	§1101	§1055	§1140	§1005
310-4(S)-F-24D	Fail safe	<sup>\$</sup> 1140	<sup>\$</sup> 1101	<sup>\$</sup> 1101	§1055	<sup>\$</sup> 1140	§1005
310-4(S)-12D-LCBMA		<sup>\$</sup> 1332	§1293	§1293	<sup>\$</sup> 1244	§1332	<sup>\$</sup> 1184
310-4(S)-24D-LCBMA		<sup>\$</sup> 1332	<sup>\$</sup> 1293	<sup>\$</sup> 1293	<sup>\$</sup> 1244	<sup>\$</sup> 1332	<sup>\$</sup> 1184
310-4(S)-F-12D-LCBMA	Fail safe	§1332	<sup>\$</sup> 1293	§1293	<sup>§</sup> 1244	<sup>\$</sup> 1332	§1184
310-4(S)-F-24D-LCBMA	Fail safe	§1332	§1293	§1293	<sup>§</sup> 1244	§1332	<sup>\$</sup> 1184

# How to Order Specify quantity and the following information. Order related products separately.

SERIES	FAIL SAFE/SECURE	VOLTAGE	FINISH	OPTION(S)
310-4 (S)	– F	- 24D	- 613	– LCBMA
KEEPER STYLE				
310-4 PK keeper standard; for	(blank) Fail	<b>12D</b> 12 Volt	605 Bright Brass	LCBMA*
use with 3/4" Pullman	Secure (Standard)	<b>24D</b> 24	<b>606</b> Satin Brass	Latchbolt &
style latchbolts	<b>F</b> Fail Safe	Volt	<b>612</b> Satin Bronze	locking cam monitor with
310-4(S) SK keeper standard;			<b>613</b> Bronze Toned	auxiliary switch
for use with Squarebolt® style			<b>629</b> Bright Stainless Steel	Í
rim exit devices			<b>630</b> Satin Stainless Steel	

\*LCBMA not available with 310-2 3/40B.



Facepla	ites					
MODEL	605	606	612	613	629	630
FP-310-4	\$384	\$343	§343	<sup>\$</sup> 292	§384	<sup>5</sup> 240
Facepla	ites					
MODEL	605	606	612	613	629	630
FP-310-4-SK	\$419	\$383	\$383	§334	§419	<sup>5</sup> 281
How to	Order					
PREFIX	SERIES		KEEPER S	TYLE	FIN	ISH
FP	- 310-	4	(SK	)	-6	30
FACEPLATE O	NLY					
<b>FP</b> Faceplate	310-4		Blank) Ke		<b>605</b> Brig	ht Brass
			standard; f		<b>606</b> Satin Brass	
		S	with 3/4" Postyle latchl	oolts	<b>612</b> Sati	
		V	(SK) For use with Squarebolt® style rim exit devices		613 Bron	
					<b>629</b> Brig Stai Stee	nless
					<b>630</b> Sati Stai Stee	nless



# Folger Adam 310-4-1

# Electric Strike for Surface Vertical Rods

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4-1-12D		§1845	<sup>\$</sup> 1798	<sup>\$</sup> 1798	<sup>\$</sup> 1770	§1845	<sup>\$</sup> 1770
310-4-1-24D		§1845	§1798	§1798	<sup>\$</sup> 1770	§1845	<sup>\$</sup> 1770
310-4-1-F-12D	Fail safe	§1845	<sup>\$</sup> 1798	<sup>\$</sup> 1798	<sup>\$</sup> 1770	§1845	<sup>\$</sup> 1770
310-4-1-F-24D	Fail safe	§1845	<sup>s</sup> 1798	§1798	<sup>\$</sup> 1770	§1845	<sup>\$</sup> 1770
310-4-1-12D-LCBMA		<sup>\$</sup> 2169	§2118	§2118	\$2089	<sup>\$</sup> 2169	§2089
310-4-1-24D-LCBMA		<sup>\$</sup> 2169	§2118	§2118	\$2089	<sup>\$</sup> 2169	§2089
310-4-1-F-12D-LCBMA	Fail safe	<sup>\$</sup> 2169	§2118	§2118	\$2089	<sup>\$</sup> 2169	§2089
310-4-1-F-24D-LCBMA	Fail safe	<sup>\$</sup> 2169	§2118	§2118	<sup>\$</sup> 2089	§2169	§2089

# Folger Adam 310-4-2 Electric Strike

### for Surface Vertical Rods

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4-2-12D		<sup>s</sup> 1845	§1798	<sup>\$</sup> 1798	§1770	§1845	s1770
310-4-2-24D		§1845	§1798	§1798	s1770	§1845	s1770
310-4-2-F-12D	Fail safe	<sup>s</sup> 1845	§1798	<sup>\$</sup> 1798	§1770	§1845	s1770
310-4-2-F-24D	Fail safe	§1845	§1798	§1798	§1770	§1845	s1770
310-4-2-12D-LCBMA		<sup>\$</sup> 2169	§2118	<sup>\$</sup> 2118	<sup>\$</sup> 2089	§2169	<sup>\$</sup> 2089
310-4-2-24D-LCBMA		§2169	§2118	§2118	<sup>s</sup> 2089	§2169	<sup>\$</sup> 2089
310-4-2-F-12D-LCBMA	Fail safe	<sup>\$</sup> 2169	§2118	<sup>\$</sup> 2118	<sup>\$</sup> 2089	§2169	<sup>\$</sup> 2089
310-4-2-F-24D-LCBMA	Fail safe	<sup>\$</sup> 2169	§2118	<sup>\$</sup> 2118	<sup>\$</sup> 2089	§2169	<sup>\$</sup> 2089

# Folger Adam 310-4-3

## Electric Strike for Surface Vertical Rods

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4-3-12D		\$1933	<sup>\$</sup> 1888	<sup>\$</sup> 1888	<sup>§</sup> 1854	§1933	<sup>\$</sup> 1854
310-4-3-24D		\$1933	<sup>\$</sup> 1888	<sup>\$</sup> 1888	§1854	§1933	<sup>\$</sup> 1854
310-4-3-F-12D	Fail safe	<sup>\$</sup> 1933	<sup>\$</sup> 1888	<sup>\$</sup> 1888	§1854	<sup>\$</sup> 1933	<sup>\$</sup> 1854
310-4-3-F-24D	Fail safe	\$1933	<sup>\$</sup> 1888	<sup>\$</sup> 1888	<sup>§</sup> 1854	§1933	<sup>\$</sup> 1854
310-4-3-12D-LCBMA		§2253	<sup>\$</sup> 2209	\$2209	§2173	<sup>\$</sup> 2253	<sup>\$</sup> 2173
310-4-3-24D-LCBMA		§2253	<sup>s</sup> 2209	\$2209	§2173	§2253	§2173
310-4-3-F-12D-LCBMA	Fail safe	§2253	<sup>\$</sup> 2209	\$2209	§2173	§2253	§2173
310-4-3-F-24D-LCBMA	Fail safe	§2253	<sup>\$</sup> 2209	\$2209	§2173	\$2253	<sup>\$</sup> 2173

# **Folger Adam 310-4-30**

# Electric Strike for Surface Vertical Rods

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4-30-12D		<sup>\$</sup> 1933	<sup>\$</sup> 1888	§1888	<sup>\$</sup> 1854	<sup>\$</sup> 1933	<sup>\$</sup> 1854
310-4-30-24D		<sup>\$</sup> 1933	<sup>5</sup> 1888	<sup>\$</sup> 1888	<sup>\$</sup> 1854	§1933	§1854
310-4-30-F-12D	Fail safe	<sup>\$</sup> 1933	<sup>\$</sup> 1888	<sup>\$</sup> 1888	<sup>\$</sup> 1854	<sup>\$</sup> 1933	<sup>\$</sup> 1854
310-4-30-F-24D	Fail safe	<sup>\$</sup> 1933	<sup>5</sup> 1888	<sup>\$</sup> 1888	<sup>\$</sup> 1854	§1933	§1854
310-4-30-12D-LCBMA		<sup>\$</sup> 2253	\$2209	<sup>\$</sup> 2209	§2173	§2253	§2173
310-4-30-24D-LCBMA		§2253	\$2209	<sup>s</sup> 2209	§2173	§2253	§2173
310-4-30-F-12D-LCBMA	Fail safe	\$2253	\$2209	<sup>\$</sup> 2209	§2173	§2253	§2173
310-4-30-F-24D-LCBMA	Fail safe	§2253	\$2209	§2209	§2173	§2253	§2173



**INSTALLATION NOTE:** Double-door models are available with four different center-to-center dimensions between latchbolt keepers. Keepers are wide enough to compensate for vertical rod exit bolts, which may be as much as 3/8" (10 mm) off center-to-center dimension, either way. When using an electric strike in conjunction with a vertical rod exit device, it is necessary that:

- 1. The bottom rod of the exit device be removed or made inoperative
- 2. The latchbolt of the exit device be the "Pullman" or beveled type
- 3. The latchbolt be free-latching and remain projected while the door is open. Mechanisms that hold the latchbolt retracted while the door is open, and automatically release it when the door is closed, must be removed or made inoperative.

Faceplate	es	
MODEL	605 606 612	613 629 630
FP-310-4-1	\$558 \$508 \$508	§498 §558 §498
Faceplate	es	
MODEL	605 606 612	613 629 630
FP-310-4-2	\$558 \$508 \$508	\$498 \$558 \$498
Faceplate	es	
MODEL	605 606 612	613 630
FP-310-4-3	\$644 \$597 \$597	7 §583 §583
Faceplate	es	
MODEL	605 606 612	613 630
FP-310-4-30	\$644 \$597 \$597	7 \$583 \$583
How to C	Order	
PREFIX	SERIES	FINISH
FP	- 310-4-X	-630
FACEPLATE ONL	Υ	
<b>FP</b> Faceplate	1 For use with vertical	<b>605</b> Bright Brass
	rod spacing between	<b>606</b> Satin Brass
	4" and 4-3/4"	<b>612</b> Satin Bronze
	2 For use with vertical	613 Bronze Toned
	rod spacing between 4-5/8" and 5-3/8"	<b>629</b> Bright Stainless Steel
	<b>30</b> For use with vertical rod spacing between 2-5/8" and 3-3/8"	<b>630</b> Satin Stainless Steel

 $How \ to \ Order \ \ \textit{Specify quantity and the following information. Order related products separately.}$ 

SERIES	FAIL SAFE/SECURE	VOLTAGE	FINISH	OPTION(S)
310-4-X	F	- 24D	- 612	-LCBMA
ROD SPACING				
1 For use with vertical rod spacing between 4" and 4-3/4"	( <b>blan</b> k) Fail Secure (Standard)	<b>12D</b> 12 Volt	605 Bright Brass	LCBMA
2 For use with vertical rod spacing between 4-5/8" and 5-3/8"		<b>24D</b> 24 Volt	<b>606</b> Satin Brass	Latchbolt & locking cam
<b>3</b> For use with vertical rod spacing between 5-1/4" and 6"	<b>F</b> Fail Safe		<b>612</b> Satin Bronze	monitor with auxiliary switch
<b>30</b> For use with vertical rod spacing between 2-5/8" and 3-3/8			<b>613</b> Bronze Toned	
			629 Bright Stainless Steel	
			630 Satin Stainless Steel	

# Folger Adam 310-6-1 Electric Strike

### for Concealed Vertical Rods

MODEL	DESCRIPTION	612	627
310-6-1-12D		§2080	§1785
310-6-1-24D		<sup>\$</sup> 2080	§1785
310-6-1-F-12D	Fail safe	§2080	§1785
310-6-1-F-24	Fail safe	§2080	§1785
310-6-1-12D-LCBMA		§2398	§2122
310-6-1-24D-LCBMA		§2398	§2122
310-6-1-F-12D-LCBMA	Fail safe	§2398	§2122
310-6-1-F-24D-LCBMA	Fail safe	§2398	<sup>\$</sup> 2122

# Folger Adam 310-6-2 Electric Strike

### for Concealed Vertical Rods

MODEL	DESCRIPTION	612	627
310-6-2-12D		<sup>\$</sup> 2080	<sup>\$</sup> 1785
310-6-2-24D		<sup>\$</sup> 2080	<sup>\$</sup> 1785
310-6-2-F-12D	Fail safe	\$2080	<sup>\$</sup> 1785
310-6-2-F-24D	Fail safe	\$2080	<sup>\$</sup> 1785
310-6-2-12D-LCBMA		<sup>\$</sup> 2398	<sup>\$</sup> 2122
310-6-2-24D-LCBMA		<sup>\$</sup> 2398	<sup>\$</sup> 2122
310-6-2-F-12D-LCBMA	Fail safe	<sup>\$</sup> 2398	<sup>\$</sup> 2122
310-6-2-F-24D-LCBMA	Fail safe	\$2398	§2122

# Folger Adam 310-6-3 Electric Strike

### for Concealed Vertical Rods

MODEL	612	627
310-6-3-12D	\$2080	<sup>\$</sup> 1785
310-6-3-24D	\$2080	<sup>\$</sup> 1785
310-6-3-F-12D	\$2080	<sup>\$</sup> 1785
310-6-3-F-24D	\$2080	<sup>\$</sup> 1785
310-6-3-12D-LCBMA	\$2398	<sup>\$</sup> 2122
310-6-3-24D-LCBMA	\$2398	<sup>\$</sup> 2122
310-6-3-F-12D-LCBMA	\$2398	<sup>\$</sup> 2122
310-6-3-F-24D-LCBMA	\$2398	<sup>5</sup> 2122

# Folger Adam 310-6-8 Electric Strike


### for Concealed Vertical Rods

MODEL	DESCRIPTION	612	627
310-6-8-12D		§1457	<sup>\$</sup> 1071
310-6-8-24D		<sup>\$</sup> 1457	<sup>\$</sup> 1071
310-6-8-F-12D	Fail safe	§1457	<sup>\$</sup> 1071
310-6-8-F-24D	Fail safe	<sup>\$</sup> 1457	<sup>\$</sup> 1071
310-6-8-12D-LCBMA		§1659	<sup>\$</sup> 1273
310-6-8-24D-LCBMA		§1659	<sup>\$</sup> 1273
310-6-8-F-12D-LCBMA	Fail safe	§1659	<sup>\$</sup> 1273
310-6-8-F-24D-LCBMA	Fail safe	<sup>\$</sup> 1659	§1273

# Folger Adam 310-6-30 Electric Strike

### for Concealed Vertical Rods

MODEL	DESCRIPTION	612	627
310-6-30-12D		<sup>\$</sup> 2080	<sup>\$</sup> 1785
310-6-30-24D		<sup>5</sup> 2080	§1785
310-6-30-F-12D	Fail safe	<sup>5</sup> 2080	<sup>\$</sup> 1785
310-6-30-F-24D	Fail safe	<sup>5</sup> 2080	§1785
310-6-30-12D-LCBMA		<sup>5</sup> 2398	§2122
310-6-30-24D-LCBMA		§2398	\$2122
310-6-30-F-12D-LCBMA	Fail safe	<sup>§</sup> 2398	§2122
310-6-30-F-24D-LCBMA	Fail safe	§2398	§2122



	Α	В	С	D	Е
310-6-1	14-1/2"	4-3/8"	1-13/16"	1-3/4"	1-3/4"
	[368.3mm]	[111.125mm]	[46mm]	[44.45mm]	[44.45mm]
310-6-2	15-1/8"	5"	1-13/16"	1-3/4"	1-3/4"
	[384.2mm]	[127mm]	[46mm]	[44.45mm]	[44.45mm]
310-6-3	15-3/4"	5-5/8"	1-13/16"	1-3/4"	1-3/4"
	[400.05mm]	[142.8mm]	[46mm]	[44.45mm]	[44.45mm]
310-6-30	13-1/8"	3"	1-13/16"	1-3/4"	1-3/4"
	[333.4mm]	[76.2mm]	[46mm]	[44.45mm]	[44.45mm]
310-6-8	10-7/8" [276.3mm]		1-13/16" [46.mm]	1-3/4" [44.45mm]	1-3/4" [44.45mm]

INSTALLATION NOTE: Double-door models are available with four different center-to-center dimensions between latchbolt keepers. Keepers are wide enough to compensate for vertical rod exit bolts, which may be as much as 3/8" (10 mm) off center-to-center dimension, either way. When using an electric strike in conjunction with a vertical rod exit device, it is necessary that:

- 1. The bottom rod of the exit device be removed or made inoperative
- 2. The latchbolt of the exit device be the "Pullman" or beveled type
- 3. The latchbolt be free-latching and remain projected while the door is open. Mechanisms that hold the latchbolt retracted while the door is open, and automatically release it when the door is closed, must be removed or made inoperative.



# **Folger Adam 310-6-1— 310-6-30** Electric Strikes for Concealed Vertical Rods **Continued**



 $How \ to \ Order \ \ \textit{Specify quantity and the following information.} \ \textit{Order related products separately}.$ 

SERIES	KEEPER STYLE	FAIL SAFE/SECURE	VOLTAGE	FINISH	OPTION(S)
310-6-X	(PK)	– F	- 24D	- 627	– LCBMA
ROD SPACING					
1 For use with vertical rod spacing between 4" and 4-3/4"	(PK) For use	(blank) Fail Secure	<b>12D</b> 12 Volt	<b>612</b> Satin Bronze	LCBMA Latchbolt &
2 For use with vertical rod spacing between 4-5/8" and 5-3/8"	with 3/4" Pullman style latchbolts	(Standard)			locking cam monitor
3 For use with vertical rod spacing between 5-1/4" and 6"		<b>F</b> Fail Safe	<b>24D</b> 24 Volt	<b>627</b> Satin	with auxiliary switch
<b>8</b> For only the active leaf of a pair of doors				Aluminum	
<b>30</b> For use with vertical rod spacing between 2-5/8" and 3-3/8"					

Faceplates			How to Or	der		
MODEL	612	627	PREFIX	SERIES	KEEPER STYLE	FINISH
FP-310-6-1	\$813	<sup>\$</sup> 512	FP	- 310-6-X	(PK)	- 612
Faceplates			FACEPLATE ONLY		<u>.</u>	
MODEL	612	627	<b>FP</b> Faceplate	1 For use with vertical rod	(PK) For use	<b>612</b> Satin Bronze
FP-310-6-2	\$813	§512		spacing between 4" and 4-3/4"	with 3/4" Pullman style latchbolts	<b>627</b> Satin Aluminum
Faceplates				2 For use with vertical rod spacing between 4-5/8" and 5-3/8"		
MODEL	612	627		3 For use with vertical rod		
FP-310-6-3	\$813	§512		spacing between 5-1/4" and 6"		
Faceplates				8 For only the active leaf of a pair of doors		
MODEL	612	627		<b>30</b> For use with vertical rod spacing between 2-5/8" and 3-3/8"		
FP-310-6-8	\$813	§512				
Faceplates						
MODEL	612	627				
FP-310-6-30	\$813	§512				

Folger Adam SB:310-1-1 Flectric Strike Bodies

10.8et / taain 22.210 1 1 Electric Strike 20 ares				
MODEL	DESCRIPTION	630		
SB:310-1-1-12D		<sup>\$</sup> 1192		
SB:310-1-1-24D		<sup>\$</sup> 1192		
SB:310-1-1-F-12D	Fail safe	§1192		
SB:310-1-1-F-24D	Fail safe	§1192		
SB:310-1-1-12D-LCBMA		§1537		
SB:310-1-1-24D-LCBMA		§1537		
SB:310-1-1-F-12D-LCBMA	Fail safe	§1537		
SB:310-1-1-F-24D-LCBMA	Fail safe	§1537		

Folger Adam SB:310-1-2 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:310-1-2-24D		<sup>\$</sup> 1192
SB:310-1-2-F-12D	Fail safe	<sup>\$</sup> 1192
SB:310-1-2-F-24D	Fail safe	<sup>\$</sup> 1192
SB:310-1-2-12D-LCBMA		<sup>§</sup> 1537
SB:310-1-2-24D-LCBMA		<sup>§</sup> 1537
SB:310-1-2-F-12D-LCBMA	Fail safe	<sup>§</sup> 1537
SB:310-1-2-F-24D-LCBMA	Fail safe	<sup>\$</sup> 1537

Folger Adam SB:310-1-3 Electric Strike Bodies

10.8ci / taaiii 22.2 io 12 Electric Strike Boares				
DESCRIPTION	630			
	<sup>\$</sup> 1192			
	<sup>\$</sup> 1192			
Fail safe	<sup>\$</sup> 1192			
Fail safe	<sup>\$</sup> 1192			
	<sup>§</sup> 1537			
	<sup>\$</sup> 1537			
Fail safe	<sup>§</sup> 1537			
Fail safe	§1537			
	Fail safe Fail safe Fail safe			

Folger Adam SB:310-1-30 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:310-1-30-12D		<sup>5</sup> 1192
SB:310-1-30-24D		§1192
SB:310-1-30-F-12D	Fail safe	<sup>§</sup> 1192
SB:310-1-30-F-24D	Fail safe	§1192
SB:310-1-30-12D-LCBMA		<sup>\$</sup> 1537
SB:310-1-30-24D-LCBMA		§1537
SB:310-1-30-F-24D-LCBMA	Fail safe	<sup>\$</sup> 1537
SB:310-1-30-F-12D-LCBMA	Fail safe	§1537

How to Order Specify quantity and the following information. Order related products separately.

PREFIX	SERIES	ROD SPACING	KEEPER STYLE	FAIL SAFE/SECURE	VOLTAGE	OPTION(S)
SB	- 310-1	<b>-1</b>	(PK)	– F	- 24D	– LCBMA
STRIKE BOD	Y ONLY					
SB Strike	<b>310-1</b> Strike	1 For use with vertical rod spacing between 4" and 4-3/4"	(PK) For use	( <b>blank</b> ) Fail Secure (Standard)	<b>12D</b> 12 Volt	LCBMA Latchbolt & locking cam monitor
Body	Body Only	2 For use with vertical rod spacing between 4-5/8" and 5-3/8"	with Pullman			
		3 For use with vertical rod spacing between 5-1/4" and 6"	style latchbolts	<b>F</b> Fail Safe	<b>24D</b> 24 Volt	with auxiliary switch
		<b>30</b> For use with vertical rod spacing between 2-5/8" and 3-3/8"				



Folger Adam 712 Electric Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
712-12D		\$996	\$957	§957	\$906	§957	§854
712-24D		\$996	\$957	§957	\$906	§957	§854
712-F-12D	Fail safe	\$996	\$957	§957	\$906	§957	§854
712-F-24D	Fail safe	\$996	\$957	§957	\$906	§957	§854
712-12D-LBMLCM		§1178	§1138	§1138	§1088	§1138	§1037
712-24D-LBMLCM		<sup>\$</sup> 1178	<sup>\$</sup> 1138	§1138	\$1088	§1138	§1037
712-F-12D-LBMLCM	Fail safe	<sup>\$</sup> 1178	<sup>\$</sup> 1138	<sup>\$</sup> 1138	§1088	§1138	§1037
712-F-24D-LBMLCM	Fail safe	<sup>\$</sup> 1178	§1138	§1138	\$1088	§1138	§1037



MODEL	DESCRIPTION	605	606	612	613	629	630
712-75-12D		<sup>\$</sup> 1031	\$987	\$987	\$945	§987	§889
712-75-24D		§1031	\$987	\$987	\$945	\$987	\$889
712-75-F-12D	Fail safe	<sup>\$</sup> 1031	\$987	\$987	\$945	§987	\$889
712-75-F-24D	Fail safe	§1031	\$987	\$987	\$945	\$987	\$889
712-75-12D-LBMLCM		§1213	§1167	§1167	§1125	§1167	§1072
712-75-24D-LBMLCM		<sup>\$</sup> 1213	<sup>\$</sup> 1167	<sup>\$</sup> 1167	§1125	§1167	§1072
712-75-F-12D-LBMLCM	Fail safe	<sup>\$</sup> 1213	<sup>\$</sup> 1167	<sup>\$</sup> 1167	§1125	§1167	§1072
712-75-F-24D-LBMLCM	Fail safe	§1213	§1167	§1167	§1125	§1167	\$1072

Folger Adam 732 Electric Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
732-12D		\$996	\$957	§957	§906	§957	§854
732-24D		\$996	\$957	§957	§906	§957	§854
732-F-12D	Fail safe	\$996	\$957	§957	\$906	§957	§854
732-F-24D	Fail safe	\$996	\$957	§957	§906	§957	§854
732-12D-LBMLCM		§1178	§1138	§1138	§1088	§1138	§1037
732-24D-LBMLCM		<sup>\$</sup> 1178	<sup>\$</sup> 1138	§1138	§1088	§1138	§1037
732-F-12D-LBMLCM	Fail safe	<sup>\$</sup> 1178	§1138	§1138	§1088	§1138	§1037
732-F-24D-LBMLCM	Fail safe	<sup>\$</sup> 1178	<sup>\$</sup> 1138	§1138	<sup>\$</sup> 1088	§1138	§1037

Folger Adam 732-75 Electric Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
732-75-12D		<sup>\$</sup> 1031	§987	\$987	§945	§987	\$889
732-75-24D		§1031	§987	\$987	§945	\$987	§889
732-75-F-12D	Fail safe	§1031	§987	\$987	§945	\$987	\$889
732-75-F-24D	Fail safe	<sup>\$</sup> 1031	§987	\$987	§945	\$987	\$889
732-75-12D-LBMLCM		§1213	<sup>\$</sup> 1167	<sup>\$</sup> 1167	§1125	<sup>\$</sup> 1167	<sup>\$</sup> 1072
732-75-24D-LBMLCM		§1213	§1167	<sup>\$</sup> 1167	§1125	<sup>§</sup> 1167	<sup>\$</sup> 1072
732-75-F-12D-LBMLCM	Fail safe	<sup>§</sup> 1213	§1167	<sup>\$</sup> 1167	§1125	<sup>§</sup> 1167	<sup>s</sup> 1072
732-75-F-24D-LBMLCM	Fail safe	<sup>§</sup> 1213	§1167	<sup>\$</sup> 1167	§1125	<sup>\$</sup> 1167	<sup>\$</sup> 1072



700 & 742 Series | LBMLCM: When using LBMLCM with a SARGENT 78/8200 Series or BEST 40 Series Mortise Lock, a 1/2" or 5/8" keeper latchbolt detection will be dependent on the door gap in order to ensure functionality. Consult customer support regarding use with other manufacturers.

**712-75, 732-75 and 742-75:** The LBMLCM option is compatible with SARGENT 78/8200 Series or BEST 40 Series 3/4" throw mortise lock latchbolts in hollow metal and wood frame applications. Monitoring capabilities are dependent on a maximum 1/8" door gap in order to ensure functionality. Consult customer support regarding use with other manufacturers.

How to Order Snecify auantity and the following information. Order related products separately.

SOLENOID ORIENTATION	SOLENOID ORIENTATION KEEPER STYLE		VOLTAGE	FINISH	OPTION(S)
712		– F	- 24D	- 630	– LBMLCM
712 Vertical for hollow	(blank) 1/2" PK Keeper	"PK Keeper (blank) 12D 12 Volt		<b>605</b> Bright Brass	LBMLCM
metal frames	for up to 5/8" latchbolt	Fail Secure	<b>24D</b> 24 Volt	<b>606</b> Satin Brass	Latchbolt & locking
732 Horizontal for wood	-75 3/4 PK keeper for up to	(Standard)		<b>612</b> Satin Bronze	cam monitor
and concrete frames	a 3/4" throw latchbolt	throw latchbolt <b>F</b> Fail Safe out deadbolt		<b>613</b> Bronze Toned	
	without deadbolt			629 Bright Stainless Steel	
				630 Satin Stainless Steel	

Folger Adam SB:710 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:710-12D		§672
SB:710-24D		§672
SB:710-F-12D	Fail safe	§672
SB:710-F-24D	Fail safe	§672
SB:710-12D-LBMLCM		\$852
SB:710-24D-LBMLCM		§852
SB:710-F-12D-LBMLCM	Fail safe	\$852
SB:710-F-24D-LBMLCM	Fail safe	\$852

Folger Adam SB:710-75 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:710-75-12D		§672
SB:710-75-24D		§672
SB:710-75-F-12D	Fail safe	§672
SB:710-75-F-24D	Fail safe	§672
SB:710-75-12D-LBMLCM		\$852
SB:710-75-24D-LBMLCM		\$852
SB:710-75-F-12D-LBMLCM	Fail safe	\$852
SB:710-75-F-24D-LBMLCM	Fail safe	§852

Folger Adam SB:730 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:730-12D		§672
SB:730-24D		§672
SB:730-F-12D	Fail safe	§672
SB:730-F-24D	Fail safe	§672
SB:730-12D-LBMLCM		§852
SB:730-24D-LBMLCM		§852
SB:730-F-12D-LBMLCM	Fail safe	§852
SB:730-F-24D-LBMLCM	Fail safe	§852

Folger Adam SB:730-75 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:730-75-12D		§672
SB:730-75-24D		§672
SB:730-75-F-12D	Fail safe	§672
SB:730-75-F-24D	Fail safe	§672
SB:730-75-12D-LBMLCM		§852
SB:730-75-24D-LBMLCM		§852
SB:730-75-F-12D-LBMLCM	Fail safe	§852
SB:730-75-F-24D-LBMLCM	Fail safe	§852



**INSTALLATION NOTE:** Double-door models are available with four different center-to-center dimensions between latchbolt keepers. Keepers are wide enough to compensate for vertical rod exit bolts, which may be as much as 3/8" (10 mm) off center-to-center dimension, either way. When using an electric strike in conjunction with a vertical rod exit device, it is necessary that:

- 1. The bottom rod of the exit device be removed or made inoperative.
- 2. The latchbolt of the exit device be the "Pullman" or beveled type.
- 3. The latchbolt be free-latching and remain projected while the door is open. Mechanisms that hold the latchbolt retracted while the door is open, and automatically release it when the door is closed, must be removed or made inoperative.

Facepla	ites						
MODEL	605	606	612	61	3	629	630
FP-712	\$330	<sup>\$</sup> 292	<sup>\$</sup> 292	<sup>\$</sup> 24	1	\$292	§188
FP-712-75	\$366	\$322	\$322	\$27	9	\$322	\$221
How to	Order						
PREFIX		SERIES				FINIS	Н
FP	-	732-	75			- 61	3
FACEPLATE O	NLY						
<b>FP</b> Faceplate	712 1/2" PK keeper standard; Hollow metal frames, for up				605	Bright	Brass
	to a 5/8" th			)	606	Satin I	Brass
	<b>712-75</b> 3/4 standard; H				612	Satin E	Bronze
	frames, for latchbolt w	up to a 3	3/4" thro	w	613	Bronze	e Toned
	Wood fram	<b>732</b> PK keeper standard; Wood frames, for up to a 5/8" throw latchbolt				Bright Stainle Steel	
	<b>732-75</b> 3/4" PK keeper standard; Wood frames, for up to a 3/4" throw latchbolt without deadbolt				630	Satin Stainle Steel	ess

How to Order Specify quantity and the following information. Order related products separately.

PREFIX	SOLENOID ORIENTATION	KEEPER STYLE	FAIL SAFE/SECURE	VOLTAGE	OPTION(S)
SB	710		– F	- 24D	– LBMLCM
SB Strike Body Only	710 Vertical for hollow	(blank) 1/2" PK Keeper	(blank) Fail Secure	<b>12D</b> 12 Volt	LBMLCM
	metal frames	for up to 5/8" latchbolt	(Standard)	<b>24D</b> 24 Volt	Latchbolt & locking cam monitor
	<b>730</b> Horizontal for wood and concrete frames	-75 3/4" PK keeper for up to a 3/4" throw latchbolt without deadbolt	<b>F</b> Fail Safe		



Folger Adam 742-75 Complete Pacs for Latchbolt Locks

roiger radiii r iz rs complete raes for Eatembolt Locks							
MODEL	DESCRIPTION	605	606	612	613	629	630
742-75-12D		\$1066	§1024	§1024	§974	<sup>§</sup> 1024	§924
742-75-24D		\$1066	§1024	§1024	§974	§1024	§924
742-75-F-12D	Fail safe	§1066	§1024	§1024	§974	§1024	§924
742-75-F-24D	Fail safe	\$1066	§1024	§1024	§974	§1024	§924
742-75-12D-LBMLCM		§1246	§1204	§1204	§1155	§1204	§1104
742-75-24D-LBMLCM		§1246	<sup>§</sup> 1204	<sup>§</sup> 1204	§1155	§1204	§1104
742-75-F-12D-LBMLCM	Fail safe	§1246	§1204	§1204	§1155	§1204	§1104
742-75-F-24D-LBMLCM	Fail safe	§1246	<sup>§</sup> 1204	<sup>§</sup> 1204	§1155	<sup>\$</sup> 1204	<sup>§</sup> 1104



How to Order Complete Pacs Specify quantity and the following information. Order related products separately.

SERIES	FAIL SAFE/SECURE	VOLTAGE	FINISH	OPTION(S)	
742-75	-F	- 12D	-613	- LBMLCM	
SOLENOID ORII	ENTATION				
742-75	(blank) Fail	<b>12D</b> 12 Volt	605 Bright Brass	LBMLCM	
Vertical for	Secure (Standard)		<b>24D</b> 24 Volt	606 Satin Brass	Latchbolt & locking
hollow metal frames, up to	<b>F</b> Fail Safe		<b>612</b> Satin Bronze	cam monitor	
3/4" latchbolt	"latchbolt 61	<b>613</b> Bronze Toned			
without			629 Bright Stainless Steel		
deadbolt			630 Satin Stainless Steel		

How to Order Faceplate Only PREFIX SERIES FI	629 630					
How to Order Faceplate Only  PREFIX  SERIES  FP  - 742-75  FP Faceplate  742-75  Hollow metal frames, for up  612 Satin B						
PREFIX SERIES FI  FP - 742-75 - 0  FP Faceplate 742-75 605 Bright Hollow metal frames, for up 612 Satin B	309 <sup>\$</sup> 208					
FP - 742-75 - (605 Bright Hollow metal frames, for up 612 Satin B	How to Order Faceplate Only					
FP Faceplate 742-75 605 Bright Hollow metal frames, for up 612 Satin B	NISH					
Hollow metal frames, for up 606 Satin B	530					
frames, for up	Brass					
612 Satin R						
	ass					
latchbolt without <b>613</b> Bronze	455					
deadbolt <b>629</b> Bright S	onze					
<b>630</b> Satin S	onze					

Folger Adam SB740-75 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:740-75-12D		\$721
SB:740-75-24D		§721
SB:740-75-F-12D	Fail safe	<sup>§</sup> 721
SB:740-75-F-24D	Fail safe	<sup>\$</sup> 721
SB:740-75-12D-LBMLCM		\$902
SB:740-75-24D-LBMLCM		\$902
SB:740-75-F-12D-LBMLCM	Fail safe	§902
SB:740-75-F-24D-LBMLCM	Fail safe	\$902



How to Order Specify quantity and the following information. Order related products separately.

PREFIX	SERIES	FAIL SAFE/SECURE	VOLTAGE	OPTION(S)
SB	740-75	_	- 24D	_
STRIKE BODY OF	NLY			
SB Strike Body	740-75	(blank) Fail Secure (Standard)	<b>12D</b> 12 Volt	LBMLCM
		<b>F</b> Fail Safe	<b>24D</b> 24 Volt	Latchbolt
				& locking cam monitor

700 & 742 Series | LBMLCM: When using LBMLCM with a SARGENT 78/8200 Series or BEST 40 Series Mortise Lock, a 1/2" or 5/8" keeper latchbolt detection will be dependent on the door gap in order to ensure functionality. Consult customer support regarding use with other manufacturers.

712-75, 732-75 and 742-75: The LBMLCM option is compatible with SARGENT 78/8200 Series or BEST 40 Series 3/4" throw mortise lock latchbolts in hollow metal and wood frame applications. Monitoring capabilities are dependent on a maximum 1/8" door gap in order to ensure functionality. Consult customer support regarding use with other manufacturers.

# Electric Strike Accessories

# **Electric Strike Accessories**

ITEM	DESCRIPTION	PRICE
HESCUT-MTK	For installing the 1006, 1500, 1600, 4500, 5000, 5200, 7000, and 7501 electric strikes (4-7/8" ANSI jamb preparations only)	\$94
9000-MTK	Metal template installation kit	\$89
SMB	Surface mounting box	\$239
150	Stainless steel. Installed at the edge of the door to cover the lock and electric strike. Available in 626 finish only	§102
152	Mount inside hollow metal, wood and aluminum jambs	<sup>\$</sup> 28
157	Torx screws	§16
157D	Tamper-Resistant Torx R20 insert bit	§46
310-2-3	Available for the Folger Adam 300 Series electric strike in standard 630 finish. Torx screws included	<sup>\$</sup> 270
2001-1	Converts AC to unfiltered DC. Rated 35 V, 2 Amp. Not recommended for 1006 Electric Strike	§42
2001M	Converts AC to unfiltered DC. Rated 35 V, 1 Amp. Includes MOV and self-resettable fuse. Not recommended for 1006 Electric Strike.	§76
2004M	Adapter between existing HES electric strikes and ElectroLynx® connectors	§45
2005M3	For use with 1006, input voltage must be DC.	§115
2006M	Audible operation indicator at 24VDC, 75db at 11-3/4"	§58
2007M	With 4" wire leads	<sup>\$</sup> 24





# Cabinet Locks

610 Multi-Purpose Electromechanical Lock

ITEM	DESCRIPTION	PRICE
610	Standard — No Monitoring	<sup>\$</sup> 147
610LM	Locked State Monitoring	§205

 $How \ to \ Order \\ \textit{Specify quantity and the following information. Order related products separately.}$ 

-1 12 -1	8 3	
SERIES	OPTION(S)	
610	– LM	
<b>610</b> Cabinet Lock	(blank) No Monitoring	
	LM Locked State Monitoring	





**660** Multi-Purpose Flectromechanical Lock

ood maid i ai posc	Licetionicenamear Lock	
MODEL	DESCRIPTION	BLK
660		<sup>\$</sup> 173
660-LBSM		<sup>\$</sup> 215
660-LBSM-20PK		<sup>5</sup> 4300
660-Preload		§257
660-LBSM-Preload		<sup>\$</sup> 299

### Accessories

ITEM	DESCRIPTION	PRICE
660-KO	660 Key override	§95

 $How \ to \ Order \ \ \textit{Specify quantity and the following information. Order related products separately.}$ 

SERIES	VOLTAGE	OPTION(S)
660	- 12V	– LBSM – Preload
660 Cabinet Lock	<b>50</b> Cabinet Lock <b>12V</b> 12 Volt	(blank) No preload, no monitoring
	<b>24V</b> 24 Volt	Preload Up to 15 lbs
		LBSM Locked state monitoring
		LBSM-20PK Locked state monitoring 20 pack
		LBSM-Preload Locked state monitoring with Preload



### **KP20 Series** Cabinet Lock

MODEL	DESCRIPTION	BLK
KP20	Stand-alone Keypad Cabinet Lock	<sup>§</sup> 135



**K100** Aperio® Wireless Cabinet Lock Kits

it 100 / ipci io	Wheless cubilled Lock Kits	
ITEM	DESCRIPTION	PRICE
K100-622H-IPS-BP	K100-622 Aperio™ v3 Integrated Wireless Cabinet Lock Kit For 1/16" to 1/2" Thick Doors With Pinch Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	<sup>s</sup> 1030
K100-622H-IPS-BP2	K100-622 Aperio™ v3 Integrated Wireless Cabinet Lock Kit For ≤ 1/2" to 1-1/2" Thick Doors With Pinch Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	<sup>\$</sup> 1040
K100-622H-IPS-BP3	K100-622 Aperio <sup>™</sup> v3 Integrated Wireless Cabinet Lock Kit For ≤ 1-1/2" to 2-1/4" Thick Doors With Pinch Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	<sup>\$</sup> 1050
K100-622H-IPS-BL	K100-622 Aperio™ v3 Integrated Wireless Cabinet Lock Kit For 1/16" to 1/2" Thick Doors With Lever Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	<sup>\$</sup> 1030
K100-622H-IPS-BL2	K100-622 Aperio™ v3 Integrated Wireless Cabinet Lock Kit For ≤ 1/2" to 1-1/2" Thick Doors With Lever Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	<sup>\$</sup> 1040
K100-622H-IPS-BL3	K100-622 Aperio™ v3 Integrated Wireless Cabinet Lock Kit For ≤1-1/2" to 2-1/4" Thick Doors With Lever Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	<sup>\$</sup> 1050



#### K100 Demo Mounts

K100 Dellio Modiles				
ITEM	DESCRIPTION	PRICE		
DEMO-K100-622-IPS-BL	K100-622 Aperio™ Integrated Wireless Cabinet Lock Demo Mount With Lever Knob and HID multiCLASS SE Card Reader, NFC HID Mobile Access Enabled	<sup>\$</sup> 1105		
DEMO-K100-622-IPS-BP	K100-622 Aperio™ Integrated Wireless Cabinet Lock Demo Mount With Pinch Knob and HID multiCLASS SE Card Reader, NFC HID Mobile Access Enabled	<sup>\$</sup> 1105		

### **Accessories**

ITEM	DESCRIPTION	PRICE
OBS-622	K Series Open Back Strike Plate for Drawers	\$30
ACC10	RFID test credentials	\$35
APD10USB	Used to configure both the Aperio product and/or Aperio hubs via the Program Application software.	§667

How to Order Specify quantity and the following information. Order related products separately.

SERIES	MODEL	CREDENTIAL TECHNOLOGY	COLOR	KNOB TYPE	SHAFT LENGTH (DOOR THICKNESS)
K100	- 622H	– IPS	– B	Р	2
	Doors with AH20	IPS HID Prox®, Kantech ioProx, HID iCLASS®, HID iCLASS SE® (SIOenabled), HID iCLASS® Seos™, HID MIFARE® SE, HID DESFire® EV1 SE, MIFARE Classic, MIFARE DESFire EV1, NFC-enabled mobile phones	<b>B</b> Black	<b>P</b> Pinch	_ <b>(Blank)</b> 1/16" to 1/2" (standard)
	1:1 Wiegand Hub			<b>L</b> Lever	<b>2</b> ≥ 1/2" to 1-1/2"
					<b>3</b> ≥ 1-1/2" to 2-1/4"

\*Kit includes integrated lock paired with Wiegand 1:1 wireless hub.

K100: The K100 Cabinet Lock is available as either a pre-paired lock and hub kit (no certification required) or as a field configurable component (requires Aperio® Certified Integrator certification). Pre-paired kits support limited features. Field configured devices are required in order to support all options. Visit www.lntelligentOpenings.com to learn more.

**K200** Integrated Wired Access Control Cabinet Lock

ITEM	DESCRIPTION	PRICE
K200-622-IPS-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID multiCLASS SE Card Reader and Black Pinch Knob	<sup>\$</sup> 755
K200-622-IPV040-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID SE PIV-I 40 Bit Card Reader and Black Pinch Knob	<sup>\$</sup> 755
K200-622-IPV064-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID SE PIV-I 64 Bit Card Reader and Black Pinch Knob	<sup>\$</sup> 755
K200-622-IPV075-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID SE PIV-1 75 Bit Card Reader and Black Pinch Knob	<sup>\$</sup> 755
K200-622-IPV128-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID SE PIV-I 128 Bit Card Reader and Black Pinch Knob	<sup>\$</sup> 755
K200-622-IPV200-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID SE PIV-I 200 Bit Card Reader and Black Pinch Knob	<sup>\$</sup> 755





**K200** Integrated Wired Access Control Cabinet Lock for Drawers

ITEM	DESCRIPTION	PRICE
K200-622D-IPS-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID multiCLASS SE Card Reader and Black Pinch Knob	<sup>5</sup> 785
K200-622D-IPV040-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID SE PIV-I 40 Bit Card Reader and Black Pinch Knob	<sup>\$</sup> 785
K200-622D-IPV064-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID SE PIV-I 64 Bit Card Reader and Black Pinch Knob	<sup>\$</sup> 785
K200-622D-IPV075-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID SE PIV-I 75 Bit Card Reader and Black Pinch Knob	<sup>\$</sup> 785
K200-622D-IPV128-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID SE PIV-I 128 Bit Card Reader and Black Pinch Knob	<sup>\$</sup> 785
K200-622D-IPV200-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID SE PIV-I 200 Bit Card Reader and Black Pinch Knob	<sup>\$</sup> 785

# **KS-M** Mechanical Server Cabinet Lock

ITEM	DESCRIPTION	PRICE
KS-M-B	KS-M Mechanical Server Cabinet Lock with No Cylinder	<sup>\$</sup> 126
KS-M-B-K1	KS-M Mechanical Server Cabinet Lock with MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User)	<sup>\$</sup> 231



KS200 Integrated Wired, Wiegand Access Control Server Cabinet Lock

ITEM	DESCRIPTION	PRICE
KS200-S-IPS-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID multiCLASS SE Card Reader, HID NFC Mobile Access Enabled	§670
KS200-S-IPS-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID multiCLASS SE Card Reader, HID NFC Mobile Access Enabled	§685
KS200-S-IPS-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID multiCLASS SE Card Reader, HID NFC Mobile Access Enabled	\$770
KS200-S-IPV040-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID SE PIV-I 40 Bit Card Reader, HID NFC Mobile Access Enabled	§670
KS200-S-IPV040-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 40 Bit Card Reader, HID NFC Mobile Access Enabled	§685
KS200-S-IPV040-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 40 Bit Card Reader, HID NFC Mobile Access Enabled	<sup>\$</sup> 770
KS200-S-IPV064-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID SE PIV-I 64 Bit Card Reader, HID NFC Mobile Access Enabled	§670
KS200-S-IPV064-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 64 Bit Card Reader, HID NFC Mobile Access Enabled	§685
KS200-S-IPV064-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 64 Bit Card Reader, HID NFC Mobile Access Enabled	<sup>\$</sup> 770
KS200-S-IPV075-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID SE PIV-I 75 Bit Card Reader, HID NFC Mobile Access Enabled	§670
KS200-S-IPV075-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 75 Bit Card Reader, HID NFC Mobile Access Enabled	§685
KS200-S-IPV075-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 75 Bit Card Reader, HID NFC Mobile Access Enabled	§770
KS200-S-IPV128-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID SE PIV-I 128 Bit Card Reader, HID NFC Mobile Access Enabled	§670
KS200-S-IPV128-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 128 Bit Card Reader, HID NFC Mobile Access Enabled	§685
KS200-S-IPV128-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 128 Bit Card Reader, HID NFC Mobile Access Enabled	§770
KS200-S-IPV200-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID SE PIV-I 200 Bit Card Reader, HID NFC Mobile Access Enabled	§670
KS200-S-IPV200-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 200 Bit Card Reader, HID NFC Mobile Access Enabled	§685
KS200-S-IPV200-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 200 Bit Card Reader, HID NFC Mobile Access Enabled	<sup>\$</sup> 770



# KS210 Integrated Wired, RS-485 OSDP Access Control Server Cabinet Lock

ITEM	DESCRIPTION	PRICE
KS210-S-IPS-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID multiCLASS SE Card Reader, HID BLE & NFC Mobile Access Enabled	§750
KS210-S-IPS-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID multiCLASS SE Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>§</sup> 765
KS210-S-IPS-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID multiCLASS SE Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>\$</sup> 850
KS210-S-IPV040-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID SE PIV-I 40 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	§750
KS210-S-IPV040-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 40 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>§</sup> 765
KS210-S-IPV040-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 40 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>\$</sup> 850
KS210-S-IPV064-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID SE PIV-I 64 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>\$</sup> 750
KS210-S-IPV064-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 64 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>\$</sup> 765
KS210-S-IPV064-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 64 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	§850
KS210-S-IPV075-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID SE PIV-I 75 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>\$</sup> 750
KS210-S-IPV075-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 75 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>\$</sup> 765
KS210-S-IPV075-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 75 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	§850
KS210-S-IPV128-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID SE PIV-I 128 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>\$</sup> 750
(S210-S-IPV128-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 128 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>\$</sup> 765
KS210-S-IPV128-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 128 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	§850
KS210-S-IPV200-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID SE PIV-I 200 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>\$</sup> 750
KS210-S-IPV200-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 200 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	<sup>\$</sup> 765
KS210-S-IPV200-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 200 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	\$850



# Accessories

# K200, KS-M, KS200 & KS210 Accessories

ITEM	DESCRIPTION	PRICE
OBS-622	K Series Open Back Strike Plate for Drawers	\$30
CBL6-QC12	Lock Side Interface Cable: 6 Foot, 12 Conductor and Molex both ends	<sup>\$</sup> 70
CBL12-QC12	System Side Interface Cable: 12 Foot, 12 Conductor and Molex one end, pinned one end	s <sub>90</sub>
SFIC	KS Series MEDECO X4 SFIC Small Format Interchangeable Core (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User)	<sup>\$</sup> 100
SFIC-BC	KS Series SFIC Small Format Interchangeable Core Blank, Black Plastic Core	<sup>\$</sup> 15
KS-DPS	KS Series Surface Mount DPS (external)	s30
CS-CAM45	KS Series Locking Cam: 45MM—5	\$8
KS-CAM38	KS Series Locking Cam: 38MM—1	\$8
WT-1	Wiegand Test Box with LED Indicators	\$700
WT-2	Wiegand Test Box with LCD Backlit Display with LED Indicators	\$807



# Warranties & Terms & Conditions

#### **HES** Warranties

We believe that the best products in the industry should be supported by our commitment to deliver the highest quality products and services. HES is proud to extend the most comprehensive no-fault, no-questions asked warranty coverage to all of our products and solutions. This is our expectation and commitment to you – our valued customer.



SecuriCare Warranty

#### SecuriCare 10-year Warranty

**Duration:** Ten years from date of shipment. **Condition:** Any reason including, but not limited to, installation error, vandalism or force majeure.

Replacement: Replacement product or equivalent shipped at h.e.s. expense via next day air freight in most cases.

Products Covered:

- When installed with a Smart PAC III, the following electric strikes are upgraded to the 10-year warranty:
  - » 1006, 1500, 1600, 4500, 5000, 5200, 5300, 7500, 8000, 8300, 8500, 9400, 9500, 9600, 9700, 9800

» Folger Adam 310, 712, 732, 742



SecuriCare Warranty

#### SecuriCare 5-year Warranty

**Duration:** Five years from date of shipment. **Condition:** Any reason including, but not limited to, installation error, vandalism or force majeure.

**Replacement:** Replacement product or equivalent shipped at h.e.s.'s expense via next day air freight in most cases.

#### **Products Covered:**

- Electric Strikes
- » 1006, 1500, 1600, 4500, 5000, 5200, 5300, 7500, 8000, 8300, 8500, 9100, 9200, 9400, 9500, 9600, 9700, 9800
- » Folger Adam 310, 712, 732, 742
- » Securitron MUNL, UNL



SecuriCare Warranty

#### SecuriCare 3-year Warranty

**Duration:** Three years from date of shipment.

 $\begin{tabular}{ll} \textbf{Condition:} & Any \, reason, including \, but \, not \, limited \, to, \\ installation \, error, vandalism \, or \, force \, majeure. \end{tabular}$ 

**Replacement:** Replacement product or equivalent shipped at h.e.s.'s expense via next day air freight in most cases. **Products Covered:** 

- ES100 Aperio® Wireless Electric Strike
- Cabinet Locks: 600, K, and KS Series & Accessories

Check your individual product to determine warranty coverage. Batteries and consumables are not covered by HES Warranty programs. Replacement products, at HES's sole option, may be the identical item or a unit which serves as a functional replacement. If the customer has an account with HES or a valid credit card, the customer may order an advance replacement product, whereby HES will charge the customer's account for the price of the product plus next day air freight, and will credit back to the customer the full amount of the charge, including outbound freight, upon HES receipt of the original product from the customer. HES's sole and exclusive liability, and customer's sole remedy, is limited to the replacement of the HES product when delivered to HES's facility (freight and insurance charges prepaid by customer).

#### **HES** Terms & Conditions

PRICES: All prices are subject to change without notice. Prices listed on the HES website will serve as the most current list price. All shipments will be made at prices in effect at the time of order. The customer shall be responsible for payment of all applicable sales and/or use taxes and freight costs.

MINIMUM ORDER: Minimum product charge per invoice is \$150.00 USD.

PAYMENT TERMS: Net thirty (30) days from date of invoice. Interest at the rate of up to 1-1/2% per month may be charged on all past due accounts. An order received on an account which has not been paid within 45 days of the date of invoice may not be processed until the account is current. Custom orders may require a deposit.

DELIVERY TERMS: All prices are Ex-works factory. Purchaser assumes the risk of loss or damage to the goods while in transit from the point of shipment. HES reserves the right to make delivery in installments. Installments shall be separately invoiced and paid for when due. Delay in delivery of an installment shall not relieve the purchaser of its obligation to accept remaining deliveries.

FREIGHT POLICY: All Purchase Orders received with a minimum net value of \$3,500 will qualify automatically for free standard freight within the continental United States. This minimum amount applies per Purchase Order to qualify and does not include free expedited freight. Qualified orders may ship partial or ship complete at your preference. Qualified orders that ship partial will not incur freight charges. All shipments that do not qualify for free freight will be charged for freight based upon our terms in effect at the time of shipment. Customers may provide their own carrier account number for expedited freight methods or for any Purchase Order to be used to cover freight costs. Minimum amounts are subject to change without notice.

SHORTAGE: Any claim for shortages must be made to HES in writing within one (1) week of receipt of merchandise.

WARRANTY RETURNS: A Customer Care Form (CCF) for defective product must be obtained from HES before any merchandise can be returned. CCF's are valid for sixty (60) days from date of issuance Goods returned under the terms of MagnaCare® and SecuriCare® Warranties may require a copy of the original invoice.

RETURNS: A Customer Care Form (CCF) must be obtained from HES before any merchandise can be returned. CCF's are valid for sixty (60) days from date of issuance. Items that are not factory sealed, or that are returned later than 90 days from the date of receipt are subject to a restocking charge plus an additional charge for any damage.

CANCELLATIONS: Any order may be subject to a 5% cancellation charge for catalog items. Cancellation of non-catalog or custom items will be subject to a 20% cancellation charge plus all costs (both direct and indirect) incurred by manufacturing at the point of cancellation that are properly allocated to the cancelled item(s).

LIMITATION OF LIABILITY: Neither party will be liable to the other for any delay or failure in performance arising directly out of war, sabotage, insurrection, riot, and any other act of civil disobedience, act of public enemy, fire, explosion, flood, storm, or other act of God or nature, or similar cause beyond its reasonable control, including shortage or unavailability of labor or materials. If, notwithstanding the foregoing limitations, HES has any liability to the purchaser, the purchaser agrees that the total liability to the purchaser for all losses, damages, and causes of action, whether in contract, equity, tort (including without limitation, negligence and gross negligence), or otherwise, will not exceed the amount the purchaser paid to HES for the products (including, without limitation, incidental or consequential damages, damages for lost profits or business interruption, and punitive damages).

NO THIRD PARTY LIABILITY If the purchaser uses the HES Products on behalf of others or provides to others any products referenced herein, the HES Parties shall have no liability to such persons whatsoever, and the purchaser agree to defend and indemnify the HES Parties from any and all claims and demands asserted against them, and from any legal fees, costs and other expenses that the HES Parties incur therewith.



The ASSA ABLOY Group is the global leader in access solutions. Every day we help people feel safe, secure and experience a more open world.





#### **USA**

800 626 7590 | f. 866 582 4641 | hesinnovations.com customerservice.hes@assaabloy.com

techsupport.hes@assaabloy.com orders.hes@assaabloy.com

#### **CANADA**

800 461 3007 | f. 800 461 8989 | assaabloydss.ca

sales.dss.ca@assaabloy.com orders.dss.ca@assaabloy.com

#### Printed in the U.S. A.

Patent pending and/or patent www.assaabloydss.com/patents

Copyright © 2023, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited. HES-115-0323