

Legacy Price Book Multi-Family Housing

United States | PL78 | March 2026



What's New

This price book dated March 2026 contains updated product and pricing information. All changes are listed below and take effect March 2, 2023.

Multifamily Housing (Legacy Products)

- All lock base prices increased by average 8%
- No change to 'adder pricing'

Page blank intentionally

Table of contents

| | | | |
|----|--|----|---|
| 3 | General Terms and Conditions of Sale | 62 | Quantum II Remote Control Unit & Elevator Control Unit |
| 5 | How to Order | 64 | Quantum II Remote Control Unit Screwless |
| 5 | Door Handing | 66 | Quantum II Multi-Channel Controller & Expanded Multi-Channel Controller |
| 5 | Where to Order | 68 | Quantum II Door Hardware Kit |
| 6 | Nova-D Smart Electronic RFID Deadbolt | 69 | InSync D Deadbolt Lock |
| 7 | MT RFID | 70 | InSync I Interconnect Lock |
| 11 | Ilco 79 Mortise Lock | 71 | InSync L Tubular Lock |
| 15 | Ilco 79 Cylindrical Lock | 72 | InSync M Mortise Lock |
| 17 | Ilco 79 Exit Trim | 73 | InSync CP Exit Trim |
| 20 | Ilco 760 Mortise Lock | 74 | InSync RAC |
| 23 | Ilco 760 Cylindrical Lock | 75 | InSync SAM RF Software & InSync Accessories |
| 24 | Ilco 760 Exit Trim | 76 | Saflok Accessories |
| 26 | Ilco 710-II Mortise Lock | 77 | Saflok Software |
| 28 | Ilco 710-II Cylindrical Lock | 78 | Government/Legacy Accessories |
| 30 | Ilco 720-II Exit Trim | 79 | Legacy Physical Credentials |
| 32 | RAC4 Contactless Reader | | |
| 33 | Contactless Door Hardware Kits | | |
| 34 | RAC4 Magstripe Reader | | |
| 35 | RAC4XT Magstripe Reader | | |
| 36 | Magstripe Door Hardware Kits | | |
| 37 | Ilco RAC Accessories | | |
| 38 | ATLAS (Advanced Technology Lodging Access System) | | |
| 40 | Ilco Accessories 79 and 790 Series Locks | | |
| 40 | Ilco Accessories 760 and 770 Series Locks | | |
| 40 | Ilco Accessories 710-11 Locks | | |
| 42 | MT Magstripe Lock | | |
| 44 | MT Magstripe Lock, Mechanical Key Override | | |
| 46 | MT Magstripe Exit Trim | | |
| 48 | Quantum III Lock | | |
| 50 | Quantum III Mechanical Key Override Lock | | |
| 50 | Quantum III Remote Control Unit & Elevator Control Unit | | |
| 53 | Quantum III Remote Control Unit Screwless | | |
| 54 | Quantum III Multi-Channel Controller & Expanded Multi-Channel Controller | | |
| 56 | Quantum III Door Hardware Kit | | |
| 58 | Quantum II Lock | | |
| 60 | Quantum II Mechanical Key Override Lock | | |

General Terms and Conditions of Sale

1. **ENTIRE AGREEMENT:** This agreement constitutes the entire agreement between dormakaba USA Inc., dormakaba Canada Inc., (together "dormakaba") and the Purchaser, and contains all of the terms and conditions relating to the sale of the product(s). This agreement supersedes all prior agreements, previous catalog terms and conditions, and other documents unless expressly incorporated herein.
2. **PAYMENT TERMS:** Unless otherwise stated, terms are net 30 days from the date of invoice. dormakaba reserves the right to charge interest at 1.5% per month (18% annually) on any overdue amounts. If dormakaba discovers that the Purchaser's financial condition does not warrant the above payment terms, then dormakaba, in its absolute discretion, may demand that the Purchaser pay in advance, pay cash upon delivery, or refuse Purchaser's order. In the latter case, dormakaba cannot be held liable for any damages of any nature whatsoever for its refusal to deliver goods in whole or in part.
3. **PRICES:** The product price(s) shall be according to dormakaba's price list in effect at the time of acceptance of the purchase order or according to its authorized quotation in force at the time of acceptance of the applicable purchase order.
4. **TAXES:** The price does not include any amounts for U.S. or International Federal Custom Duties, Canadian, U.S. or International, Federal, Provincial, State, Local Excise, Goods and Services, Sales or Use, or Value added taxes. However, should dormakaba be obligated to pay any of the foregoing taxes, the Purchaser, upon demand, shall, within fifteen (15) days, reimburse dormakaba the total amount disbursed in respect thereof.
5. **MINIMUM ORDER REQUIREMENTS:** The minimum order amount for all orders accepted is \$400 USD, excluding the shipping and insurance charges. This does not apply to cut keys.
6. **PRODUCT INFORMATION:** Unless expressly stated in this Agreement, all information contained in the product brochures, pamphlets, or information circulars, are for reference purposes only and based on information available at time of publication. dormakaba reserves the right to make reasonable changes in its products or discontinue certain products from time to time and to deliver the modified products, or to offer replacement product in the event a product has been discontinued without any liability whatsoever. Purchaser shall have the option to purchase any other product in the event of a discontinued product, provided however, Purchaser shall be responsible to pay any price difference.
7. **INSTALLATION:** Unless otherwise expressly stated, the costs and materials required for installation are not included in the prices and/or quotations.
8. **POINT OF DELIVERY & SHIPPING:** Delivery points and terms are FOB dormakaba warehouses in the Continental USA and Canada for dormakaba products. Should Purchaser request a shipping method or carrier different than dormakaba's standard, then the full amount of the shipping cost will be invoiced to the Purchaser. Drop shipments to a third party are subject to a \$25 surcharge, which is invoiced to Purchaser. dormakaba will no longer ship to third parties in Canada.
9. **DELIVERY TERMS:** dormakaba will notify the Purchaser if for any reason, it is unable to deliver the products as scheduled, and dormakaba cannot be held liable for any damages of any nature resulting from these delays.
10. **FORCE MAJEURE:** Should a delay in delivery be caused by a Force Majeure event, the time of delivery shall be extended by a reasonable amount of time with regard to all applicable circumstances. Upon mutual agreement, the parties shall set a new date for delivery. Except as to payments due hereunder, neither party shall be liable for failure to perform hereunder for the duration of and to the extent such failure is occasioned by a Force Majeure event, which is defined as follows: war, riots, insurrections, fire flood, explosions, strikes and other labor or industrial disturbances, inevitable accidents Government, State, Provincial or Municipal regulations and/or ordinances, an act of God, embargoes, blockades, delay in obtaining materials, legal restrictions, currency regulations, or any cause or condition beyond the reasonable control of the parties. Where such conditions continue more than three (3) months, either party shall be free to terminate the Agreement. In the case of termination, dormakaba shall be paid the value proportionate to the Agreement price for the finished product and/or the work -in-progress as of the date of termination and the supportable costs.
11. **FAILURE TO ACCEPT DELIVERY:** If Purchaser fails to accept delivery at the scheduled time, the purchase price shall become due and payable in accordance with the original payment schedule and all risks associated with the product or parts of the product to be delivered, shall be borne by the Purchaser. Purchaser shall be responsible for all storage and handling costs incurred and to be incurred as a result thereof.
12. **TITLE:** Unless otherwise stipulated in this Agreement, ownership of the goods shall remain with dormakaba until full payment of the sale price has been received. Until complete payment has been received, Purchaser undertakes to warrant and keep the goods free and clear of all liens, other charges or encumbrances.
13. **RETURN POLICY:** Purchaser must obtain a Return Good Authorization (RGA) number from dormakaba's Customer Service by calling in North America: (800) 849-8324 or Worldwide: (336) 725-1331, before returning any products whatsoever. The Purchaser must have the product serial number and invoice number pertaining to the original purchase available to give the Customer Service Agent. dormakaba will send via facsimile or email (as indicated by Purchaser) the Return Goods Authorization form, which includes the RGA number along with the "Ship To" address and REGA return instructions. RGAs expire after sixty (60) days from date of issuance. Returns of product by Purchaser are FOB dormakaba.
14. **WARRANTY:** Subject to the limitations herein, dormakaba warrants its new products from the date received by Purchaser from material or workmanship flaws. Specific new product warranties may vary according to products and if different, they are listed in the respective product section of the Access Control catalog or the respective product installation manual. Third party product(s) sold by dormakaba are warranted only to the extent provided by the original manufacturer's warranty and Purchaser must refer to the original manufacturer's warranty in such case. Refurbished or reconditioned dormakaba products are warranted for a ninety (90) day period from date of shipment. Failure of the Purchaser to notify dormakaba within the time limit set in this section shall constitute Purchaser's waiver to have the malfunction or damage

remedied. The express warranties as set out herein, are the exclusive warranties given and accepted in lieu of any and all other warranties, expressed or implied, statutory or otherwise, including but not limited to warranty of fitness for a particular purpose and merchantability. To the extent that they cannot be disclaimed, the implied warranties are limited in duration to the life of the express warranty. Incidental and consequential damages are excluded from coverage under this warranty. Some States/jurisdictions do not allow for the disclaimers, limitations and exclusions identified above; as a result, they may not apply to you. This warranty gives you specific rights, and you may also have other legal rights which may vary from State to State, or from one jurisdiction to another. No distributor, dealer, sales representative nor any other person has been authorized to make any affirmation, representation or warranty regarding the product, other than those contained in this limited warranty, and if made, shall not be enforceable against dormakaba. dormakaba reserves the right to modify this warranty at any time, it being understood that such modification will not alter the warranty conditions applicable to the products sold while this warranty is in effect.

- dormakaba will, at their discretion and at no charge, either repair, exchange or replace the product provided it is returned complete to dormakaba during the warranty period. However, Purchaser is responsible for the labor to remove and reinstall the product(s) from Purchaser's premises.
- Defective parts, which have been replaced, become the property of dormakaba who may dispose of them in any manner. Replacement parts become the property of the Purchaser upon their delivery.
- dormakaba is not liable for any defects in materials, designs, drawings or information provided by the Purchaser, nor for information which is missing and could not be reasonably identified as such, by dormakaba.
- dormakaba does not warrant the following:
 - a) Normal wear and tear from use;
 - b) Printer ribbons, batteries, key cards and other consumable parts used or supplied with the product;
 - c) Damage of any nature to hardware finishes;
 - d) Faulty or defective product operation(s) caused by unusual or unforeseeable use or conditions;
 - e) Improper installation, operation or maintenance of the product;
 - f) Any product or system in which dormakaba's product(s) is incorporated;
 - g) Force Majeure as defined by Section 10 of this Agreement;
 - h) Repairs or alterations carried out by anyone other than dormakaba;

14.1 VARIANCE: Any claims that the quantity and description of goods delivered and the quantity and description of goods ordered do not conform to this Agreement are waived unless the Purchaser advises dormakaba's Customer Service department in writing, within fifteen (15) days from the date of receipt of the product(s).

14.2 RETURNS FOR CREDIT: In order to return new merchandise, the Purchaser must obtain a Returned Goods Authorization (RGA) number from dormakaba Customer Service department. There is a thirty-five percent (35%) restocking charge applied to all returns of new product. Custom products cannot be returned for credit for any reason other than product failure. Credit will not be offered for product that is returned incomplete or damaged.

15. LIMITATION OF LIABILITY: The total liability of dormakaba for all claims of any kind, whether in contract, liability or otherwise, arising out of, connected with or resulting from dormakaba's performance or breach of this Agreement or services furnished hereunder shall in no event exceed the total purchase price expressed in this Agreement. dormakaba shall not under any circumstances be held liable for loss of profits or revenues, loss of use of product or any other product software, system, or facility, loss of data or information, lack or loss of productivity, interest charges or cost of capital, cost of substitute product, software, systems or services, cost of purchases or replacement power, downtime costs. Incidental, special, consequential damages are excluded from coverage under this warranty.
16. ASSIGNMENT: dormakaba may assign this Agreement in whole or in part, to any parent, subsidiary or affiliated corporation. Subject to the prior written approval of dormakaba, Purchaser may assign the present Agreement to any parent, subsidiary or affiliated corporation.
17. DAMAGES: If Purchaser does not fulfill its obligations or is in default or breach of contract by the terms of this Agreement, dormakaba may then terminate the Agreement by notice in writing as set out on the face of dormakaba's acknowledgement. dormakaba has the right to claim compensation for any loss it incurs as a results or Purchaser's default, in addition to any other rights or recourse in equity and in law.
18. APPLICABLE LAW: This Agreement shall be governed by and construed in accordance with the laws of the State of Indiana, USA.
19. TERMINATION: If the Purchaser terminates this Agreement, in whole or in part, by written notice, dormakaba will, upon receipt of the termination notice, cease the performance of the contract according to the instructions of the Purchaser. In such a case, Purchaser may be invoiced for costs incurred depending on the nature of the product and shall be responsible for payment of same.
20. SEVERABILITY: Any term, condition or provision of this Agreement, or any part thereof, which is or may be found to be prohibited or unenforceable in any jurisdiction shall, as regards such jurisdiction and to the extent of such prohibition or unenforceability, be deemed to be severed from this Agreement, and the remaining terms, conditions and provisions of this Agreement shall remain in full force and effect.
21. WAIVER: Any act or omission by dormakaba will not constitute or be deemed to be a waiver of the rights granted to dormakaba by the terms of this Agreement.

Disclaimer: While reasonable efforts were made to ensure the accuracy of this document at the time of printing, dormakaba assumes no liability for any errors or omissions. This information is subject to be revised without notice, and changes may be incorporated in future releases.

How to Order

To order any of the products in this catalog, a part number must be provided. In most situations the part number has to be assembled to specify the desired product, as various options are available.


Example

| | | | | | | | | | | | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | - | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| MODEL | | | | LOCKING DEVICE | | RFID | LEVER | OVERRIDE | HANDING | VERSION | BLE | | FINISH | | |

Build the model number with the desired options

Door Handing

Some locks also require you to specify door handing. To determine handing, face the door from the exterior (access) side and select the corresponding diagram below.



Where to Order



Contact your local supplier or call
1.800.849.8324

For More Information

www.dormakaba.us



Nova-D

Smart Electronic RFID Deadbolt

Example



Build the model number with the desired options

| Model | Description | Base Price |
|-------|---------------------------------|--------------|
| 48 | Nova-D Lock (comes BLE enabled) | \$596.00 |
| 484 | Nova-D Demo Mounted | Add \$582.00 |

Choose One Option from Each Category

| Configuration | Description | Price |
|---------------------|---------------------|--------------|
| Messenger | | |
| S | Standalone | No Charge |
| R | Messenger Ready | Add \$49.90 |
| Z | Messenger Enabled | Add \$179.30 |
| W | INNCOM RF | Add \$179.30 |
| Key Override | | |
| E | Electronic Override | No Charge |
| K | MKO | No Charge |

Note: Master Keyed System cylinders are available for a \$19.00 upcharge per cylinder


| Finish | Description | Price |
|--------|-------------------------|-----------|
| U26 | Ultra Satin Chrome | No Charge |
| U13 | Ultra Oil-Rubbed Bronze | No Charge |

| | | |
|--|------------------------|----------------|
| Nova D Additional Accessories | Hardware bag | \$10.00 |
| 062-515742 | | |
| Includes: | | |
| 1 KB-EDBCO-0280-1 1 TAIL PIECE - 66.7MM | | |
| 2 KB-EDBCO-0850-4 2 SCW, MCH, PH, ZP, PH #2, 8-32 X 1 1/2" | | |
| 3 KB-EDBCO-0840-5 2 SCW, MCH, PH, ZP, PH #2, 6-32 X 1 1/2" | | |
| 4 KB-EDBCO-0350-3 1 SCW, MCH, PH, SS, PH #3, 12-24 X 1 1/4" | | |
| 5 038-511787 1 LABEL PMIDE THRM WH .900X.250X3 | | |
| 6 E1-PKG-20 1 POLYBAG PLAIN 4"X4" 2 MIL THK | | |
| 062-515742-2 | Spare parts kit | \$15.00 |
| Includes: | | |
| 1 KB-EDBCO-A023 1 CELL CASE ASS'Y 3X AA | | |
| 2 KB-EDBCO-0830 1 MACHINE SCREW, SS 304, PAN HD, PH #1, M3 X 0.5 X 3mm | | |
| 3 KB-EDBCO-0390 2 MACHINE SCREW, FH, ZP, PH #1, 4-40 X .156 | | |
| 4 KB-EDBCO-0420 2 ELECTRICAL TAP | | |
| 5 KB-EDBCO-0070 1 RETAINING RING | | |
| 6 PK3700 1 480 - 480I INSTALLATION MANUAL | | |
| 062-515742-3 | Start-up kit | \$51.00 |
| Includes: | | |
| 1 062-515742 5 HARDWARE BAG - 480 | | |
| 3 KB-EDBCO-0960 5 OUTSIDE HOUSING GASKET | | |
| 4 PK3700 1 480 - 480I INSTALLATION MANUAL | | |
| 5 DT-515661 1 DRILLING TAMPLATE DWG,480/480i & 1505 LOCK SERIES, 2.375" BS | | |
| 6 DT-515662 1 DRILLING TAMPLATE DWG,480/480i & 1505 LOCK SERIES, 2.750" BS | | |
| 7 IP-515661 1 DOOR PREPARATION DWG,480/480i & 1505 LOCK SERIES, 2.375" BS | | |
| 8 IP-515662 1 DOOR PREPARATION DWG,480/480i & 1505 LOCK SERIES, 2.750" BS | | |



MT RFID Lock

Example



Build the model number with the desired options

| Model | Description | Price |
|-------|-----------------------|----------|
| MR | MT RFID Lock, Mortise | \$834.00 |

Choose One Option from Each Category

| Version | Description | Price |
|--------------------------|---------------------------------|------------------|
| 2 | MT6 version | No Charge |
| Locking Mechanism | | |
| Mortise | | |
| Description | Price | |
| 1 | Standard | No Charge |
| 2 | Auto Deadbolt | No Charge |
| 3 | Utility | No Charge |
| 4 | Standard Door Ajar | No Charge |
| 5 | Auto Deadbolt Door Ajar | No Charge |
| 6 | Utility Door Ajar | No Charge |
| 7 | Utility Auto Deadbolt | No Charge |
| 8 | Utility Auto Deadbolt Door Ajar | No Charge |
| 9 | No Deadbolt | No Charge |
| A | No Deadbolt Utility | No Charge |
| B | No Deadbolt Door Ajar | No Charge |
| C | No Deadbolt Utility Door Ajar | No Charge |
| D | Dummy | Subtract \$99.80 |
| Face Plate | | |
| Description | Price | |
| 1 | 1 1/4" Face Plate | No Charge |
| 2 | 1" Face Plate | No Charge |
| D | Dummy (No Face Plate) | No Charge |
| Communication | | |
| Primary | | |
| Description | Price | |
| N | No Primary | No Charge |
| X | Primary Ready | Add \$49.90 |
| H | ZigBee Gen 2 North America | Add \$179.30 |
| Secondary | | |
| Description | Price | |
| G | BLE Enabled | Add \$106.10 |
| N | No Secondary | No Charge |
| Application | | |
| Description | Price | |
| 0 | Interior | No Charge |
| E | Exterior (includes gasket) | No Charge |
| Lever | | |
| Description | Price | |
| C | Continental | No Charge |
| E | Eleven | No Charge |
| G | Gala | No Charge |
| T | Troy | No Charge |



MT

RFID Lock

| Position | Description | Price |
|----------------------------------|--|------------------|
| 0 | Standard | No Charge |
| 1 | Vertical Inside | No Charge |
| 2 | Vertical Outside | No Charge |
| 3 | Vertical Inside and Outside | No Charge |
| Handing | Description | Price |
| L | Left Hand | No Charge |
| R | Right Hand | No Charge |
| X | Left Hand Reverse | No Charge |
| Y | Right Hand Reverse | No Charge |
| Door Size | Description | Price |
| Door Thickness | Description | Price |
| A | 1.75" (44 mm) | No Charge |
| B | 1.38" (35-40 mm) (Available 1" faceplate only) | No Charge |
| C | 2.00" (51 mm) | No Charge |
| D | 2.25" (57 mm) | No Charge |
| E | 2.38" (60 mm) | No Charge |
| F | 2.50" (63.5 mm) | No Charge |
| G | 2.87" - 3" (73-76 mm) | No Charge |
| H | 3.03" (77 mm) | No Charge |
| J | 3.35" (85 mm) | No Charge |
| K | 3.90" (100 mm) | No Charge |
| Offset | Description | Price |
| N | No Offset | No Charge |
| Optional Adjustments | Description | Price |
| Outside | Description | Price |
| 0 | Standard | No Charge |
| A | Plain Lens | No Charge |
| Inside | Description | Price |
| 0 | Standard | No Charge |
| Special Hardware / Functionality | Description | Price |
| 0 | Standard | No Charge |
| M | Dummy with Messenger Cap | Subtract \$89.20 |
| N | Dummy with Double Messenger Cap | Subtract \$78.60 |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| A | Custom Strike | No Charge |
| E | Demo Lock | Add \$209.00 |
| Finish | Description | Price |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SC | Satin Chrome | No Charge |
| SN | Satin Nickel | No Charge |
| U3 | Bright Brass | No Charge |
| U4 | Satin Brass | No Charge |


*OVER 2.00 [51] OR CUSTOM DOOR SIZE MUST INCLUDE A, C, OR D PACKOUT OPTION SO THAT STANDARD STRIKE IS NOT INCLUDED



MT

RFID Exit Trim

Example



Build the model number with the desired options

| Model | Description | Price |
|-------|-------------------|-----------|
| PMR | MT RFID Exit Trim | \$1223.00 |

Choose One Option from Each Category

| Version | Description | Price |
|---------------|---|----------------|
| 3 | MT6 version | No Charge |
| Panic Device | Description | Price |
| A | AEB4200R Series, Bar Not Offered (Rim Only) | No Charge |
| B | Detex (Advantex) 10 Series (Rim Only) | No Charge |
| C | Detex (Advantex) 20 Series (Surface Mount Vertical Only) | No Charge |
| D | Dorma 9300 (Rim Only) | No Charge |
| E | Dorma 9400 (Surface Mount Vertical Only) | No Charge |
| F | Falcon 25 Series (Rim Only) | No Charge |
| G | Phi Series FL21, Bar Not Offered (Rim Only) | No Charge |
| H | Phi Series FL22, Bar Not Offered (Surface Mount Vertical Only) | No Charge |
| J | Sargent 8713, Bar Not Offered (Surface Mount Vertical Only; Square Spindle) | No Charge |
| K | Sargent 8715, Bar Not Offered (Surface Mount Vertical Only; Bladed Spindle) | No Charge |
| L | Sargent 8888F, Bar Not Offered (Rim Only) | No Charge |
| M | Von Duprin 88 | No Charge |
| N | Von Duprin 98 | No Charge |
| P | Von Duprin 99 | No Charge |
| Q | Yale 2100 Series, Bar Not Offered | No Charge |
| R | Yale 7100 Series, Bar Not Offered | No Charge |
| S | Hager 4500 Series, Bar Not Offered | No Charge |
| T | Monarch 18R (Rim Only) | No Charge |
| U | Monarch 18V (Vert Only) | No Charge |
| Device Type | Description | Price |
| 0 | No Bar (Standard on all models except Dorma Panic Devices) | No Charge |
| 1 | Rim 36" Standard Bar (Only Available on Dorma Panic Devices) | Add \$907.10 |
| 2 | Rim 36" Fire Rated Bar (Only Available on Dorma Panic Devices) | Add \$979.30 |
| 3 | Rim 48" Standard Bar (Only Available on Dorma Panic Devices) | Add \$946.40 |
| 4 | Rim 48" Fire Rated Bar (Only Available on Dorma Panic Devices) | Add \$1,021.70 |
| 5 | Vertical 36" Standard Bar (Only Available on Dorma Panic Devices) | Add \$1,132.00 |
| 6 | Vertical 36" Fire Rated Bar (Only Available on Dorma Panic Devices) | Add \$1,204.20 |
| 7 | Vertical 48" Standard Bar (Only Available on Dorma Panic Devices) | Add \$1,315.60 |
| 8 | Vertical 48" Fire Rated Bar (Only Available on Dorma Panic Devices) | Add \$1,375.00 |
| Communication | Description | Price |
| Primary | Description | Price |
| N | No Primary | No Charge |
| X | Primary Ready | Add \$49.90 |
| H | ZigBee Gen 2 North America | Add \$179.30 |
| Secondary | Description | Price |
| G | BLE Enabled | Add \$106.10 |
| N | No Secondary | No Charge |
| Application | Description | Price |
| 0 | Interior | No Charge |
| E | Exterior (includes gasket) | No Charge |



MT

RFID Exit Trim

| Lever | | Price |
|----------------------------------|--|------------------|
| Lever Type | Description | Price |
| C | Continental | No Charge |
| E | Elevon | No Charge |
| G | Gala | No Charge |
| T | Troy | No Charge |
| Position | Description | Price |
| 0 | Standard | No Charge |
| Handing | Description | Price |
| L | Left Hand | No Charge |
| R | Right Hand | No Charge |
| Door Size | | |
| Door Thickness | Description | Price |
| A | 1.75" (44 mm) | No Charge |
| B | 1.38" (35-40 mm) (Available 1" faceplate only) | No Charge |
| C | 2.00" (51 mm) | No Charge |
| D | 2.25" (57 mm) | No Charge |
| E | 2.38" (60 mm) | No Charge |
| F | 2.50" (63.5 mm) | No Charge |
| G | 2.87" - 3" (73-76 mm) | No Charge |
| H | 3.03" (77 mm) | No Charge |
| J | 3.35" (85 mm) | No Charge |
| K | 3.90" (100 mm) | No Charge |
| Height/Offset | Description | Price |
| N | No Offset | No Charge |
| B | 8' Door (Vertical) | No Charge |
| C | 9' Door (Vertical) | No Charge |
| D | 10' Door (Vertical) | No Charge |
| Optional Adjustments | | |
| Outside | Description | Price |
| 0 | Standard | No Charge |
| A | Plain Lens | No Charge |
| Special Hardware / Functionality | Description | Price |
| 0 | Standard | No Charge |
| D | Dummy | Subtract \$99.80 |
| M | Dummy with Messenger Cap | Subtract \$89.20 |
| N | Dummy with Double Messenger Cap | Subtract \$78.60 |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| Finish | Description | Price |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SC | Satin Chrome | No Charge |
| SN | Satin Nickel | No Charge |



Ilco 79 Mortise Lock

Government/Legacy

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|--|------------|
| 79 | Multihousing Contactless 1 1/4" American Standard Mortise | \$850.00 |

Choose One Option from Each Category

| Model | Description | Price |
|-------------------|--|-------------|
| 79T | Toggle Mode Lock - The lock remains in residence mode (unlocked) until it is secured by rotating the thumbturn on the inside trim or until the resident presents the credential to the reader when leaving the unit. | Add \$26.60 |
| 79L | Storeroom Lock – No deadbolt, no thumbturn. Recommended for closets or common areas. Always locked | No Charge |
| 795M ¹ | Shabbat Lock – Deadbolt operated by the thumbturn, no privacy Recommended for guestroom. Shabbat-compliant lock. | No Charge |

| Locking Device ² 2 3/4" (70 mm) Backset | Description | Price |
|---|--|-----------|
| 10 | American Standard Mortise, 1 1/4" (32 mm) face plate, field reversible handing (79T only) | No Charge |
| 16 | Auto deadbolt, American Standard Mortise with 1 1/4" (32 mm) face plate, field reversible handing (79T only) | No Charge |
| 12 | American Standard Mortise with 1 1/4" (32 mm) face plate, field reversible handing (79L only) | No Charge |
| 00 | No locking mechanism | No Charge |

| RFID | Description | Price |
|------|-------------|-----------|
| 1 | | No Charge |

| Lever | Description | Price |
|-------|---|-----------|
| 1 | Long/Long ³ | No Charge |
| 2 | Short/Short ³ | No Charge |
| E | Elevon/Elevon ^{4,5} (electronic override only) | No Charge |
| G | Gala/Gala ⁴ (electronic override only) | No Charge |
| 8 | Long/Long ³ , Inside lever at 45° | No Charge |
| H | Short/Short ³ , Inside lever at 45° | No Charge |

| Override | Description | Price |
|----------|--|-------------|
| E | Electronic | No Charge |
| K | Mechanical key cylindrical, Lori Universal (1539) KIK Recodable cylinder for "K" option available upon request, Additional \$15.00 upcharge. (Note: Master Keyed System, cylinders are available for a \$19.00 upcharge). | Add \$16.00 |
| B | Best prepped lever (core not supplied) | Add \$29.80 |



Ilco 79

Mortise Lock

Government/Legacy

| Handing | Description | Price |
|---------|---|-------------|
| F | Dual Handed (not available on Elevon) | No Charge |
| L | Left or Right Hand Reverse | No Charge |
| R | Right or Left Hand Reverse | No Charge |
| N | Dummy Lock | No Charge |
| Version | Description | Price |
| 3 | Contactless Reader | No Charge |
| BLE | Description | Price |
| 0 | Standard – No BLE | No Charge |
| Finish | Description | Price |
| 626 | Satin Chrome | No Charge |
| U26 | Ultra Satin Chrome ⁶ (gasket included) | Add \$42.50 |
| 613 | Oil Rubbed Bronze ^{6,7} (simulated) | Add \$58.40 |
| 619 | Satin Nickel ^{6,7} | Add \$42.50 |

Notes:

- ¹ Shabbat lock version available with Lori cylinder (not recodable core) or Best prepped lever (core not supplied)
- ² To order lock without strike, replace first digit in Locking Device with "4"
- ³ Use short return levers when moldings are within 4 1/2" (11 cm) and 8" (20.32 cm) from the edge of the door
- ⁴ Available with electronic override only
- ⁵ Ordered only when reverse handing is required
- ⁶ Call for lead times
- ⁷ Interior only
- ⁸ Specify handing

For doors greater than 2 1/2" (63 mm) order a Thick Door Kit (Part Number 062-512868-626 or 606) fits up to 3 3/4"
 For demonstration model, add "D" between BLE and Finish, Add \$197.00

For exterior use, external gaskets must be ordered as a separate line item unless ordering an ultra finish.



Ilco 79

Mortise Lock

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|--|------------|
| 79 | Multihousing Contactless 1" American Standard Mortise | \$850.00 |

Choose One Option from Each Category

| Model | Description | Price |
|---|--|-------------|
| 79T | Toggle Mode Lock – The lock remains in residence mode (unlocked) until it is secured by rotating the thumbturn on the inside trim or until the resident presents the credential to the reader when leaving the unit. | Add \$26.60 |
| 79L | Storeroom Lock – No deadbolt, no thumbturn Recommended for closets or common areas Always locked | No Charge |
| 795M ¹ | Shabbat Lock – Deadbolt operated by the thumbturn, no privacy Recommended for guestroom. Shabbat-compliant lock. | No Charge |
| Locking Device ² 2 ¾" (70 mm) Backset | Description | Price |
| 11 | American Standard Mortise, 1" (25 mm) face plate, no field reversible handing (79T only) | No Charge |
| 17 | Auto deadbolt, American Standard Mortise with 1" (25 mm) face plate, no field reversible handing (79T only) | No Charge |
| 13 | American Standard Mortise with 1" (25 mm) face plate, no field reversible handing (79L only) | No Charge |
| 00 | No locking mechanism | No Charge |
| RFID | Description | Price |
| 1 | | No Charge |
| Lever | Description | Price |
| 1 | Long/Long ³ | No Charge |
| 2 | Short/Short ³ | No Charge |
| E | Elevon/Elevon ^{4,7} (electronic override only) | No Charge |
| G | Gala/Gala ⁴ (electronic override only) | No Charge |
| 8 | Long/Long ³ , Inside lever at 45° | No Charge |
| H | Short/Short ³ , Inside lever at 45° | No Charge |
| Override | Description | Price |
| E | Electronic | No Charge |
| K | Mechanical key cylindrical, Lori Universal (1539) KIK Recodable cylinder for "K" option available upon request, Additional \$15.00 upcharge. (Note: Master Keyed System, cylinders are available for a \$19.00 upcharge). | Add \$16.00 |
| B | Best prepped lever (core not supplied) | Add \$29.80 |



Ilco 79

Mortise Lock

| Handing | Description | Price |
|---------|--|-------------|
| L | Left or Right Hand Reverse | No Charge |
| R | Right or Left Hand Reverse | No Charge |
| N | Dummy Lock | No Charge |
| Version | Description | Price |
| 3 | Contactless Reader | No Charge |
| BLE | Description | Price |
| 0 | Standard – No BLE | No Charge |
| Finish | Description | Price |
| 626 | Satin Chrome | No Charge |
| 625 | Bright Chrome ^{5,6} | Add \$42.50 |
| U26 | Ultra Satin Chrome ⁵ | Add \$42.50 |
| 613 | Oil Rubbed Bronze ^{5,6} , gasket included (simulated) | Add \$58.40 |
| 619 | Satin Nickel ^{5,6} | Add \$42.50 |

Notes:

- ¹ Shabbat lock version available with Lori cylinder (not recodable core) or Best prepped lever (core not supplied)
- ² To order lock without strike, replace first digit in Locking Device with "4"
- ³ Use short return levers when moldings are within 4 1/2" (11 cm) and 8" (20.32 cm) from the edge of the door
- ⁴ Available with electronic override only
- ⁵ Call for lead times
- ⁶ Interior only
- ⁷ Specify handing

For doors greater than 2 1/2" (63 mm) order a Thick Door Kit (Part Number 062-512868-626 or 606) fits up to 3 3/4"

For exterior use, external gaskets must be ordered as a separate line item unless ordering an ultra finish.



Ilco 79

Cylindrical Lock

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|-------------------------------------|------------|
| 79 | Mulihousing Contactless Cylindrical | \$850.00 |

Choose One Option from Each Category

| Model | Description | Price |
|-----------------------------|---|-------------|
| 79T | Toggle Mode Lock – The lock remains in residence mode (unlocked) until it is secured by rotating the thumbturn on the inside trim or until the resident presents the credential to the reader when leaving the unit. | Add \$26.60 |
| 79L | Storeroom Lock – No deadbolt, no thumbturn Recommended for closets or common areas Always locked | No Charge |
| Locking Device ¹ | Description | Price |
| 50 | 2 3/4" (70 mm) backset with 1/2" (13 mm) latch Three hour UL fire-rated | No Charge |
| 54 | 2 3/8" (60 mm) backset with 1/2" (13 mm) latch Three hour UL-fire rated | No Charge |
| 00 | No locking mechanism (793 only) | No Charge |
| RFID | Description | Price |
| 1 | | No Charge |
| Lever | Description | Price |
| 1 | Long/Long ² | No Charge |
| 2 | Short/Short ² | No Charge |
| E | Elevon/Elevon ^{3,6} (electronic override only) | No Charge |
| G | Gala/Gala ³ (electronic override only) | No Charge |
| Override | Description | Price |
| E | Electronic | No Charge |
| K | Mechanical key cylindrical, Lori Universal (1539) KIK Recodable cylinder for "K" option available upon request, Additional \$15.00 upcharge. (Note: Master Keyed System, cylinders are available for a \$19.00 upcharge). | Add \$16.00 |
| B | Best prepped lever (core not supplied) | Add \$29.80 |
| Handing | Description | Price |
| F | Dual Handed (not available on Elevon) | No Charge |
| L | Left Hand or Right Hand Reverse | No Charge |
| R | Right Hand or Left Hand Reverse | No Charge |
| N | Dummy Lock | No Charge |



Ilco 79

Cylindrical Lock

| Version | Description | Price |
|---------|---|-------------|
| 3 | Contactless Reader | No Charge |
| BLE | Description | Price |
| 0 | Standard – No BLE | No Charge |
| Finish | Description | Price |
| 626 | Satin Chrome | No Charge |
| 625 | Bright Chrome ^{4,5} | Add \$42.50 |
| U26 | Ultra Satin Chrome ⁶ (gasket included) | Add \$42.50 |
| 613 | Oil Rubbed Bronze ^{4,5} (simulated) | Add \$58.40 |
| 619 | Satin Nickel ^{4,5} | Add \$42.50 |

Notes:

- ¹ To order lock without strike, replace first digit in Locking Device with "4"
- ² Use short return levers when moldings are within 4 1/2" (11 cm) and 8" (20.32 cm) from the edge of the door
- ³ Available with electronic override only
- ⁴ Call for lead times
- ⁵ Interior only
- ⁶ Specify handing

For doors greater than 2 1/2" (63 mm) order a Thick Door Kit (Part Number 062-512868-626 or 606) fits up to 3 3/4"
 For demonstration model, add "D" between BLE and Finish, Add \$197.00

For exterior use, external gaskets must be ordered as a separate line item unless ordering an ultra finish.



Ilco 79 Exit Trim

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|-----------------------------------|------------|
| 79 | Mulihousing Contactless Exit Trim | \$1,364.00 |

Choose One Option from Each Category

| Model | Description | Price |
|-------------------|---|--------------|
| 79X1 | Rim Operators, outdoor Prox, front lock housing, includes Dorma exit device that is not UL fire rated | No Charge |
| 79X2 | Mortise Operators, outdoor Prox, front lock housing, exit device not included | No Charge |
| 79X3 ¹ | Rim Operators, outdoor Prox, front lock housing, exit device device not included | No Charge |
| 79X4 ¹ | Vertical Rod Surface Mount Operators, outdoor Prox, front lock housing, exit device not included | No Charge |
| 79X5 | Vertical Rod Concealed Operators, outdoor Prox, front lock housing, exit device not included | No Charge |
| Exit Device | Description | Price |
| For 79X1 | | |
| 7 | Dorma 9300, non UL fire rated | Add \$907.10 |
| For 79X2 | | |
| 0 | Von Duprin 9875, 9975EO-F | No Charge |
| A | Arrow S3908, S1908 | No Charge |
| 7 | Dorma F9500/9500 | No Charge |
| For 79X3 | | |
| 0 | Von Duprin 98/99, EO-F | No Charge |
| 1 | Arrow S3888 | No Charge |
| 2 | Yale 7100-36 | No Charge |
| 5 | Precision 21, FL21 | No Charge |
| 6 | Detex 10, FL10 | No Charge |
| 7 | Dorma F9300/9300 | No Charge |
| 8 | Arrow S1808, S3808 ¹ | No Charge |
| 9 | Detex V40 | No Charge |
| H | Hager 4500 | No Charge |
| For 79X4 | | |
| 0 | Von Duprin 9827, 9927EO-F | No Charge |
| 1 | Arrow S3708, S1708 ¹ | No Charge |
| 2 | Yale 7170 | No Charge |
| 5 | Precision 22, FL22 | No Charge |
| 6 | Detex 20, FL20 | No Charge |
| 7 | Dorma 9400 | No Charge |
| H | Hager 4500 | No Charge |
| S | Sargent 8710 | No Charge |



Ilco 79

Exit Trim

| | | |
|----------------|---|-------------|
| For 79X5 | | |
| 0 | Von Duprin 9847, 9947EO-F | No Charge |
| 2 | Yale 7160 | No Charge |
| 7 | Dorma 9100 Note: Rods are inside the door | No Charge |
| Application | Description | Price |
| 1 | Interior | No Charge |
| 2 | Exterior (Includes Gasket) | No Charge |
| Lever | Description | Price |
| 1 | Long/Front | No Charge |
| 2 | Short/Front | No Charge |
| E | Elevon ⁴ (electronic override only) | No Charge |
| G | Gala (electronic override only) | No Charge |
| Override | Description | Price |
| E | Electronic | No Charge |
| K | Mechanical key cylindrical, Lori Universal (1539) KIK Recodable cylinder for "K" option available upon request, Additional \$15.00 upcharge. (Note: Master Keyed System, cylinders are available for a \$19.00 upcharge). | Add \$16.00 |
| B | Best prepped lever, core not supplied | Add \$29.80 |
| Handing | Description | Price |
| N | Dual Handed or Vertical Rod Surface Mount with BLE (not available on Elevon) | No Charge |
| Y | Right Hand Reverse or Vertical Rod Surface Mount with BLE (Elevon only) | No Charge |
| X | Left Hand Reverse or Vertical Rod Surface Mount with BLE (Elevon only) | No Charge |
| Version | Description | Price |
| 6 | Contactless Reader | No Charge |
| BLE | Description | Price |
| 0 | Standard – No BLE | No Charge |
| Door Thickness | Description | Price |
| 1 | 1 3/8" – 2" (35 – 51 mm) | No Charge |
| 2 | 2" – 2 1/4" (53 – 57 mm) (10 week lead time) | No Charge |
| Finish | Description | Price |
| 626 | Satin Chrome | No Charge |
| 625 | Bright Chrome ^{2,3} | Add \$42.50 |
| U26 | Ultra Satin Chrome ² (gasket included) | Add \$42.50 |
| 613 | Oil Rubbed Bronze ^{2,3} (simulated) | Add \$58.40 |
| 619 | Satin Nickel ^{2,3} | Add \$42.50 |

Notes:

Exit Device Operator

- Allows exit doors equipped with panic devices to act as controlled entrances
- Weight 3 lbs. (1.3 kg)
- Minimum door style required 5" (127 mm)
- Supplied with gasket kit for exterior doors
- All fitted with adapter plates

Exit Device

- Finish available: Satin Aluminum

¹ For compatibility with Arrow S3808, S1808, S3708, S1708, order a square spindle to cross-point spindle adapter (Part Number 032-511055)

² Call for lead times

³ Interior only

⁴ Specify handing

For exterior use, external gaskets must be ordered as a separate line item unless ordering an ultra finish.



Ilco 760 Mortise Lock

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|---|------------|
| 76 | Card Insert, 1 ¼" American Standard Mortise | \$673.00 |

Choose One Option from Each Category

| Model | Description | Price |
|---|---|------------------|
| 760 | Hotel Lock – Deadbolt operated by the thumbturn Recommended for guestroom | No Charge |
| 765 ¹ | Shabbat Lock – Deadbolt operated by the thumbturn, no privacy Recommended for guestroom. Shabbat-compliant lock. | No Charge |
| 761 OR | Storeroom Lock – No deadbolt, inactive thumbturn, no privacy Recommended for closets or common areas | No Charge |
| 761 | Office Lock – No deadbolt, privacy activated by thumbturn Recommended for offices | No Charge |
| 763 | Dummy Lock | Subtract \$99.80 |
| Locking Device ² 2 ¾" (70 mm) Backset | Description | Price |
| 10 | American Standard Mortise with 1 ¼" (32 mm) face plate, field reversible handing (760 and 765 only) | No Charge |
| 16 | Auto deadbolt with American Standard Mortise with 1 ¼" (32 mm) face plate, field reversible handing (760 and 765 only) | No Charge |
| 12 | American Standard Mortise with 1 ¼" (32 mm) face plate, field reversible handing (761 only) | No Charge |
| 00 | No locking mechanism (763 only) | No Charge |
| Track | Description | Price |
| 1 | | No Charge |
| 2 | | No Charge |
| 3 | | No Charge |
| 0 | Dummy Lock | No Charge |
| Lever | Description | Price |
| 1 | Long/Long ³ | No Charge |
| 2 | Short/Short ³ | No Charge |
| E | Elevon/Elevon ^{4/5} (electronic override only) | No Charge |
| G | Gala/Gala ⁴ (electronic override only) | No Charge |
| 8 | Long/Long ³ , Inside lever at 45° | No Charge |
| H | Short/Short ³ , Inside lever at 45° | No Charge |



Ilco 760

Mortise Lock

| Override | Description | Price |
|----------------|---|-------------|
| E | Electronic | No Charge |
| K | Mechanical key cylindrical, Lori Universal (1539) KIK Recodable cylinder for "K" option available upon request, Additional \$15.00 upcharge. (Note: Master Keyed System, cylinders are available for a \$19.00 upcharge). | Add \$16.00 |
| B | Best prepped lever (core not supplied) | Add 29.80 |
| Handing | Description | Price |
| F | Dual Handed ⁵ (not available on Elevon) | No Charge |
| L | Left or Right Hand Reverse | No Charge |
| R | Right or Left Hand Reverse | No Charge |
| N | Dummy Lock | No Charge |
| Version | Description | Price |
| 3 | Thrift and Ilco Format Reader | No Charge |
| Door Thickness | Description | Price |
| 0 | 1 5/8" – 2 1/2" (41 – 63 mm) ⁶ | No Charge |
| Finish | Description | Price |
| 626 | Satin Chrome | No Charge |
| 625 | Bright Chrome ^{7,8} | Add \$42.50 |
| 613 | Oil Rubbed Bronze ^{7,8} (simulated) | Add \$58.40 |
| 619 | Satin Nickel ^{7,8} | Add \$42.50 |
| 827 | Satin Chrome Supreme ⁷ | Add \$58.40 |

Notes:

- ¹ Shabbat lock version available with Lori cylinder (not recodable core) or Best prepped lever (core not supplied)
- ² To order lock without strike, replace first digit in Locking Device with "4"
- ³ Use short return levers when moldings are within 4 1/2" (11 cm) and 8" (20.32 cm) from the edge of the door
- ⁴ Available with electronic override only
- ⁵ Ordered only when reverse handing is required
- ⁶ For doors greater than 2 1/2" (63 mm) order a Thick Door Kit (Part Number 062-512868-626 or 606) fits up to 3 3/4"
- ⁷ Call for lead times
- ⁸ Interior only
- ⁹ Specify handing



Ilco 760 Mortise Lock

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|---|------------|
| 76 | Card Insert, 1" American Standard Mortise | \$673.00 |

Choose One Option from Each Category

| Model | Description | Price |
|---|--|------------------|
| 760 | Hotel Lock – Deadbolt operated by the thumbturn Recommended for guestroom | No Charge |
| 765 ¹ | Shabbat Lock – Deadbolt operated by the thumbturn, no privacy Recommended for guestroom. Shabbat-compliant lock. | No Charge |
| 761 OR | Storeroom Lock – No deadbolt, inactive thumbturn, no privacy Recommended for closets or common areas | No Charge |
| 761 | Office Lock – No deadbolt, privacy activated by thumbturn Recommended for offices | No Charge |
| 763 | Dummy Lock | Subtract \$99.80 |
| Locking Device ² 2 ¾" (70 mm) Backset | Description | Price |
| 11 | American Standard Mortise with 1" (25 mm) face plate, no field reversible handing (760 and 765 only) | No Charge |
| 17 | Auto deadbolt, American Standard Mortise with 1" (25 mm) face plate, no field reversible handing (760 and 765 only) | No Charge |
| 13 | American Standard Mortise with 1" (25 mm) face plate, no field reversible handing (761 only) | No Charge |
| 00 | No locking mechanism (763 only) | No Charge |
| Track | Description | Price |
| 1 | | No Charge |
| 2 | | No Charge |
| 3 | | No Charge |
| 0 | Dummy Lock | No Charge |
| Lever | Description | Price |
| 1 | Long/Long ³ | No Charge |
| 2 | Short/Short ³ | No Charge |
| E | Elevon/Elevon ^{4,8} (electronic override only) | No Charge |
| G | Gala/Gala ⁴ (electronic override only) | No Charge |
| 8 | Long/Long ³ , Inside lever at 45° | No Charge |
| H | Short/Short ³ , Inside lever at 45° | No Charge |



Ilco 760

Mortise Lock

| Override | Description | Price |
|----------------|--|-------------|
| E | Electronic | No Charge |
| K | Mechanical key cylindrical, Lori Universal (1539) KIK Recodable cylinder for "K" option available upon request, Additional \$15.00 upcharge. (Note: Master Keyed System, cylinders are available for a \$19.00 upcharge). | Add \$16.00 |
| B | Best prepped lever (core not supplied) | Add \$29.80 |
| Handing | Description | Price |
| L | Left Hand or Right Hand Reverse (Elevon only) | No Charge |
| R | Right Hand or Left Hand Reverse (Elevon only) | No Charge |
| N | Dummy Lock | No Charge |
| Version | Description | Price |
| 3 | Thrift and Ilco Format Reader | No Charge |
| Door Thickness | Description | Price |
| 0 | 1 3/8" – 2 1/2" (35 – 63 mm) ⁵ | No Charge |
| Finish | Description | Price |
| 626 | Satin Chrome | No Charge |
| 625 | Bright Chrome ^{6,7} | Add \$42.50 |
| 613 | Oil Rubbed Bronze ^{6,7} (simulated) | Add \$58.40 |
| 619 | Satin Nickel ^{6,7} | Add \$42.50 |
| 827 | Satin Chrome Supreme ⁶ | Add \$58.40 |

Notes:

- ¹ Shabbat lock version available with Lori cylinder (not recodable core) or Best prepped lever (core not supplied)
- ² To order lock without strike, replace first digit in Locking Device with "4"
- ³ Use short return levers when moldings are within 4 1/2" (11 cm) and 8" (20.32 cm) from the edge of the door
- ⁴ Available with electronic override only
- ⁵ For doors greater than 2 1/2" (63 mm) order a Thick Door Kit (Part Number 062-512868-626 or 606) fits up to 3 3/4"
- ⁶ Call for lead times
- ⁷ Interior only
- ⁸ Specify handing



Ilco 760

Cylindrical Lock

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|--------------------------|------------|
| 76 | Card Insert, Cylindrical | \$673.00 |

Choose One Option from Each Category

| Model | Description | Price |
|-----------------------------|---|------------------|
| 761 | Storeroom Lock – No deadbolt, inactive thumbturn, Recommended for closets or common areas | No Charge |
| OR | | |
| 761 | Office Lock – No deadbolt, privacy activated by thumbturn Recommended for offices | No Charge |
| 763 | Dummy Lock | Subtract \$99.80 |
| Locking Device ¹ | Description | Price |
| 50 | 2 3/4" (70 mm) backset with 1/2" (13 mm) latch | No Charge |
| 54 | 2 3/8" (60 mm) backset with 1/2" (13 mm) latch | No Charge |
| 00 | No locking mechanism | No Charge |
| Track | Description | Price |
| 1 | | No Charge |
| 2 | | No Charge |
| 3 | | No Charge |
| 0 | Dummy Lock | No Charge |
| Lever | Description | Price |
| 1 | Long/Long ² | No Charge |
| 2 | Short/Short ² | No Charge |
| E | Elevon/Elevon ^{3,7} (electronic override only) | No Charge |
| G | Gala/Gala ³ (electronic override only) | No Charge |
| Override | Description | Price |
| E | Electronic | No Charge |
| K | Mechanical key cylindrical, Lori Universal (1539) KIK Recodable cylinder for "K" option available upon request, Additional \$15.00 upcharge. (Note: Master Keyed System, cylinders are available for a \$19.00 upcharge). | Add \$16.00 |
| B | Best prepped lever (core not supplied) | Add \$29.80 |
| Handing | Description | Price |
| F | Dual Handed (not available on Elevon) | No Charge |
| L | Left Hand or Right Hand Reverse (Elevon only) | No Charge |
| R | Right Hand or Left Hand Reverse (Elevon only) | No Charge |
| N | Dummy Lock | No Charge |
| Version | Description | Price |
| 3 | Thrift and Ilco Format Reader | No Charge |
| Door Thickness | Description | Price |
| 0 | 1 3/8" – 2 1/2" (35 – 63 mm) ⁴ | No Charge |
| Finish | Description | Price |
| 626 | Satin Chrome | No Charge |
| 625 | Bright Chrome ^{5,6} | Add \$42.50 |
| 613 | Oil Rubbed Bronze ^{5,6} (simulated) | Add \$58.40 |
| 619 | Satin Nickel ^{5,6} | Add \$42.50 |
| 827 | Satin Chrome Supreme ⁵ | Add \$58.40 |

Notes:

¹ To order lock without strike, replace first digit in Locking Device with "4"
² Use short return levers when moldings are within 4 1/2" (11 cm) and 8" (20.32 cm) from the edge of the door
³ Available with electronic override only

⁴ For doors greater than 2 1/2" (63 mm) order a Thick Door Kit (Part Number 062-512868-626 or 606) fits up to 3 3/4"
⁵ Call for lead times
⁶ Interior only
⁷ Specify handing



Ilco 760

Exit Trim

Example

| | | | | | | | | | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|----------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | - | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| MODEL | | | EXIT DEVICE | TRACK | LEVER | OVERRIDE | HANDING | VERSION | | DOOR THICKNESS | | | FINISH |

Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|------------------------|------------|
| 73 | Card Insert, Exit Trim | \$1,364.00 |

Choose One Option from Each Category

| Model | Description | Price |
|------------------|---|-----------|
| 731 | Rim Operators, outdoor Prox, front lock housing, includes Dorma exit device that is not UL fire rated | No Charge |
| 732 | Mortise Operators, outdoor Prox, front lock housing, exit device not included | No Charge |
| 733 ¹ | Rim Operators, outdoor Prox, front lock housing, exit device device not included | No Charge |
| 734 ¹ | Vertical Rod Surface Mount Operators, outdoor Prox, front lock housing, exit device not included | No Charge |
| 735 | Vertical Rod Concealed Operators, outdoor Prox, front lock housing, exit device not included | No Charge |

| Exit Device | Description | Price |
|--------------------------------|---------------------------------|--------------|
| For 731 | | |
| 7 | Dorma 9300, non UL fire rated | Add \$907.10 |
| For 732 | | |
| 0 | Von Duprin 9875, 9975EO-F | No Charge |
| A | Arrow S3908, S1908 | No Charge |
| 7 | Dorma F9500/9500 | No Charge |
| For 733 | | |
| 0 | Von Duprin 98/99, EO-F | No Charge |
| 1 | Arrow S3888 | No Charge |
| 2 | Yale 7100-36 | No Charge |
| 5 | Precision 21, FL21 | No Charge |
| 6 | Detex 10, FL10 | No Charge |
| 7 | Dorma F9300/9300 | No Charge |
| 8 | Arrow S1808, S3808 ¹ | No Charge |
| 9 | Detex V40 | No Charge |
| H | Hager 4500 | No Charge |
| For 734 | | |
| 0 | Von Duprin 9827, 9927EO-F | No Charge |
| 1 | Arrow S3708, S1708 ¹ | No Charge |
| 2 | Yale 7170 | No Charge |
| 5 | Precision 22, FL22 | No Charge |
| 6 | Detex 20, FL20 | No Charge |
| 7 | Dorma 9400 | No Charge |
| H | Hager 4500 | No Charge |
| S | Sargent 8710 | No Charge |
| For 735 | | |
| 0 | Von Duprin 9847, 9947EO-F | No Charge |
| 2 | Yale 7160 | No Charge |
| 7 | Dorma 9100 | No Charge |
| Note: Rods are inside the door | | |



Ilco 760

Exit Trim

| Track | Description | Price |
|----------------|--|-------------|
| 1 | | No Charge |
| 2 | | No Charge |
| 3 | | No Charge |
| 0 | Dummy Lock | No Charge |
| Lever | Description | Price |
| 1 | Long/Front | No Charge |
| 2 | Short/Front | No Charge |
| E | Elevon ^{2,5} (electronic override only) | No Charge |
| G | Gala ² (electronic override only) | No Charge |
| Override | Description | Price |
| E | Electronic | No Charge |
| K | Mechanical key cylindrical, Lori Universal (1539) KIK Recodable cylinder for "K" option available upon request, Additional \$15.00 upcharge. (Note: Master Keyed System, cylinders are available for a \$19.00 upcharge). | Add \$16.00 |
| B | Best prepped lever (core not supplied) | Add \$29.80 |
| Handing | Description | Price |
| N | Dual Handed (not available on Elevon) | No Charge |
| Y | Right Hand Reverse (Elevon only) | No Charge |
| X | Left Hand Reverse (Elevon only) | No Charge |
| Version | Description | Price |
| 4 | Thrift and Ilco Format Reader | No Charge |
| Door Thickness | Description | Price |
| 1 | 1 3/8" – 2" (35 – 51 mm) | No Charge |
| 2 | 2" – 2 1/4" (53 – 57 mm) (10 week lead time) | No Charge |
| Finish | Description | Price |
| 626 | Satin Chrome | No Charge |
| 625 | Bright Chrome ^{3,4} | Add \$42.50 |
| 613 | Oil Rubbed Bronze ^{3,4} | Add \$58.40 |
| 619 | Satin Nickel ^{3,4} | Add \$42.50 |
| 827 | Satin Chrome Supreme ³ | Add \$58.40 |

Notes:

Exit Device Operator

- Operates like the 760 Series Lock
- Allows exit doors equipped with panic devices to act as controlled entrances
- Weight 3 lbs. (1.3 kg)
- Minimum door style required 5" (127 mm)
- Supplied with gasket kit for exterior doors
- All fitted with adapter plates

Exit Device

- Finish available: Satin Aluminum

¹ For compatibility with Arrow S3808, S1808, S3708, S1708, order a square spindle to cross-point spindle adapter (Part Number 032-511055)

² Available with electronic override only

³ Call for lead times

⁴ Interior only

⁵ Specify handing



Ilco 710-II

Exit Trim

For Government use with Atlas or FDU

Example

| | | | | | | | | | | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|----------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | - | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| MODEL | | | LOCKING DEVICE | | TRACK | LEVER | OVERRIDE | HANDING | VERSION | DOOR THICKNESS | FINISH PROCESS | FINISH | | |

Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|---------------------------------------|------------|
| 71 | Card Swipe, American Standard Mortise | \$726.00 |

Choose One Option from Each Category

| Model | Description | Price |
|---|--|------------------|
| 710 | Hotel Lock – Deadbolt operated by the thumbturn Recommended for guestroom | No Charge |
| 715 ¹ | Shabbat Lock – Deadbolt operated by the thumbturn, no privacy Recommended for guestroom. Shabbat-compliant lock. | No Charge |
| 711 | Storeroom Lock – No deadbolt, inactive thumbturn, no privacy Recommended for closets or common areas | No Charge |
| 712 | Office Lock – No deadbolt, privacy activated by thumbturn Recommended for offices | No Charge |
| 713 | Dummy Lock | Subtract \$99.80 |
| Locking Device ² 2 ¾" (70 mm) Backset | Description | Price |
| 10 | AMM with 1 ¼" (32 mm) face plate, (710 and 715 Lock only) | No Charge |
| 11 | AMM with 1" (25 mm) face plate, (710 and 715 Lock only) | No Charge |
| 16 | Auto deadbolt with 1 ¼" (32 mm) face plate, (710 and 715 Lock only) | No Charge |
| 17 | Auto deadbolt with 1" (25 mm) face plate, (710 and 715 Lock only) | No Charge |
| 12 | AMM with 1 ¼" (32 mm) face plate, (711 Storeroom Lock only) | No Charge |
| 13 | AMM with 1" (25 mm) face plate, (711 Storeroom Lock only) | No Charge |
| 14 | AMM with 1 ¼" (32 mm) face plate, (712 Office Lock only) | No Charge |
| 15 | AMM with 1" (25 mm) face plate, (712 Office Lock only) | No Charge |
| 00 | No locking mechanism (Dummy Lock only) | No Charge |
| Track | Description | Price |
| 1 | | No Charge |
| 2 | | No Charge |
| 3 | | No Charge |
| 0 | Dummy Lock | No Charge |
| Lever | Description | Price |
| 1 | Long/Long ³ | No Charge |
| 2 | Long/Short ³ | No Charge |
| 3 | Short/Long ³ | No Charge |
| 4 | Short/Short ³ | No Charge |
| A | Long/Knob ³ | Add \$26.60 |
| B | Knob/Knob ³ | Add \$26.60 |
| C | Short/Knob ³ | Add \$26.60 |
| 8 | Long/Long ³ , Inside lever at 45° | No Charge |
| H | Short/Short ³ , Inside lever at 45° | No Charge |
| D | Colonial/Colonial ³ | Add \$26.60 |



Ilco 710-II

Exit Trim

For Government use with Atlas or FDU

| Override | Description | Price |
|----------|---|-------------|
| E | Electronic | No Charge |
| K | Mechanical key cylinder Lori Universal (1539) KIK | Add \$16.00 |
| U | Ilco cylinder, keyed alike | Add \$29.80 |
| B | Best 6 or 7 pin cylinder adapter | Add \$29.80 |
| M | Medeco 6 pin cylinder adapter | Add \$29.80 |
| 0 | Dummy Lock | No Charge |

Note: Removable core not supplied. Best prepped lever (core not supplied)
Master Keyed System, cylinders are available for a \$19.00 upcharge

| Handing | Description | Price |
|---------|--------------------|-----------|
| L | Left | No Charge |
| R | Right | No Charge |
| X | Left Hand Reverse | No Charge |
| Y | Right Hand Reverse | No Charge |

Note: Dummy Lock is Left or Right only

| Version | Description | Price |
|----------------|--|-------------|
| 3 | Thrift and Ilco Format Reader | No Charge |
| Door Thickness | Description | Price |
| 1 | 1 3/8" – 1 1/2" (35 – 40 mm) | No Charge |
| 2 | 1 5/8" – 1 3/4" (41 – 46 mm) | No Charge |
| 3 | 1 7/8" – 2" (47 – 52 mm) | No Charge |
| 4 | 2 1/8" – 2 1/4" (53 – 58 mm) | No Charge |
| 5 | 2 3/8" – 2 1/2" (59 – 65 mm) | No Charge |
| Finish Process | Description | Price |
| A | Standard Plated | No Charge |
| (-) | Ultra Plated | Add \$42.50 |
| Finish | Description | Price |
| 626 | Satin Chrome | No Charge |
| 625 | Bright Chrome ^{4,5} | Add \$42.50 |
| 613 | Oil Rubbed Bronze ^{4,5} (simulated) | Add \$58.40 |
| 619 | Satin Nickel ^{4,5} | Add \$42.50 |

Notes:

¹ Shabbat lock version available with Lori cylinder (not recodable core) or Best prepped lever (core not supplied)

² To order lock without strike, replace first digit in Locking Device with "4"

³ Use short return levers when moldings are within 4 1/2" (11 cm) and 8" (20.32 cm) from the edge of the door

⁴ Call for lead times

⁵ Interior only



Ilco 710-II

Cylindrical Lock

For Government use with Atlas or FDU

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|-------------------------|------------|
| 71 | Card Swipe, Cylindrical | \$726.00 |

Choose One Option from Each Category

| Model | Description | Price |
|--|---|------------------|
| 711 | Storeroom Lock – No deadbolt, inactive thumbturn, no privacy Recommended for closets or common areas | No Charge |
| 712 | Office Lock – No deadbolt, privacy activated by thumbturn | No Charge |
| 713 | Dummy Lock | Subtract \$99.80 |
| Locking Device ¹ | Description | Price |
| 50 | 2 3/4" (70 mm) backset with 1/2" (13 mm) latch (711 and 712 Lock only) | No Charge |
| 54 | 2 3/8" (60 mm) backset with 1/2" (13 mm) latch (711 and 712 Lock only) | No Charge |
| 00 | No Locking Mechanism (Dummy Lock only) | No Charge |
| Track | Description | Price |
| 1 | | No Charge |
| 2 | | No Charge |
| 3 | | No Charge |
| 0 | Dummy Lock only | No Charge |
| Lever | Description | Price |
| 1 | Long/Long ² | No Charge |
| 2 | Long/Short ² | No Charge |
| 3 | Short/Long ² | No Charge |
| 4 | Short/Short ² | No Charge |
| Override | Description | Price |
| E | Electronic | No Charge |
| K | Mechanical key cylindrical, Lori Universal (1539) KIK | Add \$16.00 |
| U | Ilco cylinder, keyed alike | Add \$29.80 |
| B | Best 6 or 7 pin cylinder adapter | Add \$29.80 |
| M | Medeco 6 pin cylinder adapter | Add \$29.80 |
| 0 | Dummy Lock | No Charge |
| Note: Removable core not supplied. Best prepped lever (core not supplied) Master Keyed System, cylinders are available for a \$19.00 upcharge | | |
| Handing | Description | Price |
| L | Left and Right Hand Reverse | No Charge |
| R | Right and Left Hand Reverse | No Charge |
| Version | Description | Price |
| 1 | Thrift and Ilco Format Reader | No Charge |



Ilco 710-II

Cylindrical Lock

For Government use with Atlas or FDU

| Door Thickness | Description | Price |
|----------------|--|-------------|
| 1 | 1 3/8" – 1 1/2" (35 – 40 mm) | No Charge |
| 2 | 1 5/8" – 1 3/4" (41 – 46 mm) | No Charge |
| 3 | 1 7/8" – 2" (47 – 52 mm) | No Charge |
| 4 | 2 1/8" – 2 1/4" (53 – 58 mm) | No Charge |
| 5 | 2 3/8" – 2 1/2" (59 – 65 mm) | No Charge |
| Finish Process | Description | Price |
| A | Standard Plated | No Charge |
| (-) | Ultra Plated | Add \$42.50 |
| Finish | Description | Price |
| 626 | Satin Chrome | No Charge |
| 625 | Bright Chrome ^{3,4} | Add \$42.50 |
| 613 | Oil Rubbed Bronze ^{3,4} (simulated) | Add \$58.40 |
| 619 | Satin Nickel ^{3,4} | Add \$42.50 |

Notes:

- ¹ To order lock without strike, replace first digit in Locking Device with "4"
- ² Use short return levers when moldings are within 4 1/2" (11 cm) and 8" (20.32 cm) from the edge of the door
- ³ Call for lead times
- ⁴ Interior only




Ilco 720-II

Exit Trim

For Government use with Atlas or FDU

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|-----------------------|------------|
| 72 | Card Swipe, Exit Trim | \$1,364.00 |

Choose One Option from Each Category

| Model | Description | Price |
|------------------|---|-----------|
| 721 | Rim Operators, outdoor swipe front lock housing Dorma exit device that is not UL fire rated | No Charge |
| 722 | Mortise Operators, outdoor swipe front lock housing exit device not included | No Charge |
| 723 ¹ | Rim Operators, outdoor Prox, front lock housing, exit device device not included | No Charge |
| 724 ¹ | Vertical Rod Surface Mount Operators, outdoor swipe front lock housing, exit device not included | No Charge |
| 725 | Vertical Rod Concealed Operators, outdoor swipe front lock housing, exit device not included | No Charge |

| Exit Device | Description | Price |
|-------------|-------------------------------|--------------|
| For 721 | | |
| 7 | Dorma 9300, non UL fire rated | Add \$907.10 |
| For 722 | | |
| 0 | Von Duprin 9875, 9975EO-F | No Charge |
| A | Arrow S3908, S1908 | No Charge |

| | | |
|---------|---------------------------------|-----------|
| For 723 | | |
| 0 | Von Duprin 98/99, EO-F | No Charge |
| 1 | Arrow S3888 | No Charge |
| 2 | Yale 7100-36 | No Charge |
| 3 | Arrow S3808, S1808 ¹ | No Charge |
| 5 | Precision 21, FL21 | No Charge |
| 6 | Detex 10, FL10 | No Charge |
| 7 | Dorma F9300/9300 | No Charge |

| | | |
|---------|---------------------------------|-----------|
| For 724 | | |
| 0 | Von Duprin 9827, 9927EO-F | No Charge |
| 1 | Arrow S3708, S1708 ¹ | No Charge |
| 5 | Precision 22, FL22 | No Charge |
| 6 | Detex 20, FL20 | No Charge |
| 7 | Dorma 9400 | No Charge |

| | | |
|---------|---|-----------|
| For 725 | | |
| 0 | Von Duprin 9847, 9947EO-F Note: Rods are inside the door | No Charge |



Ilco 720-II

Exit Trim

For Government use with Atlas or FDU

| Track | Description | Price |
|------------------------------------|---|-------------|
| 1 | | No Charge |
| 2 | | No Charge |
| 3 | | No Charge |
| Lever | Description | Price |
| 1 | Long/Front | No Charge |
| 2 | Short/Front | No Charge |
| Override | Description | Price |
| E | Electronic | No Charge |
| K | Mechanical key cylindrical, Lori Universal (1539) KIK Recodable cylinder for "K" option available upon request, Additional \$15.00 upcharge. (Note: Master Keyed System, cylinders are available for a \$19.00 upcharge). | Add \$16.00 |
| B | Best prepped lever, core not supplied | Add \$29.80 |
| Handing | Description | Price |
| F | Dual Handed | No Charge |
| X | Left Hand Reverse (Yale only) | No Charge |
| Y | Right Hand Reverse (Yale only) | No Charge |
| See page 4 for handing information | | |
| Version | Description | Price |
| 3 | Thrift and Ilco Format Reader | No Charge |
| Door Thickness | Description | Price |
| 1 | 1 3/4" (45 mm) | No Charge |
| 2 | 1 7/8" (48 mm) | No Charge |
| 3 | 2" (51 mm) | No Charge |
| 4 | 2 1/8" (57 mm) | No Charge |
| 5 | 2 1/4" (57 mm) | No Charge |
| V | Variables ² | No Charge |
| Finish Process | Description | Price |
| A | Standard Plated | No Charge |
| Finish | Description | Price |
| 606 | Satin Brass | No Charge |
| 626 | Satin Chrome | No Charge |
| 605 | Bright Brass ^{3,4} | Add \$42.50 |
| 625 | Bright Chrome ^{3,4} | Add \$42.50 |
| 613 | Oil Rubbed Bronze ^{3,4} (simulated) | Add \$58.40 |
| 619 | Satin Nickel ^{3,4} | Add \$42.50 |

Notes:

Exit Device Operator

- Operates like the Solitare 710-II lock
- Allows exit doors equipped with panic devices to act as controlled entrances
- Minimum door style required 5" (127 mm)
- Supplied with gasket kit for exterior doors

Exit Device

- Two finishes available: Satin Aluminum and Satin Brass
- Satin Brass exit device supplied with Satin Brass lock operator

¹ For compatibility with Arrow S3808, S1808, S3708, S1708, order a square spindle to cross-point spindle adapter (Part Number 032-511055)

² To be used only when mortise unit is not centered in the door or that door thickness is greater than 2 1/2" (66 mm)

³ Call for lead times


⁴ Interior only



Ilco Remote Access Controllers

RAC4 Contactless Reader

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|---|------------|
| C7 | Remote Access Controller, Contactless, Two Reader Ready | \$2,840.00 |

Choose One Option from Each Category

| Series | Description | Price |
|------------------------------|-------------------------------------|--------------|
| C7M | 79 Locks (RezShield and FDU) | No Charge |
| Configuration | Description | Price |
| D | Two Reader Ready | No Charge |
| Reader 1 | Description | Price |
| 7 | Contactless Reader | No Charge |
| Cable Length | Description | Price |
| A | 15 feet, standard | No Charge |
| B | 25 feet | Add \$31.90 |
| C | 50 feet | Add \$111.40 |
| D | 75 feet | Add \$191.00 |
| E | 100 feet | Add \$270.60 |
| V | \$3.00 per foot | |
| Reader 2 | Description | Price |
| N | None | No Charge |
| 7 | Contactless Reader | Add \$769.20 |
| Track | Description | Price |
| C | Contactless | No Charge |
| Power Supply | Description | Price |
| 1 | North America | No Charge |
| Battery Backup | Description | Price |
| N | None | No Charge |
| B | With Battery | Add \$111.40 |
| P | Battery Ready, Battery not included | No Charge |
| Remote Programming Interface | Description | Price |
| N | None | No Charge |
| S | Single Box | Add \$318.30 |
| Relay Expansion | Description | Price |
| N | None | No Charge |
| A | Eight Relays | Add \$318.30 |
| Mount | Description | Price |
| S | Surface Mount | No Charge |
| F | Flush Mount | No Charge |
| Finish | Description | Price |
| C | Satin Chrome | No Charge |

Notes:

Extended range contactless reader only (customer supplies cable i.e., for elevators).
 Special length cable can be cut and spliced by installer, 18 AWG wire recommended for use.



Ilco Remote Access Controllers

Contactless Door Hardware Kits

Example

□ □ □ □ □ □ - □ □ □ □
 MODEL APPLICATION LOCKING DEVICE EXIT DEVICE HANDING LENGTH FINISH

Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|------------------------------------|------------|
| DK | RAC Door Hardware Kit, Contactless | \$1,485.00 |

Choose One Option from Each Category

| Application | Description | Price |
|----------------|--|--------------|
| 1 | Single Door | No Charge |
| 2 | Single Door | No Charge |
| 3 | Double Door (Single Door Active) | No Charge |
| 4 | Double Door (Both Doors Active), RAC 4XT only | No Charge |
| 5 | Double Door (Both Doors Active), RAC 4XT only | No Charge |
| Locking Device | Description | Price |
| S | Electric Strike, Application 1 | No Charge |
| M | Magnetic Lock, Applications 2 and 3 | No Charge |
| M | Magnetic Lock 2, Applications 4 and 5 | Add \$702.40 |
| Exit Device | Description | Price |
| J | Exit Device, Application 1 | No Charge |
| M | Motion Detector, Exit Button, Transformer, Application 2 | No Charge |
| P | Push Bar, Door Loop, Application 3 | No Charge |
| P | Push Bar (2), Pannex, Door Loops (2), Application 4 | Add \$322.60 |
| M | Motion Detector, Exit Button, Transformer, Application 5 | No Charge |
| Handing | Description | Price |
| X | Left Hand Reverse, Application 1 | No Charge |
| Y | Right Hand Reverse, Application 1 | No Charge |
| N | Applications 2, 3, 4, 5 | No Charge |
| Length | Description | Price |
| 45 | 45" Exit Device, Application 1 | No Charge |
| 00 | None, Applications 2 and 5 | No Charge |
| 36 | 36" Push Bar, Applications 3 and 4 | No Charge |
| 48 | 48" Push Bar, Application 3 | No Charge |
| Finish | Description | Price |
| SA | Sprayed Aluminum, All Applications | No Charge |

Notes:


For single doors with adequate depth (1 11/16" or 43 mm), the electric strike configuration is suggested. The RAC and the reader are not included.



Ilco Remote Access Controllers

Rac4 Magstripe Reader

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|--|------------|
| C72 | Remote Access Controller, Magnetic Stripe, Single Reader | \$1,798.00 |

Choose One Option from Each Category

| Configuration | Description | Price |
|---------------------------|---------------------------------|--------------|
| S | Single Reader | No Charge |
| Reader 1 | Description | Price |
| 6 | Swipe Reader | No Charge |
| 4 | Insert Reader (Indoor use only) | No Charge |
| Cable Length ¹ | Description | Price |
| A | 15 feet, standard | No Charge |
| B | 25 feet | Add \$31.90 |
| C | 50 feet | Add \$111.40 |
| D | 75 feet | Add \$191.00 |
| E | 100 feet | Add \$270.60 |
| Reader 2 | Description | Price |
| N | None | No Charge |
| Track | Description | Price |
| 2 | Track 2 | No Charge |
| 3 | Track 3 | No Charge |
| Power Supply | Description | Price |
| 1 | North America | No Charge |

Notes:

¹ Please specify reader cable length on order
 Extended range contactless reader only (customer supplies cable i.e., for elevators)
 Special length cable can be cut and spliced by installer, 18 AWG wire recommended for use

Readers available in Satin Chrome only

Ilco Remote Access Controllers

Magstripe Door Hardware Kits

Example

Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|--|------------|
| DK | RAC Door Hardware Kit, Magnetic Stripe | \$1,485.00 |

Choose One Option from Each Category

| Application | Description | Price |
|----------------|--|--------------|
| 1 | Single Door | No Charge |
| 2 | Single Door | No Charge |
| 3 | Double Door (Single Door Active) | No Charge |
| 4 | Double Door (Both Doors Active), RAC 4XT only | No Charge |
| 5 | Double Door (Both Doors Active), RAC 4XT only | No Charge |
| Locking Device | Description | Price |
| S | Electric Strike, Application 1 | No Charge |
| M | Magnetic Lock, Applications 2 and 3 | No Charge |
| M | Magnetic Lock 2, Applications 4 and 5 | Add \$702.40 |
| Exit Device | Description | Price |
| J | Exit Device, Application 1 | No Charge |
| M | Motion Detector, Exit Button, Transformer, Application 2 | No Charge |
| P | Push Bar, Door Loop, Application 3 | No Charge |
| P | Push Bar (2), Pannex, Door Loops (2), Application 4 | Add \$322.60 |
| M | Motion Detector, Exit Button, Transformer, Application 5 | No Charge |
| Handing | Description | Price |
| X | Left Hand Reverse, Application 1 | No Charge |
| Y | Right Hand Reverse, Application 1 | No Charge |
| N | Applications 2, 3, 4, 5 | No Charge |
| Length | Description | Price |
| 45 | 45" Exit Device, Application 1 | No Charge |
| 00 | None, Applications 2 and 5 | No Charge |
| 36 | 36" Push Bar, Applications 3 and 4 | No Charge |
| 48 | 48" Push Bar, Application 3 | No Charge |
| Finish | Description | Price |
| SA | Sprayed Aluminum, All Applications | No Charge |

Notes:

For single doors with adequate depth (1 1/16" or 43 mm), the electric strike configuration is suggested. The RAC and the reader are not included.

Ilco RAC

Accessories

RAC/RAC 4XT Additional Options

| Part Number | Description | Price |
|----------------|---|------------|
| R79-1N1 | Additional reader contactless (supplied with 15 ft. cable) | \$1,032.00 |
| 064-511798-001 | Relay Expansion Board (8) | \$429.00 |
| R79K+1SC+15 | RFID reader for extended lengths (supplied in kits w/50' cable or MORE) | \$1,093.00 |

RAC 4XT Additional Options

| | | |
|-------------------------|---|----------|
| R71-621 (repl. R71-221) | Additional reader Swipe – Track 2 (15 ft. cable) | \$831.00 |
| R71-631 (repl. R71-231) | Additional reader Swipe – Track 3 (15 ft. cable) | \$831.00 |
| R71-432 | Additional reader Insert – Track 3 (15 ft. cable) | \$831.00 |

RAC Reader


| | | |
|--------------|-----------------------------|------------|
| R79K+1SC0+15 | RAC4 Surface SC Reader Only | \$1,206.00 |
| R79K+1FC0+15 | RAC4 Flush SC Reader Only | \$1,206.00 |

Ilco Software

ATLAS (Advanced Technology Lodging Access System)

For Government Sales Only

Example



Build the model number with the desired options

| Base Model | Description | Base Price |
|------------|--|------------|
| ATLAS | ATLAS Software System with hotel terminology. Includes Software CD, maintenance unit, programming cable, and encoder (contactless) | \$9,149.00 |

Choose One Option from Each Category

| Model | Description | Price |
|----------------------------|---|-----------|
| ATLAS | Operating Software for 790, 760, 770 and 710-II locks | No Charge |
| Software Module | Description | Price |
| 3 | Standard | No Charge |
| Language Documentation | Description | Price |
| E | English | No Charge |
| Application Server PC Type | Description | Price |
| 0 | Customer Supplied | No Charge |
| 2 | USB Keys | No Charge |
| Type | Description | Price |
| M | Motorized Mag | No Charge |
| C | Contactless Encoder for 790 | No Charge |
| D | Dual Mag and Contactless Motorized | No Charge |
| Encoder Interface | Description | Price |
| U | USB | No Charge |
| Power Cable | Description | Price |
| 1 | US, Canada, Japan, 120V 60Hz | No Charge |
| PMS Interface Cables | Description | Price |
| M | Null Modem, 25 feet | No Charge |
| S | Straight Through, RS-232, 25 feet | No Charge |
| B | Null Modem and Straight Through, RS-232, 25 feet | No Charge |
| N | None | No Charge |
| Programming Cable | Description | Price |
| 1 | E-760, 770 | No Charge |
| 2 | Solitaire 710-II | No Charge |
| 4 | 790 | No Charge |
| N | None | No Charge |
| ATLAS Maintenance Unit | Description | Price |
| 2 | Kaba M-Unit | No Charge |
| N | None | No Charge |

Ilco Software

ATLAS (Advanced Technology Lodging Access System)

ATLAS Accessories

| Item Number | Description | Price |
|---------------|--|------------|
| MUNIT-21-114 | "Maintenance Unit For 790 Lock with Programming Cable and Power Adapter" | \$1,820.00 |
| 118-512605 | Contactless Encoder with USB Interface | \$1,164.00 |
| 011-507943-25 | Null Modem Flipped Cable, 25 Feet | \$102.00 |
| 011-507942-25 | RS-232 Straight Through Serial Cable, 25 Feet | \$102.00 |
| 063-512592 | Programming Cable For 790/79 Locks | \$ 258.00 |

Note: Other available cable lengths are 50 feet (-50), 75 feet (-75), and 100 feet (-100)

ATLAS Software / Installation / Training

| Item Number | Description | Net |
|--------------------|--|------------|
| TRAIN ATLAS | ATLAS Software Installation and Training | \$2,636.00 |
| TRAIN ATLAS REMOTE | ATLAS Remote Training (3 hours) | \$1,121.00 |
| 135-512900-E | FDU Training DVD | \$2,043.00 |
| TRAIN FDU | On Site FDU Training | \$1,055.00 |

Note: Additional charges may apply – pending location

M-Unit (Maintenance Unit)

| Item Number | Description | Price |
|--------------|--|------------|
| MUNIT-31-114 | M-Unit Kit for 79 / 790 Lock (with Programming Cable and Power Adapter) For Reshield | \$1,820.00 |
| 063-512592 | Programming Cable for 790 / 79 Locks | \$258.00 |
| 126-513412 | M-Unit Power Supply for 790 / 79 Locks | \$78.00 |
| 132-512886 | M-Unit Rechargeable Battery Pack for 790 / 79 Locks | \$86.00 |

Ilco Accessories

760 and 770 Series Locks

Ilco Keycards

| Part Number | Description | | Price (ea.) |
|----------------|---|----------------|-------------|
| LOC-F1050-BLAN | Mag, Low Coercivity Card – Blank | (Pkg.Qty: 500) | \$3.00 |
| HIC-F0050-760H | Mag, HIC with dormakaba Logo | (Pkg.Qty: 500) | \$3.00 |
| 1600-10-3010 | Mag, HIC Blank | (Pkg.Qty: 500) | \$3.00 |
| 065-510306-10 | Construction / Test Cards for 770 / 760 Locks | (10 pack) | \$11.00 |
| 065-501367CC | Cleaning Cards (760 / 770 / 710-II) | (Pkg.Qty: 50) | \$198.00 |

Custom printing available

Ilco Accessories

710-11 Locks

Batteries / Accessories

| Part Number | Description | | Price |
|---------------|---------------------------|--------------|---------|
| 118-509141-10 | 710-II Battery Pack Assy. | (Qty: 10 pk) | \$90.00 |

Dorma Exit Devices

For a listing of Dorma Exit Devices contact your representative or customer service

M-Unit (Maintenance Unit)

| Item Number | Description | | Price |
|--------------|--|--|------------|
| MUNIT-31-114 | "M-Unit Kit for 79 / 790 Lock (with Programming Cable and Power Adapter) For Reshield" | | \$1,820.00 |
| 126-513412 | M-Unit Power Supply for 790 / 79 Locks | | \$78.00 |
| 132-512886 | M-Unit Rechargeable Battery Pack for 790 / 79 Locks | | \$ 86.00 |



MT Magstripe Lock

Example

| | | | | | | | | | | | | | | | | | |
|-------|---------|---|---|-------------------|---------------|-------------|-------|---------|-----------|---|----------------------|---|---|---|---|--------|---|
| □ | □ | □ | - | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ |
| MODEL | VERSION | | | LOCKING MECHANISM | COMMUNICATION | APPLICATION | LEVER | HANDING | DOOR SIZE | | OPTIONAL ADJUSTMENTS | | | | | FINISH | |

Build the model number with the desired options

| Model | Description | Price |
|-------|----------------------------|----------|
| MT | MT Magstripe Lock, Mortise | \$674.00 |

Choose One Option from Each Category

| Version | Description | Price |
|--------------------------|---------------------------------|------------------|
| 1 | | |
| Locking Mechanism | | |
| Mortise | | |
| | Description | Price |
| 1 | Standard | No Charge |
| 2 | Auto Deadbolt | No Charge |
| 3 | Utility | No Charge |
| 4 | Standard Door Ajar | No Charge |
| 5 | Auto Deadbolt Door Ajar | No Charge |
| 6 | Utility Door Ajar | No Charge |
| 7 | Utility Auto Deadbolt | No Charge |
| 8 | Utility Auto Deadbolt Door Ajar | No Charge |
| 9 | No Deadbolt | No Charge |
| A | No Deadbolt Utility | No Charge |
| B | No Deadbolt Door Ajar | No Charge |
| C | No Deadbolt Utility Door Ajar | No Charge |
| D | Dummy | Subtract \$99.80 |
| Face Plate | | |
| | Description | Price |
| 1 | 1 1/4" Face Plate | No Charge |
| 2 | 1" Face Plate | No Charge |
| D | Dummy (No Face Plate) | No Charge |
| Communication | | |
| Primary | | |
| | Description | Price |
| N | No Primary | No Charge |
| X | Primary Ready | Add \$49.90 |
| A | ZigBee North America | Add \$179.30 |
| Secondary | | |
| | Description | Price |
| N | No Secondary | No Charge |
| Application | | |
| | Description | Price |
| 0 | Interior | No Charge |
| E | Exterior (includes gasket) | No Charge |
| Lever | | |
| Lever Type | | |
| | Description | Price |
| C | Continental | No Charge |
| E | Elevon | No Charge |
| G | Gala | No Charge |
| T | Troy | No Charge |



MT

Magstripe Lock

For Government Sales Only

| Position | Description | Price |
|----------------------------------|--|--------------|
| 0 | Standard | No Charge |
| 1 | Vertical Inside | No Charge |
| 2 | Vertical Outside | No Charge |
| 3 | Vertical Inside and Outside | No Charge |
| Handing | Description | Price |
| L | Left Hand | No Charge |
| R | Right Hand | No Charge |
| X | Left Hand Reverse | No Charge |
| Y | Right Hand Reverse | No Charge |
| Door Thickness | Description | Price |
| A | 1.75" (44 mm) | No Charge |
| B | 1.38" (35-40 mm) (Available 1" faceplate only) | No Charge |
| C | 2.00" (51 mm) | No Charge |
| D | 2.25" (57 mm) | No Charge |
| E | 2.38" (60 mm) | No Charge |
| F | 2.50" (63.5 mm) | No Charge |
| G | 2.87" - 3" (73-76 mm) | No Charge |
| H | 3.03" (77 mm) | No Charge |
| J | 3.35" (85 mm) | No Charge |
| K | 3.90" (100 mm) | No Charge |
| Offset | Description | Price |
| N | No Offset | No Charge |
| Optional Adjustments | | |
| Outside | Description | Price |
| 0 | Standard | No Charge |
| Inside | Description | Price |
| 0 | Standard | No Charge |
| Special Hardware / Functionality | Description | Price |
| 0 | Standard | No Charge |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| A | Custom Strike | No Charge |
| E | Demo Lock | Add \$209.00 |
| Finish | Description | Price |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SC | Satin Chrome | No Charge |
| SN | Satin Nickel | No Charge |



MT

Magstripe Lock, Mechanical Key Override

Example

| | | | | | | | | | | | | | | | | |
|--------------------------|--------------------------|--------------------------|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | - | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| MODEL | VERSION | | | LOCKING MECHANISM | COMMUNICATION | APPLICATION | LEVER | HANDING | DOOR SIZE | OPTIONAL ADJUSTMENTS | | | FINISH | | | |

Build the model number with the desired options

| Model | Description | Price |
|-------|--|----------|
| MT | MT Magstripe Lock, Mechanical Key Override | \$713.00 |

Choose One Option from Each Category

| Version | Description | Price |
|--------------------------|---|--------------|
| 1 | | |
| Locking Mechanism | | |
| Mortise | Description | Price |
| M | Mechanical Key Override | No Charge |
| N | Mechanical Key Override Utility | No Charge |
| P | Mechanical Key Override No Deadbolt | No Charge |
| R | Mechanical Key Override No Deadbolt Utility | No Charge |
| S | Concealed Mechanical Key Override | No Charge |
| T | Concealed Mechanical Key Override Utility | No Charge |
| U | Concealed Mechanical Key Override No Deadbolt | No Charge |
| V | Concealed Mechanical Key Override No Deadbolt Utility | No Charge |
| Face Plate / Cylinder | Description | Price |
| 1 | 1 1/4" Face Plate No Cylinder | No Charge |
| 2 | 1" Face Plate No Cylinder | No Charge |
| 3 | 1 1/4" Face Plate Standard Keyed Differently | Add \$26.60 |
| 4 | 1" Face Plate Standard Keyed Differently | Add \$26.60 |
| 5 | 1 1/4" Face Plate Standard Keyed Alike | Add \$26.60 |
| 6 | 1" Face Plate Standard Keyed Alike | Add \$26.60 |
| 7 | 1 1/4" Face Plate Small Format Interchangeable Core, Cores Not Included | Add \$53.10 |
| 8 | 1" Face Plate Small Format Interchangeable Core, Cores Not Included | Add \$53.10 |
| Communication | | |
| Primary | Description | Price |
| N | No Primary | No Charge |
| X | Primary Ready | Add \$49.90 |
| A | ZigBee North America | Add \$179.30 |
| Secondary | Description | Price |
| N | No Secondary | No Charge |
| Application | Description | Price |
| 0 | Interior | No Charge |
| E | Exterior (includes gasket) | No Charge |
| Lever | | |
| Lever Type | Description | Price |
| C | Continental | No Charge |
| E | Elevon | No Charge |
| G | Gala | No Charge |
| T | Troy | No Charge |



MT

Magstripe Lock, Mechanical Key Override

| Position | Description | Price |
|----------------------------------|--|--------------|
| 0 | Standard | No Charge |
| 1 | Vertical Inside | No Charge |
| 2 | Vertical Outside | No Charge |
| 3 | Vertical Inside and Outside | No Charge |
| Handing | Description | Price |
| L | Left Hand | No Charge |
| R | Right Hand | No Charge |
| X | Left Hand Reverse | No Charge |
| Y | Right Hand Reverse | No Charge |
| Door Thickness | Description | Price |
| A | 1.75" (44 mm) | No Charge |
| B | 1.38" (35-40 mm) (Available 1" faceplate only) | No Charge |
| C | 2.00" (51 mm) | No Charge |
| D | 2.25" (57 mm) | No Charge |
| E | 2.38" (60 mm) | No Charge |
| F | 2.50" (63.5 mm) | No Charge |
| G | 2.87" - 3" (73-76 mm) | No Charge |
| H | 3.03" (77 mm) | No Charge |
| J | 3.35" (85 mm) | No Charge |
| K | 3.90" (100 mm) | No Charge |
| Offset | Description | Price |
| N | No Offset | No Charge |
| Optional Adjustments | | |
| Outside | Description | Price |
| 0 | Standard | No Charge |
| Inside | Description | Price |
| 0 | Standard | No Charge |
| Special Hardware / Functionality | Description | Price |
| 0 | Standard | No Charge |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| A | Custom Strike | No Charge |
| E | Demo Lock | Add \$209.00 |
| Finish | Description | Price |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SC | Satin Chrome | No Charge |
| SN | Satin Nickel | No Charge |



MT

Magstripe Exit Trim

Example



Build the model number with the desired options

| Model | Description | Price |
|-------|------------------------|------------|
| PMT | MT Magstripe Exit Trim | \$1,194.00 |

Choose One Option from Each Category

| Version | Description | Price |
|---------------|---|----------------|
| 3 | | |
| Panic Device | Description | Price |
| A | AEB4200R Series, Bar Not Offered (Rim Only) | No Charge |
| B | Detex (Advantex) 10 Series (Rim Only) | No Charge |
| C | Detex (Advantex) 20 Series (Surface Mount Vertical Only) | No Charge |
| D | Dorma 9300 (Rim Only) | No Charge |
| E | Dorma 9400 (Surface Mount Vertical Only) | No Charge |
| F | Falcon 25 Series (Rim Only) | No Charge |
| G | Phi Series FL21, Bar Not Offered (Rim Only) | No Charge |
| H | Phi Series FL22, Bar Not Offered (Surface Mount Vertical Only) | No Charge |
| J | Sargent 8713, Bar Not Offered (Surface Mount Vertical Only; Square Spindle) | No Charge |
| K | Sargent 8715, Bar Not Offered (Surface Mount Vertical Only; Bladed Spindle) | No Charge |
| L | Sargent 8888F, Bar Not Offered (Rim Only) | No Charge |
| M | Von Duprin 88 | No Charge |
| N | Von Duprin 98 | No Charge |
| P | Von Duprin 99 | No Charge |
| Q | Yale 2100 Series, Bar Not Offered | No Charge |
| R | Yale 7100 Series, Bar Not Offered | No Charge |
| S | Hager 4500 Series, Bar Not Offered | No Charge |
| Device Type | Description | Price |
| 0 | No Bar (Standard on all models except Dorma Panic Devices) | No Charge |
| 1 | Rim 36" Standard Bar (Only Available on Dorma Panic Devices) | Add \$907.10 |
| 2 | Rim 36" Fire Rated Bar (Only Available on Dorma Panic Devices) | Add \$979.30 |
| 3 | Rim 48" Standard Bar (Only Available on Dorma Panic Devices) | Add \$946.40 |
| 4 | Rim 48" Fire Rated Bar (Only Available on Dorma Panic Devices) | Add \$1,021.70 |
| 5 | Vertical 36" Standard Bar (Only Available on Dorma Panic Devices) | Add \$1,132.00 |
| 6 | Vertical 36" Fire Rated Bar (Only Available on Dorma Panic Devices) | Add \$1,204.20 |
| 7 | Vertical 48" Standard Bar (Only Available on Dorma Panic Devices) | Add \$1,315.60 |
| 8 | Vertical 48" Fire Rated Bar (Only Available on Dorma Panic Devices) | Add \$1,375.00 |
| Communication | Description | Price |
| N | No Primary | No Charge |
| X | Primary Ready | Add \$49.90 |
| A | ZigBee North America | Add \$179.30 |
| Secondary | Description | Price |
| N | No Secondary | No Charge |
| Application | Description | Price |
| 0 | Interior | No Charge |
| E | Exterior (includes gasket) | No Charge |



MT

Magstripe Exit Trim

| Lever Type | Description | Price |
|----------------------------------|--|------------------|
| C | Continental | No Charge |
| E | Elevon | No Charge |
| G | Gala | No Charge |
| T | Troy | No Charge |
| Position | Description | Price |
| 0 | Standard | No Charge |
| Handing | Description | Price |
| L | Left Hand | No Charge |
| R | Right Hand | No Charge |
| Door Size | Description | Price |
| Door Thickness | Description | Price |
| A | 1.75" (44 mm) | No Charge |
| B | 1.38" (35-40 mm) (Available 1" faceplate only) | No Charge |
| C | 2.00" (51 mm) | No Charge |
| D | 2.25" (57 mm) | No Charge |
| E | 2.38" (60 mm) | No Charge |
| F | 2.50" (63.5 mm) | No Charge |
| G | 2.87" - 3" (73-76 mm) | No Charge |
| H | 3.03" (77 mm) | No Charge |
| J | 3.35" (85 mm) | No Charge |
| K | 3.90" (100 mm) | No Charge |
| Height/Offset | Description | Price |
| N | No Offset | No Charge |
| B | 8' Door (Vertical) | No Charge |
| C | 9' Door (Vertical) | No Charge |
| D | 10' Door (Vertical) | No Charge |
| Optional Adjustments | Description | Price |
| Outside | Description | Price |
| 0 | Standard | No Charge |
| Special Hardware / Functionality | Description | Price |
| 0 | Standard | No Charge |
| D | Dummy | Subtract \$99.80 |
| M | Dummy with Messenger Cap | Subtract \$89.20 |
| N | Dummy with Double Messenger Cap | Subtract \$78.60 |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| Finish | Description | Price |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SC | Satin Chrome | No Charge |
| SN | Satin Nickel | No Charge |



Saflok

Quantum III Lock

Example



Build the model number with the desired options

| Model | Description | Price |
|-------|--|-----------|
| QT | Quantum III RFID Lock, MT Inside Trim | \$ 932.00 |
| QU | Quantum III RFID Lock, Adese Inside Trim | \$ 932.00 |

Choose One Option from Each Category

| Version | Description | Price |
|-------------------|---------------------------------|-------------------|
| 1 | | |
| Locking Mechanism | | |
| Mortise | Description | Price |
| 1 | Standard | No Charge |
| 2 | Auto Deadbolt | No Charge |
| 3 | Utility | No Charge |
| 4 | Standard Door Ajar | No Charge |
| 5 | Auto Deadbolt Door Ajar | No Charge |
| 6 | Utility Door Ajar | No Charge |
| 7 | Utility Auto Deadbolt | No Charge |
| 8 | Utility Auto Deadbolt Door Ajar | No Charge |
| 9 | No Deadbolt | No Charge |
| A | No Deadbolt Utility | No Charge |
| B | No Deadbolt Door Ajar | No Charge |
| C | No Deadbolt Utility Door Ajar | No Charge |
| D | Dummy | Subtract \$ 99.80 |
| Face Plate | Description | Price |
| 1 | 1 1/4" Face Plate | No Charge |
| 2 | 1" Face Plate | No Charge |
| D | Dummy (No Face Plate) | No Charge |
| Communication | | |
| Primary | Description | Price |
| N | No Primary | No Charge |
| X | Primary Ready | Add \$ 49.90 |
| A | ZigBee North America | Add \$ 179.30 |
| D | INNCOM RF | Add \$ 197.30 |
| Secondary | Description | Price |
| A | BLE Compatible | No Charge |
| B | BLE Ready | Add \$ 29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| N | No Secondary | No Charge |
| Application | Description | Price |
| 0 | Interior | No Charge |
| E | Exterior (includes gasket) | No Charge |
| H | Heavy | Add \$ 42.50 |



Saflok

Quantum III Lock

| Lever Type | Description | Price |
|----------------------------------|---|-------------------|
| A | Arc | No Charge |
| C | Continental | No Charge |
| E | Elevon | No Charge |
| G | Gala | No Charge |
| K | Regal Knob | Add \$ 37.20 |
| P | Apogee | Add \$ 10.70 |
| T | Troy | No Charge |
| V | Vintage | No Charge |
| Position | Description | Price |
| 0 | Standard | No Charge |
| 1 | Vertical Inside | No Charge |
| Handing | Description | Price |
| L | Left Hand | No Charge |
| R | Right Hand | No Charge |
| X | Left Hand Reverse | No Charge |
| Y | Right Hand Reverse | No Charge |
| Door Thickness | Description | Price |
| A | 1.75" (44 mm) | No Charge |
| B | 1.38" (35 – 40 mm) | No Charge |
| C | 2.00" (51 mm) | No Charge |
| D | 2.25" (57 mm) | No Charge |
| E | 2.38" (60 mm) | No Charge |
| F | 2.50" (63.5 mm) | No Charge |
| G | 2.87" – 3" (73 – 76 mm) | No Charge |
| H | 3.03" (77 mm) | No Charge |
| J | 3.35" (85 mm) | No Charge |
| K | 3.90" (100 mm) | No Charge |
| Offset | Description | Price |
| N | No Offset | No Charge |
| Outside | Description | Price |
| 0 | Standard | No Charge |
| Inside | Description | Price |
| 0 | Standard | No Charge |
| Special Hardware / Functionality | Description | Price |
| 0 | Standard | No Charge |
| M | Dummy with Messenger Cap | Subtract \$ 89.20 |
| N | Dummy with Double Messenger Cap | Subtract \$ 78.60 |
| T | Toggle Mode | Add \$ 26.60 |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| A | Custom Strike | No Charge |
| E | Demo Lock | Add \$ 209.00 |
| Finish | Description | Price |
| AB | Antique Brass (Available on Adese Only) | No Charge |
| BB | Bright Brass | No Charge |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SB | Satin Brass | No Charge |
| SC | Satin Chrome | No Charge |
| SN | Satin Nickel | No Charge |



Saflok

Quantum III Lock, Mechanical Key Override

Example

| | | | | | | | | | | | | | | | | | | | |
|-------|---------|-------------------|---|---------------|-------------|-------|---------|-----------|----------------------|---|---|---|--------|---|---|---|---|---|---|
| □ | □ | □ | - | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ | □ |
| MODEL | VERSION | LOCKING MECHANISM | | COMMUNICATION | APPLICATION | LEVER | HANDING | DOOR SIZE | OPTIONAL ADJUSTMENTS | | | | FINISH | | | | | | |

Build the model number with the desired options

| Model | Description | Price |
|-------|---|-----------|
| QT | Quantum III RFID Lock, MT Inside Trim, Mechanical Key Override | \$ 932.00 |
| QU | Quantum III RFID Lock, Adese Inside Trim, Mechanical Key Override | \$ 932.00 |

Choose One Option from Each Category

| Version | Description | Price |
|------------------------------|---|---------------|
| 1 | | No Charge |
| Locking Mechanism | | |
| Mortise | | |
| Description | | |
| M | Mechanical Key Override | No Charge |
| N | Mechanical Key Override Utility | No Charge |
| P | Mechanical Key Override No Deadbolt | No Charge |
| R | Mechanical Key Override No Deadbolt Utility | No Charge |
| Face Plate / Cylinder | | |
| Description | | |
| 1 | 1 1/4" Face Plate No Cylinder | No Charge |
| 2 | 1" Face Plate No Cylinder | No Charge |
| 3 | 1 1/4" Face Plate Standard Keyed Differently | Add \$ 26.60 |
| 4 | 1" Face Plate Standard Keyed Differently | Add \$ 26.60 |
| 5 | 1 1/4" Face Plate Standard Keyed Alike | Add \$ 26.60 |
| 6 | 1" Face Plate Standard Keyed Alike | Add \$ 26.60 |
| 7 | 1 1/4" Face Plate Small Form Interchangeable Core, Cores Not Included | Add \$ 53.10 |
| 8 | 1" Face Plate Small Form Interchangeable Core, Cores Not Included | Add \$ 53.10 |
| Communication | | |
| Primary | | |
| Description | | |
| N | No Primary | No Charge |
| X | Primary Ready | Add \$ 49.90 |
| A | ZigBee North America | Add \$ 179.30 |
| D | INNCOM RF | Add \$ 179.30 |
| Secondary | | |
| Description | | |
| A | BLE Compatible | No Charge |
| B | BLE Ready | Add \$ 29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| N | No Secondary | No Charge |
| Application | | |
| Description | | |
| 0 | Interior | No Charge |
| E | Exterior (includes gasket) | No Charge |
| Lever Type | | |
| Description | | |
| A | Arc | No Charge |
| C | Continental | No Charge |
| E | Elevon | No Charge |
| G | Gala | No Charge |



Saflok

Quantum III Lock, Mechanical Key Override

| | | |
|----------------------------------|---|---------------|
| K | Regal Knob | Add \$ 37.20 |
| P | Apogee | Add \$ 10.70 |
| T | Troy | No Charge |
| V | Vintage | No Charge |
| Position | Description | Price |
| 0 | Standard | No Charge |
| 1 | Vertical Inside | No Charge |
| Handing | Description | Price |
| L | Left Hand | No Charge |
| R | Right Hand | No Charge |
| X | Left Hand Reverse | No Charge |
| Y | Right Hand Reverse | No Charge |
| Door Thickness | Description | Price |
| A | 1.75" (44 mm) | No Charge |
| B | 1.38" (35 – 40 mm) | No Charge |
| C | 2.00" (51 mm) | No Charge |
| D | 2.25" (57 mm) | No Charge |
| E | 2.38" (60 mm) | No Charge |
| F | 2.50" (63.5 mm) | No Charge |
| G | 2.87" – 3" (73 – 76 mm) | No Charge |
| H | 3.03" (77 mm) | No Charge |
| J | 3.35" (85 mm) | No Charge |
| K | 3.90" (100 mm) | No Charge |
| Offset | Description | Price |
| N | No Offset | No Charge |
| Optional Adjustments | | |
| Outside | Description | Price |
| 0 | Standard | No Charge |
| Inside | Description | Price |
| 0 | Standard | No Charge |
| Special Hardware / Functionality | Description | Price |
| 0 | Standard | No Charge |
| T | Toggle Mode (Residence Mode) | Add \$ 26.60 |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| A | Custom Strike | No Charge |
| E | Demo Lock | Add \$ 209.00 |
| Finish | Description | Price |
| AB | Antique Brass (Available on Adese Only) | No Charge |
| BB | Bright Brass | No Charge |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SB | Satin Brass | No Charge |
| SC | Satin Chrome | No Charge |
| SN | Satin Nickel | No Charge |



Saflok Quantum III

Remote Control Unit & Elevator Control Unit

Example



Build the model number with the desired options

| Model | Description | Price |
|-------|--|-------------|
| CQT | Quantum III RFID Remote Control Unit | \$ 1,914.00 |
| CQT | Quantum III RFID Elevator Control Unit | \$ 1,914.00 |

Choose One Option from Each Category


| Version | Description | Price |
|--------------------------------|---|---------------|
| 2 | | |
| Function | Description | Price |
| RC | Remote Control Unit | No Charge |
| EC | Elevator Control Unit (No Messenger option) | No Charge |
| Relay / Mag Kit | Description | Price |
| 0 | Standard (1 Relay) | No Charge |
| Mount | Description | Price |
| 1 | Surface (RC only) | No Charge |
| 2 | Flush | No Charge |
| Reader | Description | Price |
| 1 | Single Reader | No Charge |
| Communication | Description | Price |
| Primary | Description | Price |
| N | No Primary | No Charge |
| X | Messenger Ready | Add \$ 49.90 |
| A | ZigBee North America | Add \$ 179.30 |
| D | INNCOM RF | Add \$ 179.30 |
| Secondary | Description | Price |
| B | BLE Ready | Add \$ 29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| Custom Options | Description | Price |
| Reader | Description | Price |
| 0 | Standard | No Charge |
| PCB | Description | Price |
| 0 | Standard | No Charge |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| Finish | Description | Price |
| Face Plate (with Messenger) | Description | Price |
| BL | Black | No Charge |
| BR | Brown | No Charge |
| IV | Ivory | No Charge |
| WH | White | No Charge |
| Face Plate (without Messenger) | Description | Price |
| BB | Bright Brass | No Charge |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SB | Satin Brass | No Charge |
| SC | Satin Chrome | No Charge |
| Reader | Description | Price |
| BK | Black | No Charge |



Saflok Quantum III

Remote Control Unit, Screwless

Example



Build the model number with the desired options

| Model | Description | Price |
|-------|--|-------------|
| CQT | Quantum III RFID Screwless Remote Control Unit | \$ 1,914.00 |

Choose One Option from Each Category

| Version | Description | Price |
|-----------------|------------------------|---------------|
| 2 | | No Charge |
| Function | Description | Price |
| RC | Remote Control Unit | No Charge |
| Relay / Mag Kit | Description | Price |
| 0 | Standard (1 Relay) | No Charge |
| Mount | Description | Price |
| 2 | Flush | No Charge |
| Reader | Description | Price |
| 1 | Single Reader | No Charge |
| Communication | Description | Price |
| Primary | Description | Price |
| N | No Primary | No Charge |
| X | Messenger Ready | Add \$ 49.90 |
| A | ZigBee North America | Add \$ 179.30 |
| D | INNCOM RF | Add \$ 179.30 |
| Secondary | Description | Price |
| B | BLE Ready | Add \$ 29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| Custom Options | Description | Price |
| Reader | Description | Price |
| 0 | Standard | No Charge |
| PCB | Description | Price |
| 0 | Standard | No Charge |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| Finish | Description | Price |
| Face Plate | Description | Price |
| BS | Black Screwless | No Charge |
| BT | Brown Screwless | No Charge |
| VS | Ivory Screwless | No Charge |
| WS | White Screwless | No Charge |
| AL | Almond Screwless | No Charge |
| GR | Gray Screwless | No Charge |
| LA | Light Almond Screwless | No Charge |
| BE | Beige Screwless | No Charge |
| TP | Taupe Screwless | No Charge |
| SI | Sienna Screwless | No Charge |
| Reader | Description | Price |
| BK | Black | No Charge |



Saflok Quantum III

Multi-Channel/Expanded Multi-Channel Controller

Example

| | | | | | | | | | | | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | - | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | / | <input type="checkbox"/> | <input type="checkbox"/> |
| MODEL | | | VERSION | | FUNCTION | | RELAY / MAG KIT | | COMMUNICATION | | CUSTOM OPTIONS | | | FINISH / READER | |

Build the model number with the desired options

| Model | Description | Price |
|-------|--|-------------|
| CQT | Quantum III RFID Multi-Channel Controller | \$ 1,914.00 |
| CQT | Quantum III RFID Expanded Multi-Channel Controller | \$ 1,914.00 |

Choose One Option from Each Category

| Version | Description | Price |
|-----------------|-----------------------------------|-----------------|
| 2 | | |
| Function | Description | Price |
| MC | Multi-Channel Controller | Add \$ 742.70 |
| EM | Expanded Multi-Channel Controller | Add \$ 742.70 |
| Relay / Mag Kit | | |
| MC Options | Description | Price |
| 1 | 8 Relay | Add \$ 318.30 |
| 2 | 12 Relay | Add \$ 477.50 |
| EM Options | Description | Price |
| 3 | 16 Relay | Add \$ 636.60 |
| 5 | 32 Relay | Add \$ 1,273.10 |
| 6 | 48 Relay | Add \$ 1,909.70 |
| 7 | 64 Relay | Add \$ 2,546.20 |
| 8 | 80 Relay | Add \$ 3,182.70 |
| 9 | 96 Relay | Add \$ 3,819.30 |
| A | 112 Relay | Add \$ 4,455.80 |
| B | 128 Relay | Add \$ 5,092.40 |
| Mount | Description | Price |
| 2 | Flush | No Charge |
| Reader | Description | Price |
| 1 | Single Reader | No Charge |
| Communication | | |
| Primary | Description | Price |
| N | No Primary | No Charge |
| 1 | Go Far | Add \$ 212.20 |
| Secondary | Description | Price |
| B | BLE Ready | Add \$ 29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| Custom Options | | |
| Reader | Description | Price |
| 0 | Standard | No Charge |
| PCB | Description | Price |
| 0 | Standard | No Charge |
| Packout | Description | Price |
| 0 | Standard | No Charge |



Saflok Quantum III

Multi-Channel/Expanded Multi-Channel Controller


| Finish | | |
|------------|---------------|-----------|
| Face Plate | Description | Price |
| BB | Bright Brass | No Charge |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SB | Satin Brass | No Charge |
| SC | Satin Chrome | No Charge |
| Reader | Description | Price |
| BK | Black | No Charge |



Saflok Quantum III

Door Hardware Kit

Example



Build the model number with the desired options

| Model | Description | Price |
|-------|------------------------------------|-------------|
| CQT | Quantum III RFID Door Hardware Kit | \$ 1,914.00 |

Choose One Option from Each Category

| Version | Description | Price |
|-----------------------------|----------------------|---------------|
| 2 | | |
| Function | Description | Price |
| RC | Remote Control Unit | No Charge |
| Relay / Mag Kit | Description | Price |
| F | PIR Sensor | No Charge |
| G | Push Bar 36" Door | Add \$ 254.70 |
| H | Push Bar 48" Door | Add \$ 360.80 |
| Mount | Description | Price |
| 1 | Surface | No Charge |
| 2 | Flush | No Charge |
| Magnet | Description | Price |
| 1 | Single Magnet | No Charge |
| 2 | Dual Magnet | Add \$ 291.80 |
| Communication | Description | Price |
| Primary | Description | Price |
| N | No Primary | No Charge |
| X | Messenger Ready | Add \$ 49.90 |
| A | ZigBee North America | Add \$ 179.30 |
| D | INNCOM RF | Add \$ 179.30 |
| Secondary | Description | Price |
| B | BLE Ready | Add \$ 29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| Custom Options | Description | Price |
| Reader | Description | Price |
| 0 | Standard | No Charge |
| PCB | Description | Price |
| 0 | Standard | No Charge |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| Finish | Description | Price |
| Face Plate (with Messenger) | Description | Price |
| BL | Black | No Charge |
| BR | Brown | No Charge |
| IV | Ivory | No Charge |
| WH | White | No Charge |



Saflok Quantum III

Door Hardware Kit

| Face Plate (without Messenger) | Description | Price |
|--------------------------------|---------------|-----------|
| SB | Satin Brass | No Charge |
| SC | Satin Chrome | No Charge |
| OZ | Dark Mahogany | No Charge |
| BB | Bright Brass | No Charge |
| BC | Bright Chrome | No Charge |
| Reader | Description | Price |
| BK | Black | No Charge |



Saflok

Quantum II Lock

Example

| | | | | | | | | | | | | | | | | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| MODEL | VERSION | LOCKING MECHANISM | | COMMUNICATION | | APPLICATION | LEVER | HANDING | DOOR SIZE | | OPTIONAL ADJUSTMENTS | | | FINISH | | | | | | |

Build the model number with the desired options

| Model | Description | Price |
|-------|---|-----------|
| QR | Quantum II RFID Lock, MT Inside Trim | \$932.00 |
| QP | Quantum II RFID Lock, Adese Inside Trim | \$ 932.00 |

Choose One Option from Each Category

| Version | Description | Price |
|---------|-------------|-----------|
| 1 | | No Charge |

Locking Mechanism

| Mortise | Description | Price |
|---------|---------------------------------|-------------------|
| 1 | Standard | No Charge |
| 2 | Auto Deadbolt | No Charge |
| 3 | Utility | No Charge |
| 4 | Standard Door Ajar | No Charge |
| 5 | Auto Deadbolt Door Ajar | No Charge |
| 6 | Utility Door Ajar | No Charge |
| 7 | Utility Auto Deadbolt | No Charge |
| 8 | Utility Auto Deadbolt Door Ajar | No Charge |
| 9 | No Deadbolt | No Charge |
| A | No Deadbolt Utility | No Charge |
| B | No Deadbolt Door Ajar | No Charge |
| C | No Deadbolt Utility Door Ajar | No Charge |
| D | Dummy | Subtract \$ 99.90 |

Face Plate

| | Description | Price |
|---|-----------------------|-----------|
| 1 | 1 1/4" Face Plate | No Charge |
| 2 | 1" Face Plate | No Charge |
| D | Dummy (No Face Plate) | No Charge |

Communication

| Primary | Description | Price |
|---------|----------------------|---------------|
| N | No Primary | No Charge |
| X | Primary Ready | Add \$ 49.90 |
| A | ZigBee North America | Add \$ 179.30 |
| D | INNCOM RF | Add \$ 179.30 |

Secondary

| | Description | Price |
|---|----------------|---------------|
| A | BLE Compatible | No Charge |
| B | BLE Ready | Add \$ 29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| N | No Secondary | No Charge |

Application

| | Description | Price |
|---|----------------------------|--------------|
| 0 | Interior | No Charge |
| E | Exterior (includes gasket) | No Charge |
| H | Heavy | Add \$ 42.50 |

Lever Type

| | Description | Price |
|---|-------------|-----------|
| A | Arc | No Charge |
| C | Continental | No Charge |
| E | Eleven | No Charge |



Saflok

Quantum II Lock

| | | |
|----------------------------------|---|-------------------|
| G | Gala | No Charge |
| K | Regal Knob | Add \$ 37.20 |
| P | Apogee | Add \$ 10.70 |
| T | Troy | No Charge |
| V | Vintage | No Charge |
| Position | Description | Price |
| 0 | Standard | No Charge |
| 1 | Vertical Inside | No Charge |
| Handing | Description | Price |
| L | Left Hand | No Charge |
| R | Right Hand | No Charge |
| X | Left Hand Reverse | No Charge |
| Y | Right Hand Reverse | No Charge |
| Door Thickness | Description | Price |
| A | 1.75" (44 mm) | No Charge |
| B | 1.38" (35-40 mm) | No Charge |
| C | 2.00" (51 mm) | No Charge |
| D | 2.25" (57 mm) | No Charge |
| E | 2.38" (60 mm) | No Charge |
| F | 2.50" (63.5 mm) | No Charge |
| G | 2.87" - 3" (73-76 mm) | No Charge |
| H | 3.03" (77 mm) | No Charge |
| J | 3.35" (85 mm) | No Charge |
| K | 3.90" (100 mm) | No Charge |
| Offset | Description | Price |
| N | No Offset | No Charge |
| Optional Adjustments | | |
| Outside | Description | Price |
| 0 | Standard | No Charge |
| Inside | Description | Price |
| 0 | Standard | No Charge |
| C | FS Housing/Adese Thumbturn (RFID)* | No Charge |
| Special Hardware / Functionality | Description | Price |
| 0 | Standard | No Charge |
| M | Dummy with Messenger Cap | Subtract \$ 89.20 |
| N | Dummy with Double Messenger Cap | Subtract \$ 78.60 |
| T | Toggle Mode (Residence Mode) | Add \$ 26.60 |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| A | Custom Strike | No Charge |
| E | Demo Lock | Add \$ 209.00 |
| Finish | Description | Price |
| AB | Antique Brass (Available on Adese Only) | No Charge |
| BB | Bright Brass | No Charge |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SB | Satin Brass | No Charge |
| SC | Satin Chrome | No Charge |
| SN | Satin Nickel | No Charge |

* Inside housing secured by screws on outer edges



Saflok Quantum II Lock

Mechanical Key Override

Example

| | | | | | | | | | | | | | | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| MODEL | VERSION | LOCKING MECHANISM | COMMUNICATION | APPLI-CATION | LEVER | HANDING | DOOR SIZE | OPTIONAL ADJUSTMENTS | | | | FINISH | | | | | | |

Build the model number with the desired options

| Model | Description | Price |
|-------|--|-----------|
| QR | Quantum II RFID Lock, Mechanical Key Override, MT Inside Trim | \$ 932.00 |
| QP | Quantum II RFID Lock, Mechanical Key Override, Adese Inside Trim | \$ 932.00 |

Choose One Option from Each Category

| Version | Description | Price |
|---------|-------------|-------|
| 1 | | |

| Locking Mechanism | Description | Price |
|-------------------|---|-----------|
| Mortise | | |
| M | Mechanical Key Override | No Charge |
| N | Mechanical Key Override Utility | No Charge |
| P | Mechanical Key Override No Deadbolt | No Charge |
| R | Mechanical Key Override No Deadbolt Utility | No Charge |

| Face Plate / Cylinder | Description | Price |
|-----------------------|---|--------------|
| 1 | 1 ¼" Face Plate No Cylinder | No Charge |
| 2 | 1" Face Plate No Cylinder | No Charge |
| 3 | 1 ¼" Face Plate Standard Keyed Differently | Add \$ 26.60 |
| 4 | 1" Face Plate Standard Keyed Differently | Add \$ 26.60 |
| 5 | 1 ¼" Face Plate Standard Keyed Alike | Add \$ 26.60 |
| 6 | 1" Face Plate Standard Keyed Alike | Add \$ 26.60 |
| 7 | 1 ¼" Face Plate Small Format Interchangeable Core, Cores Not Included | Add \$ 53.10 |
| 8 | 1" Face Plate Small Format Interchangeable Core, Cores Not Included | Add \$ 53.10 |

| Communication | Description | Price |
|---------------|----------------------|---------------|
| Primary | | |
| N | No Primary | No Charge |
| X | Primary Ready | Add \$ 49.90 |
| A | ZigBee North America | Add \$ 179.30 |
| D | INNCOM RF | Add \$ 179.30 |

| Secondary | Description | Price |
|-----------|---------------------------|---------------|
| A | BLE Compatible | No Charge |
| B | BLE Ready | Add \$ 29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| N | No Secondary (Dummy Only) | No Charge |

| Application | Description | Price |
|-------------|----------------------------|-----------|
| 0 | Interior | No Charge |
| E | Exterior (includes gasket) | No Charge |

| Lever | Description | Price |
|------------|-------------|--------------|
| Lever Type | | |
| A | Arc | No Charge |
| C | Continental | No Charge |
| E | Elevon | No Charge |
| G | Gala | No Charge |
| K | Regal Knob | Add \$ 37.20 |
| P | Apogee | Add \$ 10.70 |
| T | Troy | No Charge |
| V | Vintage | No Charge |



Saflok Quantum II Lock

Mechanical Key Override

| Position | Description | Price |
|----------------------------------|---|---------------|
| 0 | Standard | No Charge |
| 1 | Vertical Inside | No Charge |
| Handing | Description | Price |
| L | Left Hand | No Charge |
| R | Right Hand | No Charge |
| X | Left Hand Reverse | No Charge |
| Y | Right Hand Reverse | No Charge |
| Door Thickness | Description | Price |
| A | 1.75" (44 mm) | No Charge |
| B | 1.38" (35-40 mm) | No Charge |
| C | 2.00" (51 mm) | No Charge |
| D | 2.25" (57 mm) | No Charge |
| E | 2.38" (60 mm) | No Charge |
| F | 2.50" (63.5 mm) | No Charge |
| G | 2.87" - 3" (73-76 mm) | No Charge |
| H | 3.03" (77 mm) | No Charge |
| J | 3.35" (85 mm) | No Charge |
| K | 3.90" (100 mm) | No Charge |
| Offset | Description | Price |
| N | No Offset | No Charge |
| Optional Adjustments | | |
| Outside | Description | Price |
| 0 | Standard | No Charge |
| Inside | Description | Price |
| 0 | Standard | No Charge |
| Special Hardware / Functionality | Description | Price |
| 0 | Standard | No Charge |
| T | Toggle Mode | Add \$ 26.60 |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| A | Custom Strike | No Charge |
| E | Demo Lock | Add \$ 209.00 |
| Finish | Description | Price |
| AB | Antique Brass (Available on Adese Only) | No Charge |
| BB | Bright Brass | No Charge |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SB | Satin Brass | No Charge |
| SC | Satin Chrome | No Charge |
| SN | Satin Nickel | No Charge |



Saflok Quantum II

Remote Control Unit/Elevator Control Unit

Example



Build the model number with the desired options

| Model | Description | Price |
|-------|---------------------------------------|-------------|
| CQR | Quantum II RFID Remote Control Unit | \$ 1,914.00 |
| CQR | Quantum II RFID Elevator Control Unit | \$ 1,914.00 |

Choose One Option from Each Category

| Version | Description | Price |
|--------------------------------|---|---------------|
| 2 | | |
| Function | Description | Price |
| RC | Remote Control Unit | No Charge |
| EC | Elevator Control Unit (no Messenger option) | No Charge |
| Relay / Mag Kit | Description | Price |
| 0 | Standard (1 Relay) | No Charge |
| Mount | Description | Price |
| 1 | Surface (RC only) | No Charge |
| 2 | Flush | No Charge |
| Reader | Description | Price |
| 1 | Single Reader | No Charge |
| Communication | Description | Price |
| Primary | Description | Price |
| N | No Primary | No Charge |
| X | Messenger Ready | Add \$ 49.90 |
| A | ZigBee North America | Add \$ 179.30 |
| D | INNCOM RF | Add \$ 179.30 |
| Secondary | Description | Price |
| B | BLE Ready | Add \$ 29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| Custom Options | Description | Price |
| Reader | Description | Price |
| 0 | Standard | No Charge |
| PCB | Description | Price |
| 0 | Standard | No Charge |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| Finish | Description | Price |
| Face Plate (with Messenger) | Description | Price |
| BL | Black | No Charge |
| BR | Brown | No Charge |
| IV | Ivory | No Charge |
| WH | White | No Charge |
| Face Plate (without Messenger) | Description | Price |
| BB | Bright Brass | No Charge |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SB | Satin Brass | No Charge |
| SC | Satin Chrome | No Charge |



Saflok Quantum II

Remote Control Unit/Elevator Control Unit

| Reader | Description | Price |
|--------|---------------|-----------|
| AB | Antique Brass | No Charge |
| BB | Bright Brass | No Charge |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SB | Satin Brass | No Charge |
| SC | Satin Chrome | No Charge |
| SN | Satin Nickel | No Charge |



Saflok Quantum II

Remote Control Unit, Screwless

Example



Build the model number with the desired options

| Model | Description | Price |
|--------------------------------------|---|---------------|
| CQR | Quantum II RFID Screwless Remote Control Unit | \$ 1,914.00 |
| Choose One Option from Each Category | | |
| Version | Description | Price |
| 2 | | |
| Function | Description | Price |
| RC | Remote Control Unit | No Charge |
| Relay / Mag Kit | Description | Price |
| 0 | Standard (1 Relay) | No Charge |
| Mount | Description | Price |
| 2 | Flush | No Charge |
| Reader | Description | Price |
| 1 | Single Reader | No Charge |
| Communication | | |
| Primary | Description | Price |
| N | No Primary | No Charge |
| X | Messenger Ready | Add \$ 49.90 |
| A | ZigBee North America | Add \$ 179.30 |
| D | INNCOM RF | Add \$ 179.30 |
| Secondary | Description | Price |
| B | BLE Ready | Add \$ 29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| Custom Options | | |
| Reader | Description | Price |
| 0 | Standard | No Charge |
| PCB | Description | Price |
| 0 | Standard | No Charge |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| Finish | | |
| Face Plate | Description | Price |
| BS | Black Screwless | No Charge |
| BT | Brown Screwless | No Charge |
| VS | Ivory Screwless | No Charge |
| WS | White Screwless | No Charge |
| AL | Almond Screwless | No Charge |
| GR | Gray Screwless | No Charge |
| LA | Light Almond Screwless | No Charge |
| BE | Beige Screwless | No Charge |
| TP | Taupe Screwless | No Charge |
| SI | Sienna Screwless | No Charge |



Saflok Quantum II

Remote Control Unit, Screwless

| Reader | Description | Price |
|--------|---------------|-----------|
| AB | Antique Brass | No Charge |
| BB | Bright Brass | No Charge |
| BC | Bright Chrome | No Charge |
| BK | Black | No Charge |
| OZ | Dark Mahogany | No Charge |
| SB | Satin Brass | No Charge |
| SC | Satin Chrome | No Charge |
| SN | Satin Nickel | No Charge |



Saflok Quantum II

Multi-Channel/Expanded Multi-Channel Controller

Example



Build the model number with the desired options

| Model | Description | Price |
|-------|---|-------------|
| CQR | Quantum II RFID Multi-Channel Controller | \$ 1,914.00 |
| CQR | Quantum II RFID Expanded Multi-Channel Controller | \$ 1,914.00 |

Choose One Option from Each Category

| Version | Description | Price |
|-----------------|-----------------------------------|-----------------|
| 2 | | |
| Function | Description | Price |
| MC | Multi-Channel Controller | Add \$ 742.70 |
| EM | Expanded Multi-Channel Controller | Add \$ 742.70 |
| Relay / Mag Kit | Description | Price |
| MC Options | Description | Price |
| 1 | 8 Relay | Add \$ 318.30 |
| 2 | 12 Relay | Add \$ 477.50 |
| EM Options | Description | Price |
| 3 | 16 Relay | Add \$ 636.60 |
| 5 | 32 Relay | Add \$ 1,273.10 |
| 6 | 48 Relay | Add \$ 1,909.70 |
| 7 | 64 Relay | Add \$ 2,546.20 |
| 8 | 80 Relay | Add \$ 3,182.80 |
| 9 | 96 Relay | Add \$ 3,819.30 |
| A | 112 Relay | Add \$ 4,455.80 |
| B | 128 Relay | Add \$ 5,092.40 |
| Mount | Description | Price |
| 2 | Flush | No Charge |
| Reader | Description | Price |
| 1 | Single Reader | No Charge |
| 2 | Dual Reader | Add \$ 769.20 |
| Communication | Description | Price |
| Primary | Description | Price |
| N | No Primary | No Charge |
| 1 | Go Far | Add \$ 212.20 |
| Secondary | Description | Price |
| B | BLE Ready | Add \$ 29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| Custom Options | Description | Price |
| Reader | Description | Price |
| 0 | Standard | No Charge |
| PCB | Description | Price |
| 0 | Standard | No Charge |
| Packout | Description | Price |
| 0 | Standard | No Charge |



Saflok Quantum II

Multi-Channel/Expanded Multi-Channel Controller

| Finish | | | |
|------------|---------------|--|-----------|
| Face Plate | Description | | Price |
| BB | Bright Brass | | No Charge |
| BC | Bright Chrome | | No Charge |
| BK | Black | | No Charge |
| OZ | Dark Mahogany | | No Charge |
| SB | Satin Brass | | No Charge |
| SC | Satin Chrome | | No Charge |
| Reader | Description | | Price |
| AB | Antique Brass | | No Charge |
| BB | Bright Brass | | No Charge |
| BC | Bright Chrome | | No Charge |
| BK | Black | | No Charge |
| OZ | Dark Mahogany | | No Charge |
| SB | Satin Brass | | No Charge |
| SC | Satin Chrome | | No Charge |
| SN | Satin Nickel | | No Charge |



Saflok Quantum II

Door Hardware Kit

Example



Build the model number with the desired options

| Model | Description | Price |
|-------|-----------------------------------|-------------|
| CQR | Quantum II RFID Door Hardware Kit | \$ 1,914.00 |

Choose One Option from Each Category

| Version | Description | Price |
|-----------------------------|----------------------|---------------|
| 2 | | |
| Function | Description | Price |
| RC | Remote Control Unit | No Charge |
| Relay / Mag Kit | Description | Price |
| F | PIR Sensor | No Charge |
| G | Push Bar 36" Door | Add \$ 254.70 |
| H | Push Bar 48" Door | Add \$ 360.80 |
| Mount | Description | Price |
| 1 | Surface | No Charge |
| 2 | Flush | No Charge |
| Magnet | Description | Price |
| 1 | Single Magnet | No Charge |
| 2 | Dual Magnet | Add \$ 291.80 |
| Communication | Description | Price |
| Primary | Description | Price |
| N | No Primary | No Charge |
| X | Messenger Ready | Add \$ 49.90 |
| A | ZigBee North America | Add \$ 179.30 |
| D | INNCOM RF | Add \$ 179.30 |
| Secondary | Description | Price |
| B | BLE Ready | Add \$29.80 |
| C | BLE Enabled | Add \$ 106.10 |
| Custom Options | Description | Price |
| Reader | Description | Price |
| 0 | Standard | No Charge |
| PCB | Description | Price |
| 0 | Standard | No Charge |
| Packout | Description | Price |
| 0 | Standard | No Charge |
| Finish | Description | Price |
| Face Plate (with Messenger) | Description | Price |
| BL | Black | No Charge |
| BR | Brown | No Charge |
| IV | Ivory | No Charge |
| WH | White | No Charge |
| Reader (without Messenger) | Description | Price |
| SB | Satin Brass | No Charge |
| SC | Satin Chrome | No Charge |
| OZ | Dark Mahogany | No Charge |
| BC | Bright Chrome | No Charge |
| BB | Bright Brass | No Charge |



InSync D

Deadbolt Lock

Example



Build the model number with the desired options

| Model | Description | Base Price |
|-------|--------------------|--------------|
| R | InSync D Lock | \$391.00 |
| DR | InSync D Demo Lock | Add \$291.00 |

Choose One Option from Each Category

| Class | Description | Price |
|----------------|--|-------------|
| D | Deadbolt | No Charge |
| Locking Device | Description | Price |
| 0 | Adjustable Backset Deadbolt, 1" Face Plate | No Charge |
| 3 | 2 3/8" Backset, Drive-in Deadbolt | Add \$10.70 |
| 4 | 2 3/4" Backset, Drive-in Deadbolt | Add \$10.70 |
| Configuration | Description | Price |
| 1 | Unit – Individual entry door lock. Rotation of the inside thumbturn or the inserted RFID key extends or retracts the 1" deadbolt. | No Charge |
| 3 | Suite – Allows access to residents who have individual units behind the suite door. D suite locks require the resident to rotate the thumbturn or rotate the RFID key to lock or unlock the door. Suite locks recognize up to 20 resident codes. | No Charge |
| 5 | Common – Lock programmed for common use areas (e.g., entrance, stairwell, exercise room, business center, pool, etc.) | No Charge |
| Finish | Description | Price |
| 26 | Bright Chrome | No Charge |
| 26D | Satin Chrome | No Charge |
| U15 | Satin Nickel (Not available with Continental lever) | Add \$42.50 |
| 10B | Dark Mahogany | Add \$42.50 |
| U3 | Bright Brass | No Charge |
| U4 | Satin Brass | No Charge |
| BK | Black | Add \$42.50 |

Notes:

All InSync locks are designed for doors ranging from 1 3/8" to 2" thick. For door sizes outside this range, custom parts will be required.

InSync custom finish options:

- 10B Dark Mahogany (upcharge pricing) – call for lead times
- BK Black - call for lead times
- OS/IS split finish (outside finish/inside finish) – call for lead times

InSync custom lever options:

- OS/IS split levers (outside/inside) – longer lead time required, call for details
- Gala levers may not be available in all areas. Check local fire code.

Environmental:

Indoor/outdoor approval: -31 °F to 151 °F (-35 °C to 66 °F)
 Locking Device Option 0 meets FL Windstorm Specification. Certified compliance to the Florida Building Code per FL13061.1 for installation in HVHZ (High Velocity Hurricane Zone) areas for mortise with deadbolt and auto deadbolt locking devices only. Locking device Options 3 and 4 (drive in deadbolts) are NOT listed for use on fire rated doors.
 (Refer to FloridaBuilding.org for actual product approvals and specifications)



InSync I

Interconnect Lock

Example



Build the model number with the desired options

| Model | Description | Base Price |
|-------|-----------------------------|--------------|
| R | InSync I, Interconnect Lock | \$738.00 |
| DR | InSync I, Mounted Demo Lock | Add \$293.00 |

Choose One Option from Each Category

| Class | Description | Price |
|------------------|--|--------------|
| I | Interconnect Lock | No Charge |
| Locking Device** | Description | Price |
| 5 | Adj. DB, Latch 2-3/8" Backset, T-Strike | No Charge |
| 6 | Adj. DB, Latch 2-3/4" Backset, T-Strike | No Charge |
| 7 | Adj. DB, Latch 2-3/8" Backset, ASA Strike 4-7/8" | No Charge |
| 8 | Adj. DB, Latch 2-3/4" Backset, ASA Strike 4-7/8" | No Charge |
| Handing | Description | Price |
| 1 | Right/Right Hand Reverse | No Charge |
| 2 | Left/Left Hand Reverse | No Charge |
| Configuration | Description | Price |
| 0 | Unit – Individual entry door lock. Rotation of the inside thumbturn or the inserted RFID key extends or retracts the 1" deadbolt. | No Charge |
| 1 | Suite – Allows access to residents who have individual units behind the suite door. Suite locks recognize up to 20 resident codes. | No Charge |
| Open | Description | Price |
| 0 | Open | No Charge |
| Lever | Description | Price |
| C | Continental | No Charge |
| G | Gala | No Charge |
| S | Troy | No Charge |
| Finish | Description | Price |
| 26 | Bright Chrome | No Charge |
| 26D | Satin Chrome | No Charge |
| U15 | Satin Nickel | Add \$42.50* |
| 10B | Dark Mahogany | Add \$42.50 |
| U3 | Bright Brass | No Charge |
| U4 | Satin Brass | No Charge |
| BK | Black | Add \$42.50 |

Notes:

*Troy and Gala are the only levers available in Satin Nickel

**Locking Device options 1-4 have been replaced with 5-8 which meet FL Windstorm Specification



InSync L

Tubular Lock

Example



MODEL



CLASS



CONFIGURATION



HANDING



LOCKING DEVICE



OPEN



LEVER



FINISH

Build the model number with the desired options

| Model | Description | Base Price |
|-------|-----------------------------|--------------|
| R | InSync L, Tubular Lock Set | \$797.00 |
| DR | InSync L, Mounted Demo Unit | Add \$293.00 |

Choose One Option from Each Category

| Class | Description | Price |
|----------------|---|------------------|
| L | Tubular Lock | No Charge |
| Configuration | Description | Price |
| 1 | Unit – Individual entry door lock. Rotation of the inside thumbturn or the inserted RFID key extends or retracts the ½" deadlatch. Unit locks stay open and must be manually re-locked (thumbturns). | No Charge |
| 2 | Suite – Allows access to residents who have individual units behind the suite door. Suite locks automatically re-lock and do not have a privacy feature (no thumbturns). | No Charge |
| 3 | Common – Lock programmed for common use areas (e.g., entrance, stairwell, exercise room, business center, pool, etc.) | No Charge |
| 4 | Dummy Lock | Subtract \$99.80 |
| E | Entry (Unit only) – This function is used to make an InSync Unit Lock behave like a hotel lock. The lock will always automatically re-lock behind a resident and the thumbturn works like a privacy switch. | No Charge |
| S | Suite Egress – This function is used to make a Suite lock act like a Unit lock where the key or the thumbturn is used to manually re-lock the lock. | No Charge |
| Handing | Description | Price |
| 1 | Right/Right Hand Reverse | No Charge |
| 2 | Left/Left Hand Reverse | No Charge |
| Locking Device | Description | Price |
| 1 | 2 3/8" T Lip Strike | No Charge |
| 2 | 2 3/4" T Lip Strike | No Charge |
| 3 | 2 3/8" (4 7/8" Strike) | No Charge |
| 4 | 2 3/4" (4 7/8" Strike) | No Charge |
| Open | Description | Price |
| 0 | Open | No Charge |
| Lever | Description | Price |
| C | Continental | No Charge |
| G | Gala | No Charge |
| S | Troy | No Charge |
| Finish | Description | Price |
| 26 | Bright Chrome | No Charge |
| 26D | Satin Chrome | No Charge |
| U15 | Satin Nickel | Add \$42.50* |
| 10B | Dark Mahogany | Add \$42.50 |
| U3 | Bright Brass | No Charge |
| U4 | Satin Brass | No Charge |
| BK | Black | Add \$42.50 |

Notes: *Troy and Gala are the only levers available in Satin Nickel



InSync M

Mortise Lock

Example

| | | | | | | | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| MODEL | CLASS | LOCKING DEVICE | HANDING | CONFIGURATION | OPEN | LEVER | FINISH | | | | |

Build the model number with the desired options

| Model | Description | Base Price |
|-------|-----------------------------|------------|
| R | InSync M, Mortise | \$818.00 |
| DR | InSync M, Mounted Demo Unit | \$293.00 |

Choose One Option from Each Category

| Class | Description | Price |
|----------------|---|--------------|
| M | Mortise Lock | No Charge |
| Locking device | Description | Price |
| 1 | Auto Deadbolt (20 minutes), 1 ¼" Face Plate | No Charge |
| A | Auto Deadbolt (three hour), 1 ¼" Face Plate | Add \$56.30 |
| 2 | Utility Mortise, No Deadbolt (20 minutes), 1 ¼" Face Plate | No Charge |
| B | Utility Mortise, No Deadbolt (three hour), 1 ¼" Face Plate | Add \$56.30 |
| 3 | Auto Deadbolt (20 minutes), 1" Face Plate | No Charge |
| C | Auto Deadbolt (three hour), 1" Face Plate | Add \$56.30 |
| 4 | Utility Mortise, No Deadbolt (20 minutes), 1" Face Plate | No Charge |
| D | Utility Mortise, No Deadbolt (three hour), 1" Face Plate | Add \$56.30 |
| Handing | Description | Price |
| 1 | Right Hand | No Charge |
| 2 | Left Hand | No Charge |
| 3 | Right Hand Reverse | No Charge |
| 4 | Left Hand Reverse | No Charge |
| Configuration | Description | Price |
| 0 | Unit – Individual entry door lock. Rotation of the inside thumbturn or the inserted RFID key extends or retracts the 1" deadbolt. Unit locks stay open and must be manually re-locked (thumbturns). | No Charge |
| 1 | Suite – Allows access to residents who have individual units behind the suite door. Suite locks automatically re-lock and do not have a privacy feature (no thumbturns). | No Charge |
| 2 | Common – Lock programmed for common use areas (e.g., entrance, stairwell, exercise room, business center, pool, etc.) | No Charge |
| E | Entry (Unit only) – This function is used to make an InSync Unit lock behave like a hotel lock. The lock will always automatically re-lock behind a resident, and the thumbturn works like a privacy switch. (20 minutes) | No Charge |
| S | Suite Egress – This function is used to make a Suite lock act like a Unit lock where the key or the thumbturn is used to manually re-lock the lock. (20 minutes) | No Charge |
| Open | Description | Price |
| 0 | Open | No Charge |
| Lever | Description | Price |
| C | Continental | No Charge |
| G | Gala | No Charge |
| S | Troy | No Charge |
| Finish | Description | Price |
| 26 | Bright Chrome | No Charge |
| 26D | Satin Chrome | No Charge |
| U15 | Satin Nickel (Not available with Continental lever) | Add \$42.50* |
| 10B | Dark Mahogany | Add \$42.50 |
| U3 | Bright Brass | No Charge |
| U4 | Satin Brass | No Charge |
| BK | Black | Add \$42.50 |

Notes: *Troy and Gala are the only levers available in Satin Nickel



InSync CP

Exit Trim

Example



Build the model number with the desired options

| Model | Description | Base Price |
|-------|-----------------------------------|------------|
| R | InSync CP, Panic Bar Not Included | \$1,040.00 |
| DR | InSync CP, Mounted Demo Unit | \$293.00 |

Choose One Option from Each Category

| Class | Description | Price |
|--------------------------|---|------------------|
| P | Panic Lock | No Charge |
| Exit Device ¹ | Description | Price |
| 5 | Dorma 9300 Rim (Includes 36" Rim non-fire rated exit device) | \$907.10 |
| 6 | Dorma 9400 Surface Mount Vertical Rod (includes 36" surface vertical rod non-fire rated exit device) | \$1,132.00 |
| A | Dorma Rim 9300 | No Charge |
| B | Dorma Surface Mount Vertical Rod 9400 | No Charge |
| E | Sargent 8888F Rim | No Charge |
| F | American Eagle 4200R Rim | No Charge |
| G | VonDuprin 98/99 Rim | No Charge |
| H | VonDuprin 98/99 Surface Mount Vertical Rod | No Charge |
| J | Detex Advantex 10 Series Rim | No Charge |
| K | Detex Advantex 20 Series Surface Mount Vertical Rod | No Charge |
| L | Pamex EF8000 Rim | No Charge |
| M | Falcon 25 Series Rim | No Charge |
| N | Hager 4500 Rim | No Charge |
| Q | Cal Royal 7700/9900 (Rim, Surface Mount Vertical Rod) | No Charge |
| R | Cal Royal 2200 (Rim, Surface Mount Vertical Rod) | No Charge |
| S | Cal Royal 9800 (Rim, Surface Mount Vertical Rod) | No Charge |
| Handing | Description | Price |
| 1 | Right Hand Reverse | No Charge |
| 2 | Left Hand Reverse | No Charge |
| Configuration | Description | Price |
| 0 | Common – Lock programmed for common use areas (e.g., entrance, stairwell, exercise room, business center, pool, etc.) | No Charge |
| Custom | Description | Price |
| 0 | Standard | No Charge |
| 9 | Dummy Trim | Subtract \$99.80 |
| Lever | Description | Price |
| C | Continental | No Charge |
| G | Gala | No Charge |
| S | Troy | No Charge |
| Finish | Description | Price |
| 26 | Bright Chrome | No Charge |
| 26D | Satin Chrome | No Charge |
| U15 | Satin Nickel (Not available with Continental lever) | Add \$42.50* |
| 10B | Dark Mahogany | Add \$42.50 |
| U3 | Bright Brass | No Charge |
| U4 | Satin Brass | No Charge |
| BK | Black | Add \$42.50 |

Notes:


¹ If Exit Device is included, it is noted by that device
 * Troy and Gala are the only levers available in Satin Nickel

For Monarch devices, contact customer service.
 InSync CP locks conform to Standard UL 10C. Refer to the UL online certifications directory file number R12071



InSync RAC

Example



Build the model number with the desired options

| Model | Description | Base Price |
|-------|-------------|------------|
| C7MDB | InSync RAC | \$2,840.00 |

Choose One Option from Each Category

| Cable Length | Description | Price |
|----------------|-------------------------------------|--------------|
| A | 15 feet | No Charge |
| B | 25 feet | Add \$31.90 |
| C | 50 feet | Add \$111.40 |
| D | 75 feet | Add \$191.00 |
| E | 100 feet | Add \$270.60 |
| North America | Description | Price |
| NC1-1 | | No Charge |
| Battery Backup | Description | Price |
| N | None | No Charge |
| B | Battery included | Add \$111.40 |
| P | Battery ready, battery not included | No Charge |
| Expansion | Description | Price |
| NN | | No Charge |
| Mount | Description | Price |
| S | Surface | No Charge |
| F | Flush with drywall mount | No Charge |
| G | Flush with gangbox | No Charge |
| Finish | Description | Price |
| C | Satin Chrome (plastic) | No Charge |
| BLE | Description | Price |
| 0 | No BLE | No Charge |

InSync

SAM RF Software & InSync Accessories

| SAM RF System | | |
|--|--|------------------|
| Part Number | Description | List |
| InSync KEY SYS | SAM RF System (Software, Encoder, Cable, ELPS, Utility Device) | \$4,517.00 |
| InSync STATION Extra | SAM RF Additional Station (Encoder and Utility Device) | \$3,211.00 |
| InSync KIT | InSync Start-Up Kit (TORX Bit, TORX Driver, 10 Construction Keys) | \$156.00 |
| InSync Software | SAM RF Software (Per Additional Database) | \$1,662.00 |
| InSync Manual | SAM RF Manual | \$167.00 |
| R21220 | SAM RF Encoder (With Extra Memory) – Power Cord NOT Included | \$1,331.00 |
| 71480 | SAM RF Encoder to Utility Device USB Cable | \$67.00 |
| 71470 | SAM RF Encoder Cable to PC | \$107.00 |
| R20470 | SAM RF Emergency Lock Power Supply (ELPS) | \$197.00 |
| R21190 | SAM RF Utility Device (With Extra Memory) – Battery NOT Included | \$2,327.00 |
| 7911902 | SAM RF Nicad Battery for Utility Device – Qty 1 AA (Device Requires Four) | \$10.00 |
| 71903 | AC Power Cord for SAM RF Encoder | \$86.00 |
| SAM RF Software Training | | |
| Part Number | Description | List |
| TRAIN SAM RF | On-Site Training for SAM RF* | \$4,540.00 |
| TRAIN SAM RF REMOTE | SAM RF Remote Training (three hour) | \$2,344.00 |
| INSTALL | Installation Services available | Call for pricing |
| *Additional charges may apply - pending location | | |
| InSync Keys | | |
| Part Number | Description | List (ea.) |
| R20280* | InSync Key with Hitag S (order in multiples of 50) | \$14.00 |
| R20280-7 | InSync Key programmed as Construction Keys (10 Pk.) | \$147.00 |
| Dual Credential Keys | | |
| Part Number | Description | List (ea.) |
| W30007* | InSync Key with Hitag S + Prox (order in multiples of 50) | \$23.00 |
| W30009* | InSync Key with Hitag S + MIFARE 4k (order in multiples of 50) | \$25.00 |
| W30014* | InSync Key with Hitag S + MIFARE DESFire 4k EV1 (order in multiples of 50) | \$26.00 |
| W30015* | InSync Key with Hitag S + MIFARE DESFire 8k EV1 (order in multiples of 50) | \$27.00 |
| *Unprogrammed | | |
| Tools / Accessories | | |
| Part Number | Description | List |
| 24200 | T-20 TORX Bit | \$17.00 |
| 24190 | TORX Handle Driver | \$25.00 |
| 69970 | InSync CR Reader Weather Shroud Rain Flap | \$11.00 |
| InSync Dress Plates / Gaskets (required for EXTERIOR Door Applications) | | |
| Part Number | Description | List |
| R22900-26D | InSync Underplate, 10" x 3.88" (fits L/M/P models) – Satin Chrome | \$46.00 |
| R22900-U3 | InSync Underplate, 10" x 3.88" (fits L/M/P models) – Bright Brass | \$46.00 |
| C81690-SS | InSync Underplate, 11" x 3.88" (fits L/M/P models) – Stainless Steel | \$46.00 |
| R27120 | Gasket O/S, InSync P (Monarch Exit Devices ONLY) | \$9.00 |
| R27570 | Gasket O/S, InSync L, M, P (Exit Devices for all other brands) | \$7.00 |
| R27430 | Gasket I/S, InSync M | \$7.00 |
| InSync Dress Gate Boxes | | |
| Part Number | Description | List |
| R22340 | Weldable Gate Box, InSync M – Satin Chrome | \$311.00 |
| R22330 | Weldable Gate Box, InSync L – Satin Chrome | \$311.00 |
| R22320 | Weldable Gate Box, InSync I – Satin Chrome | \$311.00 |

Saflok

Accessories

MT3 RFID Interchangeable Cores and Keys

| Part Number | Description | Price |
|----------------|--|---------|
| A27310-KA-FIN* | SFIC Small Format Interchangeable Core (Keyed Alike) | \$84.00 |
| A27310-KD-FIN* | SFIC Small Format Interchangeable Core (Keyed Differently) | \$84.00 |
| A27320** | Entry Key | \$20.00 |
| A27330*** | Control Key | \$25.00 |

* Finishes only in Satin Chrome (SC)

** Five Entry keys are included at no charge for every 100 locks ordered

*** Two Control keys are included at no charge for every 100 locks ordered

Magstripe Cards

| Part Number | Description | Price |
|-------------|--|---------|
| 10100-600 | Magstripe Card, 600 OE, All White (Front and Back) | \$3.00 |
| 19110-2750 | Magstripe Card, 2750 OE All White (Front and Back) | \$3.00 |
| 10370 | Magstripe Card, 300 OE, 8k Memory, All White (Front and Back) | \$11.00 |
| 10380 | Magstripe Card, 300 OE, 64k Memory, All White (Front and Back) | \$14.00 |
| 10390 | Magstripe Card, 300 OE, 2k Memory, All White (Front and Back) | \$7.00 |
| KA1510 | Construction Zone Card Magstripe (10-pk) | \$6.00 |

Saflok

Software

| System 6000 Software | | |
|---------------------------|--|-------------|
| Part Number | Description | Price |
| SK61-CAINSWH60000 | System 6000, One to Four Stations, Insertion Encoder with probe | \$4,544.00 |
| SK61-CAT7MTH60000 | System 6000, One to Four Stations, Type 7 Encoder (mag with probe) | \$6,198.00 |
| SK61-CAT7MGH60000 | One to Four Stations, Type 7 Mag/Smart Card Encoder with probe | \$7,852.00 |
| SK61-QRT7RGH60000 | System 6000, One to Four Stations, Type 7 Mag / Smart/RFID with probe | \$7,852.00 |
| SK61-CRT7RGH6000 | System 6000, One to Four Stations, Type 7 Mag / Smart/RFID with probe | \$7,852.00 |
| SK61-CAT7MHH60000 | System 6000, One to Four Stations, Mag / Smart / HiCo | \$7,852.00 |
| SK61-QRNETRH60000 | System 6000, One to Four Stations, RFID Encoder | \$4,544.00 |
| SK61-CRNETRH60000 | System 6000, One to Four Stations, RFID Encoder | \$4,544.00 |
| SK61-RTNETRH60000 | System 6000, One to Four Stations, RT RFID Encoder | \$4,544.00 |
| SK61-QRT7RFH60000 | System 6000, One to Four Stations, Type 7 Mag / RFID Encoder | \$7,852.00 |
| SK61-CRT7RFH60000 | System 6000, One to Four Stations, Type 7 Mag / RFID Encoder | \$7,852.00 |
| SK61-QRT7RHH60000 | System 6000, One to Four Stations, Type 7 Mag / Smart Card/HiCo/RFID Encoder | \$7,852.00 |
| SK61-CRT7RHH60000 | System 6000, One to Four Stations, Type 7 Mag / Smart Card/HiCo/RFID Encoder | \$7,852.00 |
| SK61-CRT7RHH60000 | System 6000, One to Four Stations, Type 7 Mag / Smart Card/HiCo/RFID Encoder | \$7,852.00 |
| 72400-B | System 6000 RFID Probe with Battery (necessary for programming all locks) | \$954.00 |
| 72410-B | System 6000 Smart Card Probe with Battery (necessary for programming all locks) | \$954.00 |
| 74333-C | C System 6000 Mag Probe with battery and cable (necessary for programming locks) | \$1,785.00 |
| System 6000 Accessories | | |
| Part Number | Description | Price |
| CE4030 | Additional Type 7 Encoder Station (Mag / Smart/HiCo) | \$5,621.00 |
| CERPF6000 | Additional RFID Encoder Station | \$3,307.00 |
| Messenger Equipment | | |
| Part Number | Description | Price |
| SERVERLICENSE | Server License (one required per Messenger system with 1-4 stations) | \$3,189.00 |
| 7081620-MSNGR | Messenger Software (per property) | \$3,894.00 |
| 71331-R ¹ | Server, Messenger, Rack Mount (needed with Messenger and IR installations) No keyboard, mouse, or monitor | \$14,601.00 |
| 71331-TS ¹ | Server, Messenger, Tower (needed with Messenger and IR installations) Includes keyboard and mouse, but no monitor | \$14,601.00 |
| CE74563-ZAW ² | Messenger Hub with Power over Ethernet (PoE) – Wall Mounted | \$1,188.00 |
| CE74563-ZBW ² | Messenger Hub with Power over Ethernet (PoE) – Table Top | \$1,188.00 |
| CE74563-ZAWE ² | Messenger Hub with Power over Ethernet (PoE) – Wall Mounted Weatherized | \$1,188.00 |
| CE74563-ZBWE ² | Messenger Hub with Power over Ethernet (PoE) – Table Top Weatherized | \$1,188.00 |

¹ Servers can be sourced elsewhere, provided they meet dormakaba system specifications/requirements

² All hubs in white only (black available with extended lead time)

Government/Legacy

Accessories

Gate Boxes

| Part Number | Description | Price |
|-------------|--|----------|
| 89680 | Gate Box for MT locks, SL2500, Gibraltar series – Metal | \$311.00 |
| 88450 | Gate Box for MT locks, SL2500, Gibraltar series – Aluminum | \$311.00 |

Legacy

Physical Credentials

RFID and Magnetic Keycards

| Part Number | Description | Price |
|-----------------|---|--------|
| 10990-AW | RFID, MIFARE Card, 1k memory, All White (front and back) | \$6.00 |
| 10990-White | RFID, MIFARE Card, 1k Memory, White front, Usage Instructions on back | \$6.00 |
| 10990 | RFID, MIFARE Card, 1k Memory, SAFLOK logo on front, Usage Instructions on back | \$5.00 |
| 10910-AW | RFID, MIFARE Card, 4k Memory, All White (front and back) | \$7.00 |
| 10910-White | RFID, MIFARE Card, 4k Memory, White front, Usage Instructions on back | \$7.00 |
| 10910 | RFID, MIFARE 4k Memory, SAFLOK logo on front, Usage Instructions on back | \$7.00 |
| 10950-AW | RFID, MIFARE Card, 320 Byte Memory, All White (front and back) | \$4.00 |
| 10950-White | RFID, MIFARE Card, 320 Byte Memory, White front, Usage Instructions on back | \$4.00 |
| 10920-AW-600 | Combo Card, RFID / MAG, 1k / 600 OE Memory, All White (front and back) | \$5.00 |
| 10920-White-600 | Combo Card, RFID / MAG, 1k / 600 OE Memory, White front, Usage instructions on back | \$7.00 |
| 10940-AW-600 | Combo Card, RFID / MAG, 4k / 600 OE Memory, All White (front and back) | \$7.00 |
| 10940-White-600 | Combo Card, RFID/MAG, 4k / 600 OE Memory, White front, Usage Instructions on back | \$7.00 |

Fobs

| Part Number | Description | Price (ea.) |
|-------------|---|-------------|
| 10620-1-BK | RFID FOB, MIFARE, 1K Memory, Black (Order Qty: 25) | \$11.00 |
| 10620-1-BL | RFID FOB, MIFARE, 1K Memory, Blue (Order Qty: 25) | \$11.00 |
| 10620-1-GN | RFID FOB, MIFARE, 1K Memory, Green (Order Qty: 25) | \$11.00 |
| 10620-1-GY | RFID FOB, MIFARE, 1K Memory, Gray (Order Qty: 25) | \$11.00 |
| 10620-1-RD | RFID FOB, MIFARE, 1K Memory, Red (Order Qty: 25) | \$11.00 |
| 10620-1-YL | RFID FOB, MIFARE, 1K Memory, Yellow (Order Qty: 25) | \$11.00 |
| 10620-4-GY | RFID FOB, MIFARE, 4K Memory, Gray (Order Qty: 25) | \$12.00 |
| | Call for availability | |

Wristbands

| Part Number | Description | Price (ea.) |
|-------------|---|-------------|
| 10630-1-BK | RFID Wristband, MIFARE, 1K Memory, Black (Order Qty: 25) | \$17.00 |
| 10630-1-BL | RFID Wristband, MIFARE, 1K Memory, Blue (Order Qty: 25) | \$17.00 |
| 10630-1-GN | RFID Wristband, MIFARE, 1K Memory, Green (Order Qty: 25) | \$17.00 |
| 10630-1-RD | RFID Wristband, MIFARE, 1K Memory, Red (Order Qty: 25) | \$17.00 |
| 10630-1-YL | RFID Wristband, MIFARE, 1K Memory, Yellow (Order Qty: 25) | \$17.00 |



Door
Hardware



Electronic
Access & Data



Mechanical
Key Systems



Lodging
Systems



Entrance
Systems



Safe
Locks



Service

Think tomorrow

We are committed to championing sustainability in everything we do, from producing more sustainable solutions to help our customers lessen their environmental footprint to being a fair and responsible employer and neighbor.

dormakaba USA Inc.
6161 E. 75th Street
Indianapolis, IN 46250

T: 1 800 849 8324
dormakaba.us