

SCHLAGE

CO Series

Service manual



Contents

- 3 Introduction
 - 3 Standard Features
 - 4 CO-Series Electronic Locks Overview
- 5 Locks
 - 6 CO-100-CY Keypad Only, Exterior
 - 7 CO-100-CY Keypad Only, Interior
 - 8 CO-100-MS Keypad Only, Exterior
 - 9 CO-100-MS Keypad Only, Interior
 - 10 CO-100-993-R Keypad Only, Exterior
 - 11 CO-100-993-R Keypad Only, Interior
 - 12 CO-100-993-S Keypad Only, Exterior
 - 13 CO-100-993-S Keypad Only, Interior
 - 14 CO-100-993-M Keypad Only, Exterior
 - 15 CO-100-993-M Keypad Only, Interior
 - 16 CO-200-CY Keypad Only, Exterior
 - 17 CO-200-CY Keypad Only, Interior
 - 18 CO-200-MS Keypad Only, Exterior
 - 19 CO-200-MS Keypad Only, Interior
 - 20 CO-200-MD Keypad Only, Exterior
 - 21 CO-200-MD Keypad Only, Interior
 - 22 CO-200-993-R Keypad Only, Exterior
 - 23 CO-200-993-R Keypad Only, Interior
 - 24 CO-200-993-S Keypad Only, Exterior
 - 25 CO-200-993-S Keypad Only, Interior
 - 26 CO-200-993-M Keypad Only, Exterior
 - 27 CO-200-993-M Keypad Only, Interior
 - 28 CO-200/250-CY, All Models Except Keypad Only, Exterior
 - 29 CO-200/250-CY, All Models Except Keypad Only, Interior
 - 30 CO-200/250-MS, All Models Except Keypad Only, Exterior
 - 31 CO-200/250-MS, All Models Except Keypad Only, Interior
 - 32 CO-200/250-MD, All Models Except Keypad Only, Exterior
 - 33 CO-200/250-MD, All Models Except Keypad Only, Interior
 - 34 CO-200/250-993-R, All Models Except Keypad Only, Exterior
 - 35 CO-200/250-993-R, All Models Except Keypad Only, Interior
 - 36 CO-200/250-993-S, All Models Except Keypad Only, Exterior
 - 37 CO-200/250-993-S, All Models Except Keypad Only, Interior
 - 38 CO-200/250-993-M, All Models Except Keypad Only, Exterior
 - 39 CO-200/250-993-M, All Models Except Keypad Only, Interior
 - 40 CO-993-DT, Exterior
- 41 Parts and accessories
 - 42 Exterior Escutcheon Assemblies with Reader Modules
 - 43 CO-220 Standalone Classroom Lockdown Solution
 - 44 Levers
 - 46 Spring Cages
 - 47 Spring Cage and Tailpiece 10-Piece Bulk Packs
 - 47 Cylinders
 - 48 Tailpiece Kits
 - 49 Latches
 - 50 Door Thickness Kit
 - 51 Mounting Screw and Spindle Details for CY, MS, and MD
 - 52 Exit Device Mounting Hardware Kit
 - 53 Strike Plates
 - 53 Mortise Lock Armor Fronts
 - 54 Thin Door Shims
 - 54 Decorative Plates
 - 56 CO-200, CO-250 Coin Cell Battery Replacement
 - 56 Through-Door Cable Replacement

Introduction

This manual contains a complete listing of available parts and assemblies for CO-Series cylindrical, mortise, and exit trim locks manufactured by Schlage Lock Company. This edition lists components of CO-Series locks manufactured after May 2018.

Spring cage, lever, and latch improvements were implemented for all CO-Series electronic locks in May 2018.

Exploded views of each lock function and trim assembly are provided with accompanying charts to identify parts for replacement purposes. Exploded views of trim are shown with parts for standard size doors. In addition, this manual provides lock trim, ordering procedures, and all auxiliary components of the CO-Series cylindrical, mortise, and exit trim locks.

Standard Features

Certifications	ANSI/BHMA A156.25 Grade 1, UL 294, UL 10 C, FCC Part 15, ADA
Credential Verification Time	Less than 1 second
Visual/Audible Communications	Tri-colored LEDs and audible indicators
Max Current Requirement	Up to 250 mA
Operating Humidity	0-100% non-condensing
Operating Temperature- Exterior	-31° to 151°F (-35° to 66°C)
Operating Temperature- Interior	32° to 120° (0° to 49°C) (battery)
System Interface	CO-200/250: Handheld Device
Power Supply	4 AA batteries (standard off-the-shelf, included)
Latch Bolt	Cylindrical: 1/2" throw security latch, 3/4" throw optional Mortise: 3/4" throw with anti-friction tongue standard
Voltage Range	4 VDC to 7 VDC
Reader Options	Keypad only, Magnetic Stripe Card, and Prox Card (card readers available with and without keypad)
Strike	Cylindrical: ANSI curved lip strike 1 1/4" x 4 7/8" x 1 3/16" lip to center standard, optional strikes, lip lengths, and ANSI strike box available Mortise: ANSI curved lip strike 1 1/4" x 4 7/8" x 1 3/16" lip to center with dust box standard, optional strikes and lip lengths available
Backset	Cylindrical: 2 3/4" standard, 2 3/8", 3 3/4", and 5" optional Mortise: 2 3/4" only
Cylinder	Schlage 6-Pin Full Cylinder (PD), C123 keyway, keyed different (PD)
Door Range	1 3/4" standard, 1 3/8" to 2 3/4" optional (available in 1/8" increments)
Keys	Two nickel silver cut keys per lock, 6-Pin, C123 section

Introduction

CO-Series Electronic Locks Overview

The CO-Series is a platform of standalone electronic locks that succeeds KC2, Pro, and Cobra. It is one of the first electronic locks to be UL 294 listed, and is also compatible with many different brands and types of exit devices and cylinders. Please visit us.allegion.com for complete details.

The CO-Series is available in three locking chassis options as well as three exit trim options:

- CY: Cylindrical
- MS: Mortise
- MD: Mortise Deadbolt
- 993R: Exit Trim — Rim/Concealed Vertical Rod (CVR)
- 993S: Exit Trim — Surface Vertical Rod (SVR)
- 993M: Exit Trim — Mortise

The CO-Series is available with three locking functions:

Function	Description
Classroom/Storeroom (70)*	Lockset is normally secure. Inside lever always allows free egress. Valid toggle credentials on the exterior may be used to change to a passage or secured status.
Classroom Security (75)	Operates like classroom/storeroom (70) function. When the remote fob button is pressed to initiate immediate lockdown, all normal credentials are rejected and only an authorized pass-through credential or mechanical key will allow access until lockdown is disabled by the remote fob button. Inside lever always allows free egress.
Office (50)*	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Meets need for lockdown function for safety and security. Note: Valid toggle credentials on the exterior may also be used to change status.
Privacy (40)**	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a privacy status. The interior pushbutton will disable normal electronic access from the exterior. Opening the door or pressing the interior pushbutton a second time on the inside housing deactivates the privacy status.

* Functions not available with mortise deadbolt option on CO-200 and CO-250 locks.

** CO-100 locks require firmware version 2.6.2 or higher. Refer to the CO-100 User Guide, "Lock Status Reports" section, for steps to check the lock firmware version.

CO-Series Readers:

Credential Reader Type	Description
PR: Proximity PRK: Proximity with Keypad	Reads 125 kHz proximity credentials
MS: Magnetic Stripe (Swipe) MSK: Magnetic Stripe (Swipe) with Keypad	Configurable to read the complete Track 1, 2, or 3
KP: Keypad Only	12-button design
DT: Dummy Trim	Used for 993 Dummy Trim


See page 42 for details on readers.

Locks

- 6 CO-100-CY Keypad Only, Exterior
- 7 CO-100-CY Keypad Only, Interior
- 8 CO-100-MS Keypad Only, Exterior
- 9 CO-100-MS Keypad Only, Interior
- 10 CO-100-993-R Keypad Only, Exterior
- 11 CO-100-993-R Keypad Only, Interior
- 12 CO-100-993-S Keypad Only, Exterior
- 13 CO-100-993-S Keypad Only, Interior
- 14 CO-100-993-M Keypad Only, Exterior
- 15 CO-100-993-M Keypad Only, Interior
- 16 CO-200-CY Keypad Only, Exterior
- 17 CO-200-CY Keypad Only, Interior
- 18 CO-200-MS Keypad Only, Exterior
- 19 CO-200-MS Keypad Only, Interior
- 20 CO-200-MD Keypad Only, Exterior
- 21 CO-200-MD Keypad Only, Interior
- 22 CO-200-993-R Keypad Only, Exterior
- 23 CO-200-993-R Keypad Only, Interior
- 24 CO-200-993-S Keypad Only, Exterior
- 25 CO-200-993-S Keypad Only, Interior
- 26 CO-200-993-M Keypad Only, Exterior
- 27 CO-200-993-M Keypad Only, Interior
- 28 CO-200/250-CY, All Models Except Keypad Only, Exterior
- 29 CO-200/250-CY, All Models Except Keypad Only, Interior
- 30 CO-200/250-MS, All Models Except Keypad Only, Exterior
- 31 CO-200/250-MS, All Models Except Keypad Only, Interior
- 32 CO-200/250-MD, All Models Except Keypad Only, Exterior
- 33 CO-200/250-MD, All Models Except Keypad Only, Interior
- 34 CO-200/250-993-R, All Models Except Keypad Only, Exterior
- 35 CO-200/250-993-R, All Models Except Keypad Only, Interior
- 36 CO-200/250-993-S, All Models Except Keypad Only, Exterior
- 37 CO-200/250-993-S, All Models Except Keypad Only, Interior
- 38 CO-200/250-993-M, All Models Except Keypad Only, Exterior
- 39 CO-200/250-993-M, All Models Except Keypad Only, Interior
- 40 CO-993-DT, Exterior

Locks

CO-100-CY Keypad Only, Exterior



No.	Description	Part no.	
7‡	Baseplate Assembly, CY	23599095	
10	Latch Retractor	46928800	
15*	Cylinder	See pg. 47	
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260740	
18* ◊	Lever, KIL	03-231	
	Lever, FSIC	03-232	
	Lever, SFIC	03-200	
21**	Spring Cage Assembly (includes 2 screws)	47258543	
26*	Strike (includes 2 screws)	See pg. 54	
30*	Latch (includes 2 screws)	13-247	
35◆	Spindle	See pg. 43	
37◆	Baseplate Stand-Offs	See pg. 43	
39	Wiring Harness	Classroom/Storeroom	23518392
		Office/Privacy	23518384

No.	Description	Part no.
43*	Escutcheon, Keypad Only, CY (with screws)	47260707
45	Keypad Membrane	44487247

* Must specify finish.

** For competitor outside spring cages, see page 46.


◆ This item only available as part of door thickness kit, see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-100-CY Keypad Only, Interior



No.	Description	Part no.	
1*	4AA Battery Holder and Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, without IPB (inside push button) (with screws)	23599327	
	Escutcheon, with IPB (inside push button) (with screws)	23599335	
12	Batteries, AA (alkaline only)	F206-488	
17	Inside Mounting Plate Kit (includes 4 screws)	23599244	
24*	Lever, Inside	03-230	
25	Spring Cage Assembly (includes 2 screws)	47260717	
35♦	Spindle	See pg. 43	


No.	Description	Part no.
38	Spindle Spring	44484996
40*	Rose, Inside	03-042-RHO
42	Hub (10-piece bulk pack)	23599228

* Must specify finish.

♦ This item only available as part of door thickness kit, see page 43.

Locks

CO-100-MS Keypad Only, Exterior



No.	Description	Part no.	
5‡	Baseplate Assembly, MS	23599103	
10	Lock Case Assembly, Narrow, 1 ¹ / ₁₆ " wide	46928818	
	Lock Case Assembly, 1 ¹ / ₄ " wide	46928826	
15*	Cylinder	See pg. 47	
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260740	
18* ◊	Lever, KIL	03-231	
	Lever, FSIC	03-232	
	Lever, SFIC	03-200	
21**	Spring Cage Assembly (includes 2 screws)	47258543	
26*	Strike (includes 2 screws)	See pg. 54	
27*	Armor Front, MS/MD (includes 2 screws)	1 ¹ / ₄ " Wide	09-663
		1 ¹ / ₁₆ " Wide	09-669
35♦	Spindle	See pg. 43	

No.	Description	Part no.	
36♦	Stand-Offs, MS/MD	See pg. 43	
37♦	Baseplate Stand-Offs	See pg. 43	
39	Wiring Harness	Classroom/Storeroom	23518392
		Office/Privacy	23518384
44*	Escutcheon, Keypad Only, MS/MD (with screws)	47260707	
45	Keypad Membrane	44487247	

* Must specify finish.

** For competitor outside spring cages, see page 46.


♦ This item only available as part of door thickness kit, see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-100-MS Keypad Only, Interior



No.	Description	Part no.	
1*	4AA Battery Holder and Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, without IPB (inside push button) (with screws)	23599327	
	Escutcheon, with IPB (inside push button) (with screws)	23599335	
12	Batteries, AA (alkaline only)	F206-488	
17	Inside Mounting Plate Kit (includes 4 screws)	23599244	
24*	Lever, Inside	03-230	
25	Spring Cage Assembly (includes 2 screws)	47260717	
35♦	Spindle	See pg. 43	


No.	Description	Part no.
38	Spindle Spring	44484996
40*	Rose, Inside	03-042-RHO
42	Hub (10-piece bulk pack)	23599228

* Must specify finish.

♦ This item only available as part of door thickness kit, see page 43.

Locks

CO-100-993-R Keypad Only, Exterior



No.	Description	Part no.	
8‡	Baseplate Assembly, 993	47260716	
15*	Cylinder	See pg. 47	
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260741	
18* ◊	Lever, KIL	03-231	
	Lever, FSIC	03-232	
	Lever, SFIC	03-200	
21**	Spring Cage Assembly (includes 2 screws)	47258545	
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screws, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	
37◆	Baseplate Stand-Offs	See pg. 43	

No.	Description	Part no.
39	Wiring Harness, Classroom/Storeroom	23518392
41	Tailpiece Kit, 993 (includes clip)	46929303
43	Escutcheon, Keypad Only, 993 (with screws)	47260708
45	Keypad Membrane	44487247

* Must specify finish.

** For competitor outside spring cages, see page 46.


◆ This item only available as part of door thickness kit, see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-100-993-R Keypad Only, Interior




No.	Description	Part no.
2*	Cover (includes 1 screw)	COM200C
6	Baseplate Assembly, 993	23599251
12	Batteries, AA (alkaline only)	F206-488
14*	4AA Battery Holder and Cover Kit	4B-E
	4AA Battery Holder	
	4AA Battery Strap	
	Screws, Battery Strap (2)	
	4AA Battery Cover	
	Screw, Battery Cover (1)	
28*	Escutcheon, 993 (with screws)	46929279

Note: For doors with existing large cutout, order exit device mounting hardware kit, see page 52.

* Must specify finish.

Locks

CO-100-993-S Keypad Only, Exterior



No.	Description	Part no.	
8‡	Baseplate Assembly, 993	47260716	
15*	Cylinder	See pg. 47	
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260741	
18* ◊	Lever, KIL	03-231	
	Lever, FSIC	03-232	
	Lever, SFIC	03-200	
21**	Spring Cage Assembly (includes 2 screws)	47258545	
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screws, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	
37◆	Baseplate Stand-Offs	See pg. 43	

No.	Description	Part no.
39	Wiring Harness, Classroom/Storeroom	23518392
41	Tailpiece Kit, 993 (includes clip)	46929303
43*	Escutcheon, Keypad Only, 993 (with screws)	47260708
45	Keypad Membrane	44487247

* Must specify finish.

** For competitor outside spring cages, see page 46.


◆ This item only available as part of door thickness kit, see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-100-993-S Keypad Only, Interior




No.	Description	Part no.
2*	Cover (includes 1 screw)	COM200C
6	Baseplate Assembly, 993	23599251
12	Batteries, AA (alkaline only)	F206-488
14*	4AA Battery Holder and Cover Kit	4B-E
	4AA Battery Holder	
	4AA Battery Strap	
	Screws, Battery Strap (2)	
	4AA Battery Cover	
	Screw, Battery Cover (1)	
28*	Escutcheon, 993 (with screws)	46929279
32	Baseplate Spacer, 993-S (with screws)	46929238

Note: For doors with existing large cutout, order exit device mounting hardware kit, see page 52.

* Must specify finish.

Locks

CO-100-993-M Keypad Only, Exterior



No.	Description	Part no.	
8‡	Baseplate Assembly, 993	47260716	
15*	Cylinder	See pg. 47	
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260741	
18* ◊	Lever, KIL	03-231	
	Lever, FSIC	03-232	
	Lever, SFIC	03-200	
21**	Spring Cage Assembly (includes 2 screws)	47258545	
33	Spindle and Hub Kit, 993	Spindle, Exit Mortise	46929295
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screws, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	
37◆	Baseplate Stand-Offs	See pg. 43	

No.	Description	Part no.
39	Wiring Harness, Classroom/Storeroom	23518392
43*	Escutcheon, Keypad Only, 993 (with screws)	47260708
45	Keypad Membrane	44487247

* Must specify finish.

** For competitor outside spring cages, see page 46.


◆ This item only available as part of door thickness kit, see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-100-993-M Keypad Only, Interior




No.	Description	Part no.	
2*	Cover (includes 1 screw)	COM200C	
6	Baseplate Assembly, 993	23599251	
12	Batteries, AA (alkaline only)	F206-488	
14*	4AA Battery Holder and Cover Kit	4AA Battery Holder	4B-E
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
28*	Escutcheon, 993 (with screws)	46929279	

Note: For doors with existing large cutout, order exit device mounting hardware kit, see page 52.

* Must specify finish.

Locks

CO-200-CY Keypad Only, Exterior



No.	Description	Part no.
7‡	Baseplate Assembly, CY	23599095
10	Latch Retractor	46928800
15*	Cylinder	See pg. 47
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260740
18* ◊	Lever, KIL	03-231
	Lever, FSIC	03-232
	Lever, SFIC	03-200
21**	Spring Cage Assembly	47258543
23	USB Cover (10-piece bulk pack)	46928719
26*	Strike (includes 2 screws)	See pg. 54
30*	Latch Assembly (includes 2 screws)	13-247
35♦	Spindle	See pg. 43
37♦	Baseplate Stand-Offs	See pg. 43

No.	Description		Part no.
39	Wiring Harness	Classroom/Storeroom	23518392
		Office/Privacy	23518384
43*	Escutcheon, Keypad Only, CY (with screws)		47260705
45	Keypad Membrane		44487247

* Must specify finish.

** For competitor outside spring cages, see page 46.


‡ This item only available as part of door thickness kit, see page 43.

♦ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200-CY Keypad Only, Interior




No.	Description	Part no.	
1*	4AA Battery Holder and Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, without IPB (inside push button) (with screws)	23599327	
	Escutcheon, with IPB (inside push button) (with screws)	23599335	
12	Batteries, AA (alkaline only)	F206-488	
17	Inside Mounting Plate Kit (includes 4 screws)	23599244	
22	Door Position Switch	46929121	
24*	Lever, Inside	03-230	

No.	Description	Part no.
25	Spring Cage Assembly (includes 2 screws)	47260717
35♦	Spindle	See pg. 43
38	Spindle Spring	44484996
40*	Rose, Inside	03-042-RHO
42	Hub (10-piece bulk pack)	23599228

* Must specify finish.
 ♦ This item only available as part of door thickness kit, see page 43.

Locks

CO-200-MS Keypad Only, Exterior



No.	Description	Part no.	
5‡	Baseplate Assembly, MS	23599103	
10	Lock Case Assembly, Narrow, 1½" wide	46928818	
	Lock Case Assembly, 1¼" wide	46928826	
15*	Cylinder	See pg. 47	
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260740	
18* ◊	Lever, KIL	03-231	
	Lever, FSIC	03-232	
	Lever, SFIC	03-200	
21**	Spring Cage Assembly (includes 2 screws)	47258543	
23	USB Cover (10-piece bulk pack)	46928719	
26*	Strike (includes 2 screws)	See pg. 54	
27*	Armor Front, MS (includes 2 screws)	1¼" Wide	09-663
		1½" Wide	09-669

No.	Description	Part no.	
35♦	Spindle	See pg. 43	
36♦	Stand-Offs, MS/MD	See pg. 43	
37♦	Baseplate Stand-Offs	See pg. 43	
39	Wiring Harness	Classroom/Storeroom	23518392
		Office/Privacy	23518384
44*	Escutcheon, Keypad Only, MS/MS (with screws)	47260709	
45	Keypad Membrane	44487247	

* Must specify finish.

** For competitor outside spring cages, see page 46.


♦ This item only available as part of door thickness kit see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200-MS Keypad Only, Interior




No.	Description	Part no.	
1*	4AA Battery Holder and Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, without IPB (inside push button) (with screws)	23599327	
	Escutcheon, with IPB (inside push button) (with screws)	23599335	
12	Batteries, AA (alkaline only)	F206-488	
17	Inside Mounting Plate Kit (includes 4 screws)	23599244	
22	Door Position Switch	46929121	
24*	Lever, Inside	03-230	
25	Spring Cage Assembly (includes 2 screws)	47260717	
35♦	Spindle	See pg. 43	

No.	Description	Part no.
38	Spindle Spring	44484996
40*	Rose, Inside	03-042-RHO
42	Hub (10-piece bulk pack)	23599228

- * Must specify finish.
- ♦ This item only available as part of door thickness kit, see page 43.

Locks

CO-200-MD Keypad Only, Exterior



No.	Description	Part no.	
5‡	Baseplate Assembly, MS	23599103	
10	Lock Case Assembly, Narrow, 1 ¹ / ₁₆ " wide	46928834	
	Lock Case Assembly, 1 ¹ / ₄ " wide	46928842	
15*	Cylinder	See pg. 47	
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260740	
18* ◊	Lever, KIL	03-231	
	Lever, FSIC	03-232	
	Lever, SFIC	03-200	
21**	Spring Cage Assembly (includes 2 screws)	47258543	
23	USB Cover (10-piece bulk pack)	46928719	
26*	Strike (includes 2 screws)	See pg. 54	
27*	Armor Front, MD (includes 2 screws)	1 ¹ / ₄ " Wide	09-666
		1 ¹ / ₁₆ " Wide	09-672

No.	Description	Part no.	
35♦	Spindle	See pg. 43	
36♦	Stand-Offs, MS/MD	See pg. 43	
37♦	Baseplate Stand-Offs	See pg. 43	
39	Wiring Harness	Classroom/Storeroom	23518392
		Office/Privacy	23518384
44*	Escutcheon, Keypad Only, MD (with screws)	47260709	
45	Keypad Membrane	44487247	

* Must specify finish.

** For competitor outside spring cages, see page 46.


♦ This item only available as part of door thickness kit see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200-MD Keypad Only, Interior



No.	Description	Part no.	
1*	4AA Battery Holder and Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
9*	Escutcheon, without IPB (inside push button) (with screws)	23599327	
	Escutcheon, with IPB (inside push button) (with screws)	23599335	
12	Batteries, AA (alkaline only)	F206-488	
17	Inside Mounting Plate Kit (includes 4 screws)	23599244	
22	Door Position Switch	46929121	
24*	Lever, Inside	03-230	
25	Spring Cage Assembly (includes 2 screws)	47260717	
34*	Thumbturn Assembly with E-Clip, MD	46929113	


No.	Description	Part no.
35♦	Spindle	See pg. 43
38	Spindle Spring	44484996
40*	Rose, Inside	03-042-RHO
42	Hub (10-piece bulk pack)	23599228

* Must specify finish.

♦ This item only available as part of door thickness kit, see page 43.

Locks

CO-200-993-R Keypad Only, Exterior



No.	Description	Part no.	
8‡	Baseplate Assembly, 993	47260716	
15*	Cylinder	See pg. 47	
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260741	
18* ◊	Lever, KIL	03-231	
	Lever, FSIC	03-232	
	Lever, SFIC	03-200	
21**	Spring Cage Assembly (includes 2 screws)	47258545	
23	USB Cover (10-piece bulk pack)	47258550	
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screws, Spindle Cover	
		Hub	
	Spring, Tailpiece, 993		

No.	Description	Part no.
37♦	Baseplate Stand-Offs	See pg. 43
39	Wiring Harness, Classroom/Storeroom	23518392
41	Tailpiece Kit, 993 (includes clip)	46929303
43*	Escutcheon, Keypad Only, 993 (with screws)	47260710
45	Keypad Membrane	44487247
46	Cable, USB	47253409

* Must specify finish.

** For competitor outside spring cages, see page 46.


♦ This item only available as part of door thickness kit see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200-993-R Keypad Only, Interior




No.	Description	Part no.	
2*	Cover (includes 1 screw)	COM200C	
6	Baseplate Assembly, 993	23599251	
12	Batteries, AA (alkaline only)	F206-488	
14*	4AA Battery Holder and Cover Kit	4AA Battery Holder	4B-E
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
28*	Escutcheon, 993 (with screws)	46929279	

Note: For doors with existing large cutout, order exit device mounting hardware kit, see page 52.

* Must specify finish.

Locks

CO-200-993-S Keypad Only, Exterior



No.	Description	Part no.	
8‡	Baseplate Assembly, 993	47260716	
15*	Cylinder	See pg. 47	
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260741	
18* ◊	Lever, KIL	03-231	
	Lever, FSIC	03-232	
	Lever, SFIC	03-200	
21**	Spring Cage Assembly (includes 2 screws)	47258545	
23	USB Cover (10-piece bulk pack)	47258550	
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screws, Spindle Cover	
		Hub	
Spring, Tailpiece, 993			

No.	Description	Part no.
37♦	Baseplate Stand-Offs	See pg. 43
39	Wiring Harness, Classroom/Storeroom	23518392
41	Tailpiece Kit, 993 (includes clip)	46929303
43*	Escutcheon, Keypad Only, 993 (with screws)	47260710
45	Keypad Membrane	44487247
46	Cable, USB	47253409

* Must specify finish.

** For competitor outside spring cages, see page 46.


♦ This item only available as part of door thickness kit see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200-993-S Keypad Only, Interior




No.	Description	Part no.
2*	Cover (includes 1 screw)	COM200C
6	Baseplate Assembly, 993	23599251
12	Batteries, AA (alkaline only)	F206-488
14*	4AA Battery Holder and Cover Kit	4B-E
	4AA Battery Holder	
	4AA Battery Strap	
	Screws, Battery Strap (2)	
	4AA Battery Cover	
	Screw, Battery Cover (1)	
28*	Escutcheon, 993 (with screws)	46929279
32	Baseplate Spacer, 993-S (with screws)	46929238

Note: For doors with existing large cutout, order exit device mounting hardware kit, see page 52.

* Must specify finish.

Locks

CO-200-993-M Keypad Only, Exterior



No.	Description	Part no.	
8‡	Baseplate Assembly, 993	47260716	
15*	Cylinder	See pg. 47	
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260741	
18* ◊	Lever, KIL	03-231	
	Lever, FSIC	03-232	
	Lever, SFIC	03-200	
21**	Spring Cage Assembly (includes 2 screws)	47258545	
23	USB Cover (10-piece bulk pack)	47258550	
33	Spindle and Hub Kit, 993	Spindle, Exit Mortise	46929295
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	
37◆	Baseplate Stand-Offs	See pg. 43	

No.	Description	Part no.
39	Wiring Harness, Classroom/Storeroom	23518392
43*	Escutcheon, Keypad Only, MS/MD (with screws)	47260710
45	Keypad Membrane	44487247
46	Cable, USB	47253409

* Must specify finish.

** For competitor outside spring cages, see page 46.


◆ This item only available as part of door thickness kit see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200-993-M Keypad Only, Interior




No.	Description	Part no.
2*	Cover (includes 1 screw)	COM200C
6	Baseplate Assembly, 993	23599251
12	Batteries, AA (alkaline only)	F206-488
14*	4AA Battery Holder and Cover Kit	4B-E
	4AA Battery Holder	
	4AA Battery Strap	
	Screws, Battery Strap (2)	
	4AA Battery Cover	
	Screw, Battery Cover (1)	
28*	Escutcheon, 993 (with screws)	46929279

Note: For doors with existing large cutout, order exit device mounting hardware kit, see page 52.

* Must specify finish.

Locks

CO-200/250-CY, All Models Except Keypad Only, Exterior



CO-200 Shown Here

No.	Description	Part no.
3*	Escutcheon CY (with screws)	47260705
7‡	Baseplate Assembly and Reader Module, CY	23599095
10	Latch Retractor	46928800
15*	Cylinder	See pg. 47
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260740
18* ◊	Lever, KIL	03-231
	Lever, FSIC	03-232
	Lever, SFIC	03-200
21**	Spring Cage Assembly (includes 2 screws)	47258543
23	USB Cover (10-piece bulk pack)	46928719
26*	Strike, CY (includes 2 screws)	See pg. 54

No.	Description	Part no.	
30*	Latch Assembly, CY (includes 2 screws)	13-247	
35♦	Spindle	See pg. 43	
37♦	Baseplate Stand-Offs	See pg. 43	
39	Wiring Harness	Classroom/Storeroom	23518392
		Office/Privacy	23518384

* Must specify finish.

** For competitor outside spring cages, see page 46.


‡ This item only available as part of door thickness kit see page 43.

♦ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200/250-CY, All Models Except Keypad Only, Interior




No.	Description	Part no.	
1*	4AA Battery Holder and Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, without IPB (inside push button) (with screws)	23599327	
	Escutcheon, with IPB (inside push button) (with screws)	23599335	
12	Batteries, AA (alkaline only)	F206-488	
17	Inside Mounting Plate Kit (includes 4 screws)	23599244	
22	Door Position Switch	46929121	
24*	Lever, Inside	03-230	

No.	Description	Part no.
25	Spring Cage Assembly, (includes 2 screws)	47260717
35♦	Spindle	See pg. 43
38	Spindle Spring	44484996
40*	Rose, Inside	03-042-RHO
42	Hub (10-piece bulk pack)	23599228

* Must specify finish.
 ♦ This item only available as part of door thickness kit, see page 43.

Locks

CO-200/250-MS, All Models Except Keypad Only, Exterior



CO-200 Shown Here

No.	Description	Part no.
5‡	Baseplate Assembly and Reader Module, MS	23599103
10	Lock Case Assembly, Narrow, 1 ¹ / ₁₆ " wide	46928818
	Lock Case Assembly, 1 ¹ / ₄ " wide	46928826
11*	Escutcheon, MS/MD (with screws)	47260705
15*	Cylinder	See pg. 47
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260740
18* ◊	Lever, KIL	03-231
	Lever, FSIC	03-232
	Lever, SFIC	03-200
21**	Spring Cage Assembly (includes 2 screws)	47258543
23	USB Cover (10-piece bulk pack)	46928719
26*	Strike (includes 2 screws)	See pg. 54

No.	Description		Part no.
27*	Armor Front, MS (includes 2 screws)	1 ¹ / ₄ " Wide	09-663
		1 ¹ / ₁₆ " Wide	09-669
35♦	Spindle		See pg. 43
36♦	Stand-Offs, MS/MD		See pg. 43
37♦	Baseplate Stand-Offs (not sold separately)		See pg. 43
39	Wiring Harness	Classroom/Storeroom	23518392

* Must specify finish.

** For competitor outside spring cages, see page 46.


♦ This item only available as part of door thickness kit see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200/250-MS, All Models Except Keypad Only, Interior




No.	Description	Part no.	
1*	4AA Battery Holder and Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, with deadbolt, non-privacy (with screws)	23599343	
	Escutcheon, with deadbolt, privacy (with screws)	23599350	
12	Batteries, AA (alkaline only)	F206-488	
17	Inside Mounting Plate Kit (includes 4 screws)	23599244	
22	Door Position Switch	46929121	
24*	Lever, Inside	03-230	
25	Spring Cage Assembly, (includes 2 screws)	47260717	

No.	Description	Part no.
35♦	Spindle	See pg. 43
38	Spindle Spring	44484996
40*	Rose, Inside	03-042-RHO
42	Hub (10-piece bulk pack)	23599228

* Must specify finish.
 ♦ This item only available as part of door thickness kit, see page 43.

Locks

CO-200/250-MD, All Models Except Keypad Only, Exterior



CO-200 Shown Here

No.	Description	Part no.
5	Baseplate Assembly and Reader Module, MD	23599103
10	Lock Case Assembly, Narrow, 1 $\frac{1}{16}$ " wide	46958834
	Lock Case Assembly, 1 $\frac{1}{4}$ " wide	46928842
11*	Escutcheon, MS/MD/993 (with screws)	47260705
15*	Cylinder	See pg. 47
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260740
18* ◊	Lever, KIL	03-231
	Lever, FSIC	03-232
	Lever, SFIC	03-200
21**	Spring Cage Assembly (includes 2 screws)	See pg. 46
23	USB Cover (10-piece bulk pack)	46928719
26*	Strike (includes 2 screws)	See pg. 54

No.	Description		Part no.
27*	Armor Front, MD (includes 2 screws)	1 $\frac{1}{4}$ " Wide	09-666
		1 $\frac{1}{16}$ " Wide	09-672
35♦	Spindle		See pg. 43
36♦	Stand-Offs, MS/MD		See pg. 43
37♦	Baseplate Stand-Offs		See pg. 43
39	Wiring Harness, Classroom/Storeroom		23518392

* Must specify finish.

** For competitor outside spring cages, see page 46.


♦ This item only available as part of door thickness kit see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200/250-MD, All Models Except Keypad Only, Interior



No.	Description	Part no.	
1*	4AA Battery Holder and Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
9*	Escutcheon, without IPB (inside push button) (with screws)	23599327	
	Escutcheon, with IPB (inside push button) (with screws)	23599335	
12	Batteries, AA (alkaline only)	F206-488	
17	Inside Mounting Plate Kit (includes 4 screws)	23599244	
22	Door Position Switch	46929121	
24*	Lever, Inside	03-230	
25	Spring Cage Assembly, (includes 2 screws)	47260717	
34*	Thumbturn Assembly with E-Clip, MD	46929113	


No.	Description	Part no.
35♦	Spindle	See pg. 43
38	Spindle Spring	44484996
40*	Rose, Inside	03-042-RHO
42	Hub (10-piece bulk pack)	23599228

* Must specify finish.

♦ This item only available as part of door thickness kit, see page 43.

Locks

CO-200/250-993-R, All Models Except Keypad Only, Exterior



CO-200 Shown Here

No.	Description	Part no.
3*	Escutcheon, 993 (with screws)	47260706
8‡	Baseplate Assembly and Reader Module, 993	47260716
15*	Cylinder	See pg. 47
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260741
18* ◊	Lever, KIL	03-231
	Lever, FSIC	03-232
	Lever, SFIC	03-200
21**	Spring Cage Assembly (includes 2 screws)	47258545
23	USB Cover (10-piece bulk pack)	47258550

No.	Description	Part no.	
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screws, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	
37 ◊	Baseplate Stand-Offs	See pg. 43	
39	Wiring Harness, Classroom/Storeroom	23518392	
41	Tailpiece Kit, 993 (includes clip)	46929303	
46	Cable, USB	47253409	

* Must specify finish.

** For competitor outside spring cages, see page 46.


◊ This item only available as part of door thickness kit see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200/250-993-R, All Models Except Keypad Only, Interior




No.	Description	Part no.
2*	Cover (includes 1 screw)	COM200C
6	Baseplate Assembly, 993	23599251
12	Batteries, AA (alkaline only)	F206-488
14*	4AA Battery Holder and Cover Kit	4B-E
	4AA Battery Holder	
	4AA Battery Strap	
	Screws, Battery Strap (2)	
	4AA Battery Cover	
	Screw, Battery Cover (1)	
28*	Escutcheon, 993 (with screws)	46929279

Note: For doors with existing large cutout, order exit device mounting hardware kit, see page 52.

* Must specify finish.

Locks

CO-200/250-993-S, All Models Except Keypad Only, Exterior



CO-200 Shown Here

No.	Description	Part no.
3*	Escutcheon, 993 (with screws)	47260706
8‡	Baseplate Assembly and Reader Module, 993	47260716
15*	Cylinder	See pg. 47
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260741
18* ◊	Lever, KIL	03-231
	Lever, FSIC	03-232
	Lever, SFIC	03-200
21**	Spring Cage Assembly (includes 2 screws)	47258545
23	USB Cover (10-piece bulk pack)	47258550

No.	Description	Part no.	
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
37◊	Baseplate Stand-Offs	Spring, Tailpiece, 993	See pg. 43
39	Wiring Harness, Classroom/Storeroom	23518392	
41	Tailpiece Kit, 993 (includes clip)	46929303	
46	Cable, USB	47253409	

* Must specify finish.

** For competitor outside spring cages, see page 46.


◊ This item only available as part of door thickness kit see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200/250-993-S, All Models Except Keypad Only, Interior




No.	Description	Part no.
2*	Cover (includes 1 screw)	COM200C
6	Baseplate Assembly, 993	23599251
12	Batteries, AA (alkaline only)	F206-488
14*	4AA Battery Holder and Cover Kit	4B-E
	4AA Battery Holder	
	4AA Battery Strap	
	Screws, Battery Strap (2)	
	4AA Battery Cover	
	Screw, Battery Cover (1)	
28*	Escutcheon, 993 (with screws)	46929279
32	Baseplate Spacer, 993-S (with screws)	46929238

Note: For doors with existing large cutout, order exit device mounting hardware kit, see page 52.

* Must specify finish.

Locks

CO-200/250-993-M, All Models Except Keypad Only, Exterior



CO-200 Shown Here

No.	Description	Part no.
3*	Escutcheon, 993 (with screws)	47260706
8‡	Baseplate Assembly and Reader Module, 993	47260716
15*	Cylinder	See pg. 47
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260741
18* ◊	Lever, KIL	03-231
	Lever, FSIC	03-232
	Lever, SFIC	03-200
21**	Spring Cage Assembly (includes 2 screws)	See pg. 46
23	USB Cover (10-piece bulk pack)	47258550

No.	Description	Part no.	
33	Spindle and Hub Kit, 993	Spindle, Exit Mortise	46929295
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	
37♦	Baseplate Stand-Offs	See pg. 43	
39	Wiring Harness, Classroom/Storeroom	23518392	
46	Cable, USB	47253409	

* Must specify finish.

** For competitor outside spring cages, see page 46.


♦ This item only available as part of door thickness kit see page 43.

‡ Must specify cylinder type and handing.

◊ For competitor outside levers, see page 45.

Locks

CO-200/250-993-M, All Models Except Keypad Only, Interior




No.	Description	Part no.
2*	Cover (includes 1 screw)	COM200C
6	Baseplate Assembly, 993	23599251
12	Batteries, AA (alkaline only)	F206-488
14*	4AA Battery Holder and Cover Kit	4B-E
	4AA Battery Holder	
	4AA Battery Strap	
	Screws, Battery Strap (2)	
	4AA Battery Cover	
	Screw, Battery Cover (1)	
28*	Escutcheon, 993 (with screws)	46929279

Note: For doors with existing large cutout, order exit device mounting hardware kit, see page 52.

* Must specify finish.

Locks

CO-993-DT, Exterior



CO-200 Shown Here

No.	Description	Part no.
3*	Escutcheon 993 (with screws)	47260706
8	Baseplate Assembly, 993	47260739
15*	Cylinder	See pg. 47
16	Gasket Kit (includes baseplate, spindle and reader gaskets)	47260741
18* ◇	Lever	03-230
21**	Spring Cage Assembly (with screws)	See pg. 46
23	USB Cover (10-piece bulk pack)	47258550
37◆	Baseplate Stand-Offs	See pg. 43
46	Cable, USB	47253409

* Must specify finish.

** For competitor outside spring cages, see page 46.

◆ This item only available as part of door thickness kit see page 43.

◇ For competitor outside levers, see page 45.







Parts and accessories

- 42 Exterior Escutcheon Assemblies with Reader Modules
- 43 CO-220 Standalone Classroom Lockdown Solution
- 44 Levers
- 46 Spring Cages
- 47 Spring Cage and Tailpiece 10-Piece Bulk Packs
- 47 Cylinders
- 48 Tailpiece Kits
- 49 Latches
- 50 Door Thickness Kit
- 51 Mounting Screw and Spindle Details for CY, MS, and MD
- 52 Exit Device Mounting Hardware Kit
- 53 Strike Plates
- 53 Mortise Lock Armor Fronts
- 54 Thin Door Shims
- 54 Decorative Plates
- 56 CO-200, CO-250 Coin Cell Battery Replacement
- 56 Through-Door Cable Replacement

Exterior Escutcheon Assemblies with Reader Modules

Outside escutcheon assemblies are used to replace existing baseplate subassemblies and reader modules. Outside escutcheon assemblies include the escutcheon assembly, less lever and cylinder. If a lever and/or cylinder are required, these must be ordered separately.

Ordering example for a CO-200 MSK exterior escutcheon: EXT-CO-200-CY-70-MSK-LLL-626-PD-RH.

<p>Keypad Only Part No.: KP</p> <p>Available on models: CO-100, CO-200</p> <p>Available finishes: 605, 606, 612, 619, 625, 626, 626AM, 643e</p> 	<p>Magnetic Stripe (Swipe) (Track 1, 2 or 3) Part No.: MS</p> <p>Available on models: CO-200, CO-250</p> <p>Available finishes: 605, 606, 612, 619, 625, 626, 626AM, 643e</p> 	<p>Magnetic Stripe (Swipe) with Keypad (Track 1, 2 or 3) Part No.: MSK</p> <p>Available on models: CO-200, CO-250</p> <p>Available finishes: 605, 606, 612, 619, 625, 626, 626AM, 643e</p> 
<p>Proximity Part No.: PR</p> <p>Available on models: CO-200</p> <p>Available finishes: 605, 606, 612, 643e (BRN Reader) 619, 625, 626, 626AM (GRY Reader)</p> 	<p>Proximity with Keypad Part No.: PRK</p> <p>Available on models: CO-200</p> <p>Available finishes: 605, 606, 612, 643e (BRN Reader) 619, 625, 626, 626AM (GRY Reader)</p> 	<p>Non-Functioning Dummy Trim Reader Cover Part No.: DT</p> <p>Available on models: CO-993-DT</p> <p>Available finishes: 605, 606, 612, 643e (BRN Reader) 619, 625, 626, 626AM (GRY Reader)</p> 


Parts and accessories

CO-220 Standalone Classroom Lockdown Solution

The CO Series standalone classroom lockdown solution with remote fob and visual indicator is programmable by computer or manually with user rights stored on the lock. One remote lockdown fob, pre-paired to the lock, is shipped standard with each lock. This fob can be paired with up to nine additional locks. An accessory remote lockdown fob is sold separately (shown below) and can be paired with up to ten locks.

Cylindrical, mortise, and exit (rim, mortise, concealed vertical rod, or concealed cable device) chassis options are available. Available in finishes 605, 606, 612, 619, 625, 626, 643e and 626AM.

**CO-220 Interior
Escutcheon**



**CO-220 Remote Fob
Accessory**
24744856























Parts and accessories

Levers



Levers shown below can accommodate Schlage and Falcon cylinders. Levers listed on page 45 will accommodate additional competitor cylinders. All lever designs are available in finishes 605, 606, 612, 619, 625, 626, 643e and 626AM.

① NOTE: Changing lever cylinder compatibility on a device typically requires replacement of existing spring cage and tailpiece.

Design Dimensions	Interior Levers		Exterior Levers	
	Closed		Key In Lever	
	No Cylinder	Key In Lever	Interchangeable Core	Interchangeable Core
		KIL 6 Pin (Schlage and Falcon Cylinders)	FSIC 6 Pin (Schlage Cylinders)	FSIC 6 and 7 Pin (Schlage, Falcon, BEST, Corbin Russwin, Yale, Medeco Cylinders)
Rhodes (RHO)* 	03-230 RHO A=2 ⁷ / ₁₆ " B=2 ¹⁵ / ₁₆ " 	03-231 RHO A=2 ⁷ / ₁₆ " B=2 ¹⁵ / ₁₆ " 	03-232 RHO A=2 ³ / ₄ " B=3 ¹ / ₄ " 	03-200 RHO A=2 ¹ / ₂ " B=3" 
Sparta (SPA)* 	03-230 SPA A=3" B=3 ¹ / ₂ " 	03-231 SPA A=3" B=3 ¹ / ₂ " 	03-232 SPA A=3 ¹ / ₄ " B=3 ³ / ₄ " 	03-200 SPA A=3" B=3 ¹ / ₂ " 
Tubular (TLR)* 	03-230 TLR A=2 ¹ / ₄ " B=3" 	03-231 TLR A=2 ¹ / ₄ " B=3" 	03-232 TLR A=2 ¹ / ₂ " B=3 ³ / ₁₆ " 	03-200 TLR A=2 ¹ / ₄ " B=3" 
Athens (ATH) 	03-230 ATH A=2 ³ / ₄ " B=3 ⁵ / ₁₆ " C=2 ¹ / ₂ " 	03-231 ATH A=2 ³ / ₄ " B=3 ⁵ / ₁₆ " C=2 ¹ / ₂ " 	03-232 ATH A=3" B=3 ¹ / ₂ " C=2 ¹ / ₁₆ " 	03-200 ATH A=2 ⁷ / ₈ " B=3 ³ / ₈ " C=2 ¹ / ₂ " 

Tactile warning levers

Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

Rhodes lever shown	Tubular lever shown	Preface Design Code for Tactile Warning Levers			
		Athens	Rhodes*	Sparta*	Tubular*
		8AT	8RH	8SP	8TR

* Meets California Fire Code for 1/2" or less return to the door.

Parts and accessories

Levers for use with Competitor Cylinders

Competitor lever designs are available in 626 finish 626 standard, and 605, 606, 612, 619, 625, 643e, and 626 AM with extended lead-times.

Cylinder	Order Suffix	Cylinder Type	Lever Design-Part Numbers			
			Rhodes	Sparta	Tubular	Athens
	LD SAR	KIL 6 Pin (Sargent)	03-244-RHO 03-244-8RO**	03-244-SPA 03-244-8SP**	03-244-TLR 03-244-8TR**	03-244-ATH 03-244-8AT**
	LD FA7	KIL 7 Pin (Falcon)	03-280-RHO 03-280-8RO**	03-280-SPA 03-280-8SP**	N/A	N/A
	LD CO6	KIL 6 Pin (Corbin Russwin)	03-234-RHO 03-234-8RO**	03-234-SPA 03-234-8SP**	03-234-TLR 03-234-8TR**	03-234-ATH 03-234-8AT**
	JD SAR	FSIC 6 Pin (Sargent)	03-277-RHO 03-277-8RO**	03-277-SPA 03-277-8SP**	03-277-TLR 03-277-8TR**	03-277-ATH 03-277-8AT**
	JD CO6	FSIC 6 Pin (Corbin Russwin)	03-266-RHO 03-266-8RO**	03-266-SPA 03-266-8SP**	03-266-TLR 03-266-8TR**	03-266-ATH 03-266-8AT**
	JD CO7	FSIC 7 Pin (Corbin Russwin)	03-235-RHO 03-235-8RO**	03-235-SPA 03-235-8SP**	03-235-TLR 03-235-8TR**	03-235-ATH 03-235-8AT**
	*JD YA6	FSIC 6 Pin (Yale, *Medeco)	03-255-RHO 03-255-8RO**	03-255-SPA 03-255-8SP*	03-255-TLR 03-255-8TR*	03-255-ATH 03-255-8AT*
	JD YA7	FSIC 7 Pin (Yale)	03-236-RHO 03-236-8RO**	03-236-SPA 03-236-8SP*	N/A	N/A
	JD MED	FSIC 6 Pin (Medeco)	03-237-RHO 03-237-8RO**	03-237-SPA 03-237-8SP*	03-237-TLR 03-237-8TR*	03-237-ATH 03-237-8AT*





* Accepts Medeco retrofit cylinder for Yale, Medeco p/n 31-0100 FSIC type.

** Tactile warning lever (Note: Tactile warning lever not available with 643e finish).

Spring Cages

	Order Suffix	Cylinder Type	Chassis Type		
			CY, MS, MD	993	DT (dummy)
Exterior	PD/LD	KIL 6 Pin (Schlage and Falcon Cylinders)	47258543	47258545	47258543
	RD/JD	FSIC 6 Pin (Schlage Cylinders)			
	GD/BD	SFIC 6 and 7 Pin (Schlage, BEST, Corbin Russwin, Yale, Medeco Cylinders)			
	LD FA7	SFIC 7 Pin (Falcon Cylinders)	47258544	47258546	47258544
	JD YA6*	FSIC 6 Pin (Yale, Medeco Cylinders*)			
	JD YA7	FSIC 7 Pin (Yale Cylinders)			
	JD MED	FSIC 6 Pin (Medeco Cylinders)			
Interior	All	N/A	47260743	N/A	

* Accepts Medeco retrofit cylinder for Yale, Medeco p/n 31-0100 FSIC type



Parts and accessories

Spring Cage and Tailpiece 10-Piece Bulk Packs

Order Suffix	Manufacturer, Cylinder Type	Cylindrical and Mortise Chassis	Exit Chassis
LD, PD	Schlage KIL	47259238	47259249*
JD, RD	Schlage FSIC	47259239	47259250*
BD, GD	Schlage SFIC	47259240	47259248*
LD SA6	Sargent KIL (6 pin)	47259241	47259251
JD SA6	Sargent FSIC	47259242	47259252
JD CO6	Corbin Russwin FSIC (6 pin)		
JD CO7	Corbin Russwin FSIC (7 pin)		
JD YA6	Yale FSIC (6 pin)	47259243	47259253
LD FA7	Falcon KIL (7 pin)	47259244	47259254
JD MED	Medeco FSIC (6 pin)	47259245	47259255
JD YA7	Yale FSIC (7 pin)	47259246	47259256
LD CO6	Corbin Russwin KIL	47259247	47259257


* All exit trims except ATH (Athens) and BAT (Athens with tactile warning treatment)

Cylinders

Chassis	Cylinder Suffix**	Classic	Everest	Primus	Primus XP	Primus UL 437	Primus UL 437 XP
Cylindrical	PD	23-013	23-013-EV	20-750	20-750-XP	20-550	20-550-XP
	RD	23-030	23-030-EV	20-740	20-740-XP		
Mortise	PD	23-118	23-118-EV	20-854	20-854-XP	20-554	20-554-XP
	RD	23-030	23-030-EV	20-740	20-740-XP		
Exit	PD (All Except ATH, BAT)	23-118	23-118-EV	20-854	20-854-XP	20-554	20-554-XP
	PD (ATH, BAT)	23-013	23-013-EV	20-750	20-750-XP	20-550	20-550-XP
	RD	23-030	23-030-EV	20-740	20-740-XP		
All	GD		80-037				


Classic, Everest

PD
23-013
23-013-EV
23-118
23-118-EV




Primus, Primus XP

PD
20-750
20-750-XP
20-854
20-854-XP




Primus UL 437, Primus UL, 437 XP

PD
20-550
20-550-XP
20-554
20-554-XP




Classic, Everest

RD
23-030
23-030-EV



Primus, Primus XP

RD
20-740
20-740-XP



Everest

GD
80-037




Tailpiece Kits

Order Suffix	Cylinder Type	Manufacturer(s)	All Chassis Types
LD	KIL (Less) 6 Pin	Schlage, Falcon	47258186*
JD, RD, TD	FSIC 6 Pin	Schlage	23446339
GD, HD	SFIC 7 Pin	Schlage	23446347
BD, BDC	SFIC (Less)	Schlage	47258187
LD SA6	KIL (Less) 6 Pin	Sargent	47258179
LD FA7	KIL (Less) 7 Pin	Falcon	47258182
JD SA6	FSIC (Less) 6 Pin	Sargent	47258180
JD CO6	FSIC (Less) 6 Pin	Corbin Russwin	
JD CO7	FSIC (Less) 7 Pin	Corbin Russwin	
LD CO6	KIL (Less) 6 Pin	Corbin Russwin	47258185
JD YA6	FSIC (Less) 6 Pin	Yale	47258181V
JD YA7	FSIC (Less) 7 Pin	Yale	47258184
JD MED	FSIC (Less) 6 Pin	Medeco	47258183

* Contains Schlage tailpieces C603-524 and C604-243 and Falcon tailpiece 022164-001






✓ Compatible also with Medeco 31-0100 cylinders (FSIC cylinder type)



Parts and accessories

Latches

Backset	Description	Part Number
2¾"	½" Size, Square Corner, Electrified Latch, 1⅛" x 2¼"	13-247
2¾"	¾" Size, Anti-Friction Fire Door Latch, 1⅛" x 2¼"	14-049
3¾"	½" Size, Square Corner Latchbolt, 1⅛" x 2¾"	14-050
2⅝"	½" Size, Square Corner Latchbolt, 1⅛" x 2¾"	14-051
5"	½" Latchbolt Bracket Extension	43-001




Parts and accessories

Door Thickness Kit

The door thickness kit is used to install a lock on a door that is thicker or thinner than 1¾". Use the chart below to determine what is needed. The kit can also be used for replacement parts. Locks cannot be installed on doors thicker than 2¾" or thinner than 1⅜".

Item Letter	Description	Quantity	
A*	Baseplate Top Screws	2	
B*	UL Door Plate Screws	2	
C*	UL Plate to Outside Baseplate, CY	2	
D	Pin Wrench for Lever	1	
E	Spring, Inside Spindle	1	
F	Spindle Assembly	2	
G	Shim Plates	3	
H	Standoffs	CY	2
		MS, MD	4
J	Mortise Standoffs	2	
K	UL Plate to Outside Baseplate, MS/MD	2	
L	Bottom Oval Head Mounting Screws	2	
M	Finishing Washer	2	

* The length of these items varies by door thickness. See charts on page 51 for more information.



Compatibility:

Models: CO-100, CO-200

Types: CY, MS, MD

Lock Type	Door Thickness	Kit No.	Contents (Item Letters)
CY	1⅜"	23599376-138	A, B, C, D, E, F, G, H
	1½"	23599376-112	A, B, C, D, E, F, G, H
	1⅝"	23599376-158	A, B, C, D, E, F, G, H
	1¾" **	23599376-134	A, B, C, D, E, F, H
	1⅞"	23599376-178	A, B, C, D, E, F, H
	2"	23599376-200	A, B, C, D, E, F, H
	2⅛"	23599376-218	A, B, C, D, E, F, H
	2¼"	23599376-214	A, B, C, D, E, F, H
	2⅜"	23599376-238	A, B, C, D, E, F, H
	2½"	23599376-212	A, B, C, D, E, F, H
	2⅝"	23599376-258	A, B, C, D, E, F, H
	2¾"	23599376-234	A, B, C, D, E, F, H

Lock Type	Door Thickness	Kit No.	Contents (Item Letters)
MS, MD	1⅜"	23599384-138	A, B, D, E, F, G, H, J, K, L, M
	1½"	23599384-112	A, B, D, E, F, G, H, J, K, L, M
	1⅝"	23599384-158	A, B, D, E, F, G, H, J, K, L, M
	1¾" **	23599384-134	A, B, D, E, F, G, H, J, K, L, M
	1⅞"	23599384-178	A, B, D, E, F, G, H, J, K, L, M
	2"	23599384-200	A, B, D, E, F, G, H, J, K, L, M
	2⅛"	23599384-218	A, B, D, E, F, G, H, J, K, L, M
	2¼"	23599384-214	A, B, D, E, F, G, H, J, K, L, M
	2⅜"	23599384-238	A, B, D, E, F, G, H, J, K, L, M
	2½"	23599384-212	A, B, D, E, F, G, H, J, K, L, M
	2⅝"	23599384-258	A, B, D, E, F, G, H, J, K, L, M
	2¾"	23599384-234	A, B, D, E, F, G, H, J, K, L, M

** Standard


Parts and accessories

Mounting Screw and Spindle Details for CY, MS, and MD

The parts listed below can be purchased with the door thickness kits shown on page 43. These parts are not sold individually.

Item	Description	Door Thickness											
		1 3/8"	1 1/2"	1 5/8"	1 3/4"	1 7/8"	2"	2 1/8"	2 1/4"	2 3/8"	2 1/2"	2 5/8"	2 3/4"
Baseplate Mounting Screws type and length													
A	#10-24 x 7/8" Pan Head Phillips Machine	x	x	x	x								
	#10-24 x 1 1/8" Pan Head Phillips Machine	x	x	x		x	x						
	#10-24 x 1 3/8" Pan Head Phillips Machine							x	x				
	#10-24 x 1 5/8" Pan Head Phillips Machine									x	x		
	#10-24 x 1 7/8" Pan Head Phillips Machine											x	x
UL Door Plate Screws type and length													
B	#8-32 x 3/8" Flat Head Phillips Machine	x	x	x	x	x	x	x	x	x	x	x	x
	#8-32 x 7/16" Flat Head Phillips Machine	x	x	x									
Outside Baseplate Screws for UL Plate type and length													
C	#8-32 x 1" Flat Head Phillips Machine	x	x	x	x	x	x						
	#8-32 x 1 3/8" Flat Head Phillips Machine							x	x	x	x	x	x
Spindle Assembly type and length													
F	CY Spindle Assembly 1.30"	x	x	x	x	x	x						
	CY Spindle Assembly 1.50"							x	x	x			
	CY Spindle Assembly 1.70"										x	x	x
	MS/MD Assembly Spindle 1.65"	x	x	x	x	x	x						
	MS/MD Assembly Spindle 1.84"							x	x	x			
	MS/MD Assembly Spindle x.02"											x	x
Outside Baseplate Standoff Screws for UL Plate type and length													
K	#10-24 x 3/4" Flat Head Phillips Machine	x	x	x	x	x							
	#10-24 x 1" Flat Head Phillips Machine	x	x	x			x	x					
	#10-24 x 1 1/4" Flat Head Phillips Machine								x	x			
	#10-24 x 1 1/2" Flat Head Phillips Machine										x	x	
	#10-24 x 1 3/4" Flat Head Phillips Machine												x
Bottom Mounting Screws type and length													
M	#10-24 x 3/4" Oval Head Phillips Machine	x	x										
	#10-24 x 1" Oval Head Phillips Machine			x	x								
	#10-24 x 1 1/4" Oval Head Phillips Machine					x	x						
	#10-24 x 1 1/2" Oval Head Phillips Machine							x	x				
	#10-24 x 1 3/4" Oval Head Phillips Machine									x	x		
	#10-24 x 2" Oval Head Phillips Machine											x	x

Spindle for CY, MS, MD



Parts and accessories

Exit Device Mounting Hardware Kit

Order by part number **47260744**.

When ordering, specify chassis (Rim and Concealed Vertical Rod = 993R, Surface Vertical Rod - 993S, Mortise = 993M), door thickness, and finish.

Item Description	Door Thickness								
	1¾"	1⅞"	2"	2⅛"	2¼"	2⅜"	2½"	2⅝"	2¾"
Bolts, Upper Mounting for Rim, Concealed Vertical Rod, and Mortise	Quantity								
#10-24 x 1" Pan Head Phillips Machine Screws	2	2							
#10-24 x 1¼" Pan Head Phillips Machine Screws			2	2					
#10-24 x 1½" Pan Head Phillips Machine Screws					2	2			
#10-24 x 1¾" Pan Head Phillips Machine Screws							2	2	
#10-24 x 2" Pan Head Phillips Machine Screws									2
Bolts, Upper Mounting for Surface Vertical Rod	Quantity								
#10-24 x 2" Pan Head Phillips Machine Screws	2	2							
#10-24 x 2¼" Pan Head Phillips Machine Screws			2	2					
#10-24 x 2½" Pan Head Phillips Machine Screws					2	2			
#10-24 x 2¾" Pan Head Phillips Machine Screws							2	2	
#10-24 x 3" Pan Head Phillips Machine Screws									2
Finish Washer and Finished Oval Head Screws (see available finishes below)	Quantity								
#10 Finish Washer	2								
#10-24 x 1" Oval Head Phillips Machine Screws	2								
#10-24 x 1¼" Oval Head Phillips Machine Screws		2	2						
#10-24 x 1½" Oval Head Phillips Machine Screws				2	2				
#10-24 x 1¾" Oval Head Phillips Machine Screws						2	2		
#10-24 x 2" Oval Head Phillips Machine Screws								2	2
	Quantity								
Sex Bolts, Top Mounting	4								
#10-24 x 5/16" Pan Head Mounting Screw	2								
#8-32 x ¾" Phillips Round Washer-Head Self-Extruding Screw (Gimlet point)	2								
#10 Washer, ANS Type B, Series W	2								
Plate, Von Duprin, Retrofit	1								

Finish washer and finished oval head screws are available in finishes 605, 606, 612, 619, 625, 626, 626AM, and 643e.

Parts and accessories

Strike Plates

10-025
ANSI, No box

Size:
1¼" x 47⁄8"

Lip Length:
1¾" x 1¾"

Available finishes:
605, 606, 612, 619,
625, 626, 643e




10-013
Square Corner, T
Strike with box

Size:
1½" x 2¾"

Lip Length:
1½" x 1½"

Available finishes:
605, 606, 612, 619,
625, 626, 643e




10-072
Square Corner, Box

Size:
1¼" x 47⁄8"

Lip Length:
1¾", 7⁄8", 1", 1½",
1¾", 2"

Available finishes:
605, 606, 612, 619,
625, 626, 643e



K510-066
Plastic Box for ANSI
Strike


Available finishes:
N/A



10-016
Square Corner, T
Strike with Deep
Box, Fire Latch Door


Lip Length:
1½"

Available finishes:
605, 606, 612, 619,
625, 626, 643e



10-075**
½" Rabbeted


Available finishes:
605, 606, 612, 619,
625, 626, 643e



XL11-820*
One Hole for
Latching Functions,
RH and LHR Door

Lip Length:
1¾"


Available finishes:
605, 606, 612, 619,
625, 626, 643e



XL11-821*
One Hole for
Latching Functions,
LH and RHR Door


Lip Length:
1¾"

Available finishes:
605, 606, 612, 619,
625, 626, 643e



37-015
Frame Reinforcer

Available finishes:
605, 606, 612, 619,
625, 626, 643e



* Extended leadtime; consult Customer Service.


** For 1¾" thick doors, use wide armor front. For doors over 1¾" thick extended equally (EE), use 1¼" wide armor front.

Mortise Lock Armor Fronts


Available finishes: 605, 606, 612, 619, 625, and 626

Latch and Auxiliary Latch

1¼" Wide
09-663




1⅛" Wide
09-669




Latch, Auxiliary Latch, and Deadbolt

1¼" Wide
09-666



1⅛" Wide
09-672



Parts and accessories

Thin Door Shims



Thin door shims are used to install a lock on a door that is thinner than 1 $\frac{3}{4}$ ". These shims are sold in the door thickness kit and individually.

Description	Part No.	Quantity of Shims Required		
		1 $\frac{3}{8}$ " Door	1 $\frac{1}{2}$ " Door	1 $\frac{5}{8}$ " Door
Exterior Shim Plate	23458599	3	2	1
Interior Shim Plate	23599368	3	2	1

Compatibility:

Models: CO-100, CO-200

Types: CY, MS, MD



Decorative Plates

Decorative plates are used to cover exposed holes when retrofitting from existing locks to CO-Series locks. Except for exit trim decorative plate, all plates are 3.5" wide and 0.075" thick. The length of plate required will vary based on the size and location of holes being covered. Retrofit information can be found at us.allegion.com.

Consider door thickness when specifying a new CO-Series lock or ordering a door thickness kit.

Example order: For 10.5" decorative plate with a 626 finish, order 23760259-626.

Part No.	23631823	23760267	23760283	23760317	23760325	23760309	23760291	23760259	23760275
Description	Exit Trim Plate (1.5" H x 3.25" W x 0.105" D)	1.7"	3.2"	6.0"	6.6"	8.0"	8.0"	10.5"	12.0"

① Note: If UD (under the lock) plates are on both sides of the lock, then door thickness will increase by more than $\frac{1}{8}$ ". A door thickness kit with an incremental $\frac{1}{8}$ " must be ordered to adapt under the lock plates. See page 43 for door thickness kits.

Parts and accessories

Cover Screw Packs

Torx® screw packs replace standard screws to provide increased security. Standard screw packs shipped with the product include only Phillips head screws.

Part No.	Kit Description	Contents
23631765*	Tamper Torx Screw Pack, CY	(4) Flat Head Torx Screws, #8-32 (T-15), 1/2" length
		(2) Flat Head Torx Screws, #12-24 (T-20), 1/2" length
		(1) Torx Screw, #8-32 x 1" MS Pin
23631781*	Tamper Torx Screw Pack, MS/MD	(2) Flat Head Torx Screws, #8-32 (T-15), 1/4" length
		(2) Flat Head Torx Screws, #12-24 (T-20), 1/2" length
		(1) Torx Screw, #8-32 x 1" MS Pin
		(2) Oval Head Torx Screws, #10-24 x 3/4"
		(2) Oval Head Torx Screws, #10-24 x 1"
		(2) Oval Head Torx Screws, #10-24 x 1 1/4"
		(2) Oval Head Torx Screws, #10-24 x 1 1/2"
		(2) Oval Head Torx Screws, #10-24 x 1 3/4"
		(2) Oval Head Torx Screws, #10-24 x 2"
23631799*	Tamper Torx Screw Pack, 993	(2) Oval Head Torx Screws, #10-24 x 1"
		(2) Oval Head Torx Screws, #10-24 x 1 1/4"
		(2) Oval Head Torx Screws, #10-24 x 1 1/2"
		(2) Oval Head Torx Screws, #10-24 x 1 3/4"
		(2) Oval Head Torx Screws, #10-24 x 2"
		(2) Torx Screws, #8-32 x 3/4" MS Pin


* Must specify finish.

Parts and accessories

CO-200, CO-250 Coin Cell Battery Replacement

Keypad only locks contain the coin cell battery and holder on the PC board assembly. Removable reader locks contain the coin cell battery within the back of the reader module.


Coin cell battery part number: 46929147



Through-Door Cable Replacement

This cable replaces an existing through-door battery cable as required.

Description	Part No.
Classroom/Storeroom	23518392
Office/Privacy	23518384



About Allegion™

Allegion (NYSE: ALLE) is a global pioneer in safety and security, with leading brands like CISA®, Interflex®, LCN®, Schlage® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion produces a range of solutions for homes, businesses, schools and other institutions. Allegion is a \$2 billion company, with products sold in almost 130 countries.

For more, visit www.allegion.com.

aptiQ ■ LCN ■ **SCHLAGE** ■ STEELCRAFT ■ VON DUPRIN