——— NOVA SERIES 5 & 55——— Mortise Locksets ANSI 156.13 Grade 1

Nova Series 5 & 55 Mortise Locksets -

Our Nova Series Mortise Locksets represent years of development into world class BHMA Certified mortise locksets and carry the Marks Lifetime Mechanical Warranty. The Nova Series is available with a variety of different knobs, levers, roses and plates as well as custom capabilities with 32 functions in popular finishes. Whether your application is a single style single function lockset or an entire complex with multiples and varieties, the Nova Series has the form, fit and competitive price to complete your project.




MARKS # 5 & 55	FUNCTION	ANSI#	FINISH GROUPS
KEYED SIN	GLE CYLINDER, NO DEADBOLT		
D	OFFICE / VESTIBULE]
DW	VESTIBULE		1
E	OFFICE	F04	1
EW	STOREROOM	F07	1
J	CLASSROOM	F05	1
JM, JR	HOSPITAL (HOLDBACK)	F06	1
GL	INST. PRIVACY	F26	1
EL	ELECTRICALLY LOCKED		1
EU	ELECTRICALLY UNLOCKED		İ
KEYED SIN	GLE CYLINDER, WITH DEADBOLT		İ
A	ENTRANCE	F08, F10	1
В	ENTRANCE	F21	İ
F	DORMITORY	F12	İ
FS	DORMITORY		İ
FW	DORMITORY	F13	İ
FD	APARTMENT	F20	1
Н	HOTEL	F15	0 10 100
LH	SPEC. PRIVACY		3, 10, 10B,
KEYED DO	UBLE CYLINDER, NO DEADBOLT		32, 32D
G	ENTRANCE	F09	1
GC	INTRUDER LATCHBOLT	F32	1
GG	CLASSROOM SECURITY		İ
GR	CLASSROOM SECURITY w/HOLDBACK		1
WW	INSTITUTION	F30	İ
KEYED DO	UBLE CYLINDER, WITH DEADBOLT		ĺ
AC	ENTRANCE	F35	1
С	STOREROOM	F14	1
FC	INTRUDER DEADBOLT	F34	1
FA	DORMITORY	F11	1
FX	DORMITORY	F33	
KEYLESS			
N	PASSAGE	F01]
L	BATHROOM	F02	1
LF	PRIVACY	F19	Ī
LJ	PRIVACY	F22	İ
EX	EXIT	F31	1

STANDARD FEATURES

5 Series (2-3/4" backset); 55 Series (2-1/2" backset)

- 1. Lock Front: Adjustable bevel steel backplate 1-1/4" x 8" x 7/64" thick stainless steel. Cover plate 1/16" thick.
- 2. Deadbolt: Stainless steel with hardened roll pins, 1" throw.
- **3. Latch:** Solid stainless steel with antifriction latch lever, 3/4" throw (reversible).
- 4. Auxiliary Deadlatch: 1/2" throw (reversible).
- Hubs: Steel, 9/32" on diamond, 5/16" on square with security separator. Independent exterior and interior lever support springs.
- $\textbf{6. Lever Support Springs:} \ Lever \ support \ springs \ with \ 5/16" \ Hubs$
- 7. Hub Follower: (to lock hub) steel 1/8" thick.
- 8. Hub Stop: (to limit lever travel) steel 1/8" thick.
- 9. Case: Stamped steel 3/32" thick, zinc dichromate finish.



*** Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included).

Interchangeable Core models for 6 or 7 pin cores (not included).

Accepts: Marks, Marks Hi-SECURITY™, Medeco®, KeyMark™, Falcon,
Schlage® small format & Best®. IC Core Tailpieces ARE Included.



LIFETIME MECHANICAL WARRANTY • FINISHES ARE EXCLUDED FROM THIS WARRANTY

- MORTISE & TUBULAR LOCK TRIM -Note: Roses Also Available in 2-1/4" Diameter

TRIM -


Marks USA offers a great many designs of knobs, levers, turnpieces and pull handles in both brass and stainless steel. Locksets using these designs need minimum orders and may require longer delivery time since they are not normally stocked. At this time, there are more than 300+ designs available and more are being added constantly. We also offer designs made to customers individual specifications.


























— MORTISE & TUBULAR LOCK TRIM — Note: Roses Also Available in 2-1/4" Diameter

TRIM -

Marks USA offers a great many designs of knobs, levers, turnpieces and pull handles in both brass and stainless steel. Locksets using these designs need minimum orders and may require longer delivery time since they are not normally stocked. At this time, there are more than 300+ designs available and more are being added constantly. We also offer designs made to customers individual specifications.



MORTISE LOCKSET FUNCTIONS ANSI 156.13 GRADE 1

MORTISE LOCKSET FUNCTIONS -

SINGLE CYLINDER FUNCTIONS				SINGLE CYLINDER FUNCTIONS			
ANSI#		Marks Fun	ction	ANSI#	Strike Marks Function		
F04: OFFICE Latch by knob/lever either side except when outside knob/lever locked by stop-button in front; then by key outside. Auxiliary latch deadlocks latch. Inside always open.	5036	l/s o/s		F20: APARTMENT Latch by knob/lever either side except when outside locked by stop-button or projected deadbolt. Latch deadlocked by auxiliary latch or deadbolt. Deadbolt and latch by key outside. Deadbolt by turnpiece inside. Inside knob/lever retracts latch & deadbolt simultaneously, leaving outside locked.	5035	I/S O/S	FD
F05: CLASSROOM Latch by knob/lever either side except when outside knob/lever locked by key. When locked, latch bolt retracted by key. Inside always open. Auxiliary latch deadlocks latch.	5036		J	F21: ENTRANCE Latch by knob/lever either side. Deadbolt by key outside, turnpiece inside. Deadbolt deadlocks latch.	9035	L	В
F06: HOLDBACK "A" Latch by knob/lever either side except when outside knob/lever locked or unlocked by key. Auxiliary latch deadlocks latch. Inside always open. Inside knob/lever unlocks outside lever. Latch bolt can be locked in retracted position by locking inside hub. Can be used with blank outside trim.	5036		JM	F26: INSTITUTIONAL PRIVACY Latch by knob/lever either side except when outside knob/lever locked by inside thumbturn. Latch deadlocked by auxiliary latch. Key outside opens latch. When outside locked, inside knob/lever retracts latch, automatically unlocking outside knob/lever.	5036		GL
F06: HOLDBACK "B" Latch by knob/lever either side except when outside knob/lever locked or unlocked by key. Auxiliary latch deadlocks latch. Inside always open. Inside knob/lever will not unlock outside knob/lever. Latch bolt can be locked in retracted position by locking outside hub. Can not be used with blank outside trim.	5036		JR	OFFICE VESTIBULE: Latch by knob/lever either side except when outside knob/lever locked by stop-button in front; then by key outside.	9035		D
				VESTIBULE: Latch by knob/lever inside, key outside. Outside knob/lever always rigid.	9035		D W
F07: STOREROOM Latch by knob/lever inside, key outside. Outside knob/lever always rigid. Auxiliary latch deadlocks latch. Inside always open.	5036	L	EW	DORMITORY: Latch by knob/lever inside. Outside knob/lever always rigid. Deadbolt and latch by key outside. Deadbolt by turnpiece inside. When deadbolt is projected, latch is deadlocked. Inside knob/lever retracts latch and deadbolt	9035	L	FS
F08, F10: ENTRANCE Latch by knob/lever either side except when outside locked by stop-button; then by key outside, knob/lever inside. Deadbolt by key outside, turnpiece inside. Deadbolt deadlocks latch.	9035		A	simultaneously. SPECIAL PRIVACY: Inside knob/lever always free, outside rigid. Latch by knob/lever inside, key outside. Deadbolt by turnpiece inside, emergency release outside. Inside knob/lever retracts deadbolt and latch simultaneously. Auxiliary	5035	L	LH
F12: DORMITORY Latch by knob/lever either side except when outside knob/lever locked by stop-button or projected deadbolt. Deadbolt by turnpiece inside. Inside knob/lever retracts latch and deadbolt simultaneously, leaving outside locked. Deadbolt deadlocks latch.	9035	L	F	latch deadlocks latch. STOREROOM: Latch by thumbpiece inside. Key outside.	9035		DN
F13: DORMITORY Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt and latch by key outside. Deadbolt by turnpiece inside. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside	9035		FW	STOREROOM: Latch by thumbpiece or knob/lever inside. Key outside. Auxiliary latch deadlocks latch. ELECTRIFIED FUNCTIONS ELECTRICALLY LOCKED (Fail Safe):	5036		EN
knob/lever. F15: HOTEL Inside knob/lever always free, outside rigid. Latch by				Outside always locked electrically. Open by key outside, switch or loss of power. Auxiliary latch deadlocks latch. Inside always open.	5036		EL
knob/lever inside, key outside. (When deadbolt projecter by turnpiece all keys are shut out except emergency key Inside knob/lever retracts deadbolt and latch simultaneously. Auxiliary latch or deadbolt deadlocks latch. Indicator available.			Н	ELECTRICALLY UNLOCKED (Fail Secure): Outside always locked until unlocked by key or electrically energized. Auxiliary latch deadlocks latch. Inside always open.	5036		EU


MORTISE LOCKSET FUNCTIONS

MORTISE LOCKSET FUNCTIONS ANSI 156.13 GRADE 1


MORTISE LOCKSET FUNCTIONS -

DOUBLE CYLINDER FUNCTIONS				NON-KEYED FUNCTIONS			
ANSI #	Strike	Marks Fur		ANSI #	Strike	Marks Fun	
F09: ENTRANCE Latch by knob/lever either side except when outside knob/lever locked by key inside, latch retracted by key outside. Outside remains locked. Auxiliary latch deadlocks latch.	5036		G	F01: PASSAGE Latch by knob/lever either side.	9035		N
F11: DORMITORY Latch by knob/lever either side except when outside knob/lever locked by stop-button or projected deadbolt. Deadbolt by key either side. Inside knob/lever retracts latch and deadbolt simultaneously leaving outside locked. Deadbolt deadlocks latch.	9035		FA	F02:BATHROOM* Latch by knob/lever either side. Deadbolt by turnpiece inside. Deadbolt deadlocks latch. To unlock from outside, remove emergency button, insert emergency key in access hole and turn. Optional coinkey assembly available.	9035	L	L
F14: STOREROOM Latch by knob/lever either side. Deadbolt by key either side. Deadbolt deadlocks latch. F24: APARTMENT HANDLE Latch by thumbpiece either side except when outside is locked by key inside. When outside is locked, latch	9035		C G	F19: PRIVACY* Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt by turnpiece inside. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside knob/lever. To unlock from outside,	9035	4	LF
retracted by key outside or thumbpiece inside. Auxiliary latch deadlocks latch. F25: STOREROOM "B" Body Latch by thumbpiece either side.	5036		С	remove emergency button, insert emergency key in access hole and turn. Optional coinkey assembly available. F22: PRIVACY			
Deadbolt by key either side. F25: STOREROOM Latch by thumbpiece either side except when outside thumbpiece locked by stop-button in front; then by key outside. Deadbolt by key both sides. Deadbolt deadlocks latch.	9035		so	Latch by knob/lever either side except when outside knob/lever is locked by inside turnpiece. Turning inside knob/lever or closing door unlocks outside lever. To unlock from outside, remove emergency button, insert emergency key in access hole and turn. Optional coin key assembly available.	9035	֡֜֞֜֞֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֓֓֓֓֡֓֜֜֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֡֞֜֜֜֡֓֡֓֜֜֜֡֓֜֓֡֓֡֓֡֓֡	LJ
F30: INSTITUTION Both knob/levers rigid. Auxiliary latch deadlocks latch. Latch by key either side.	5036		ww	or no trim outside. Auxiliary latch deadlocks latch.	5036	4	EX
F32: INTRUDER LATCH BOLT Latch by knob/lever either side except when outside knob/lever is locked from inside or outside by key. Latch operated by key from inside or outside. Auxiliary latch, deadlocks latch. Inside always open.	5036		GC	F16: DEADLOCK Deadbolt by key either side.	9035	-	Т
CLASSROOM SECURITY Latch bolt retracted by knob/lever from either side unless outside is locked by key from either side. Auxiliary latch deadlocks latch bolt when door is locked. Inside knob/lever is always free for immediate egress.	5036		GG	F17: DEADLOCK Deadbolt by key outside and turnpiece inside. F18: DEADLOCK	9035		Р
CLASSROOM SECURITY w/HOLDBACK Latch bolt retracted by knob/lever from either side unless outside is locked by key from either side. When locked, latch bolt retracted by key outside or knob/lever inside. Auxiliary latch deadlocks latch bolt when door is locked. Depress inside knob/lever and turn key 360° for holdback feature. Inside knob/lever always free for immediate	5036		GR	Deadbolt by key one side only. F29: DEADLOCK Deadbolt by key outside. Inside turnpiece will retract but will not project deadbolt. DEADLOCK FUNCTIONS	9035		S
egress. F33: DORMITORY Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt and latch by key either side. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside knob/lever.	9035		FX	E06072: CYLINDER BY TURNPIECE Deadbolt by inside turnpiece or outside key. E06082: COMMUNICATING SINGLE CYLINDER* Deadbolt by key from one side only.			K
F33: DORMITORY Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt and latch by key either side. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside knob/lever.	5035		FC	E06062: DOUBLE CYLINDER Deadbolt by key either side. E06092: CLASSROOM Deadbolt by outside key. Turnpiece will retract but not project deadbolt.	1		M
F35: STORE DOOR Latch by knob/lever either side except when outside knob/lever locked by stop-button in front; then by key outside. Deadbolt by key either side. Deadbolt deadlocks latch.	9035		AC	TURNPIECE Deadbolt by inside tumpiece. *PRIVACY INDICATOR AVAILABLE		•[X


TURNPIECES




CUSTOM FORGED BRASS TRIM



CUSTOM ESCUTCHEON PLATES



CUSTOM ESCUTCHEON PLATES



CUSTOM ESCUTCHEON PLATES

