

Confidential Distributor Price List for Access Control Products

MSRP

C3 Access Control Panel Boards

<p>US-C3-100</p> 	<p>1-door 2-way Controller Card: 30,000 Event Buffer: 100,000 Reader Ports: 2 (26-66 bits Weigand) Communication: TCP/IP, RS485 Input Ports: 2 (1 exit button, 1 door sensor) Output Ports: 2 (1 FORM-C Relay Output for lock) Gross Weight: 3 lbs. Package Size: 10" x 6" x 4"</p>	<p>\$420</p>
<p>US-C3-200</p> 	<p>2-door 2-way Controller Card: 30,000 Event Buffer: 100,000 Reader Ports: 4 (26-66 bits Weigand) Communication: TCP/IP, RS485 Input Ports: 6 (2 exit buttons, 2 door sensors, 2 Aux Inputs) Output Ports: 4 (2 FORM-C Relay Output for lock, 2 Aux FORM-C Relay Output) Gross Weight: 3 lbs. Package Size: 10" x 6" x 4"</p>	<p>\$620</p>
<p>US-C3-400</p> 	<p>4-door 1-way Controller Card: 30,000 Event Buffer: 100,000 Reader Ports: 4 (26-66 bits Wiegand) Communication: TCP/IP, RS485 Input Ports: 12 (4-exit buttons, 4-door sensors, 4-Aux Inputs) Output Ports: 8 (4 FORM-C Relay Output for lock, 4 Aux FORM-C Relay Output) Gross Weight: 3 lbs. Package Size: 10" x 6" x 4"</p>	<p>\$760</p>
<p>C3 Bundle - C3 Access Control Panel with Metal Cabinet & Power Supply</p>		
<p>US-C3-100 BUN</p> 	<p>A Package of C3-100 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 11 lbs. Package Size: 15 1/2" x 13 1/2" x 5"</p>	<p>\$640</p>
<p>US-C3-200 BUN</p> 	<p>A Package of C3-200 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 11 lbs. Package Size: 15 1/2" x 13 1/2" x 5"</p>	<p>\$820</p>
<p>US-C3-400 BUN</p> 	<p>A Package of C3-400 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 11 lbs. Package Size: 15 1/2" x 13 1/2" x 5"</p>	<p>\$980</p>

Confidential Distributor Price List for Access Control Products

MSRP

C3 Access Control Kits

<p>US-C3-1 Door KIT</p>	<p>1-door KIT includes: 1 pc C3-100 panel, power supply and metal cabinet 1 pc CR10E - USB Card enrollment reader 1 pc KR500E Card reader 1 pc PTE-1 Exit Button 50 pcs Proximity (Clamshell) cards ZKAccess software Gross Weight: 13 lbs. Package Size: 16" x 16" x 8"</p>	
		<p>\$860</p>
<p>US-C3-2 Door KIT</p>	<p>2-door KIT includes: 1 pc C3-200 panel, power supply and metal cabinet 1 pc CR10E - USB Card enrollment reader 2 pcs KR500E Card readers 2 pcs PTE-1 Exit Button 50 pcs Proximity (Clamshell) cards ZKAccess software Gross Weight: 14 lbs. Package Size: 16" x 16" x 8"</p>	
		<p>\$1,120</p>
<p>US-C3-4 Door KIT</p>	<p>4-door KIT includes: 1 pc C3-400 panel, power supply and metal cabinet 1 pc CR10E - USB Card enrollment reader 4 pcs KR500E Card readers 4 pcs PTE-1 Exit Button 50 pcs Proximity (Clamshell) cards ZKAccess software Gross Weight: 15 lbs. Package Size: 16" x 16" x 8"</p>	
		<p>\$1,440</p>
<p>US-C3-400 Demo Case</p>	<p>C3 Demo Case : 1 pc US-C3-400 panel, Integrated 12V DC Power Supply 1 pc KR5000 and 1 pc KR502 slave prox card readers 1 pc PTE-1 Request to Exit button 1 pc ZKABK Exit button ZKACCESS software download. Gross Weight: 17 lbs. Package Size: 20" x 16" x 8"</p>	
		
	<p>C3 Wireless Bundle Options</p>	
<p>US-C3-100-WBUN</p>	<p>A Package of C3-100 in Metal Cabinet with Power Supply and Wireless Kit</p>	<p>\$1,120</p>
<p>US-C3-200-WBUN</p>	<p>A Package of C3-200 in Metal Cabinet with Power Supply and Wireless Kit</p>	<p>\$1,300</p>
<p>US-C3-400-WBUN</p>	<p>A Package of C3-400 in Metal Cabinet with Power Supply and Wireless Kit</p>	<p>\$1,460</p>

Confidential Distributor Price List for Access Control Products

MSRP

inBio Access Control Panel

<p>US-inBio-160</p> 	<p>1-door 2-way Controller Fingerprint: 3000 Card:30,000 Event Buffer:100,000 Reader Ports:2 (26-66 bits Weigand, RS485 FP Readers) Communication: TCP/IP, RS485 Input Ports: 2 (1 exit button, 1 door sensor) Output Ports: 2(1 FORM-C Relay Output for lock, 1 Aux FORM-C Relay Output) Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"</p>	<p>\$740</p>
<p>US-inBio-260</p> 	<p>2-door 2-way Controller Fingerprint: 3000 Card:30,000 Event Buffer:100,000 Reader Ports:2 (26-66 bits Weigand, RS485 FP Readers) Communication: TCP/IP, RS485 Input Ports: 6 (2 exit buttons, 2 door sensors, 2 Aux Inputs) Output Ports: 4 (2 FORM-C Relay Output for lock, 2 Aux FORM-C Relay Output) Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"</p>	<p>\$1,120</p>
<p>US-inBio-460</p> 	<p>4-door 2-way Controller Fingerprint: 3000 Card:30,000 Event Buffer:100,000 Reader Ports:4 (26-66 bits Weigand, RS485 FP Readers) Communication: TCP/IP, RS485 Input Ports: 12 (4 exit buttons, 4 door sensors, 4 Aux Inputs) Output Ports: 8 (4 FORM-C Relay Output for lock, 4 Aux FORM-C Relay Output) Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"</p>	<p>\$1,520</p>
<p>inBio Access Control Panel with Metal Cabinet and Power Supply</p>		
<p>US-inBio-160 BUN</p> 	<p>A package of inBio-160 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 12 lbs. Package Size: 15 1/2" x 13 1/2" x 5"</p>	<p>\$920</p>
<p>US-inBio-260 BUN</p> 	<p>A package of inBio-260 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 12 lbs. Package Size: 15 1/2" x 13 1/2" x 5"</p>	<p>\$1,280</p>
<p>US-inBio-460 BUN</p> 	<p>A package of inBio-460 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 12 lbs. Package Size: 15 1/2" x 13 1/2" x 5"</p>	<p>\$1,680</p>

Confidential Distributor Price List for Access Control Products

MSRP

inBio Access Control Panel Kits

	<p>1-door KIT includes: 1 pc USinBio-160 panel, power supply and metal cabinet 1 pc FR1200-ID - Slave Fingerprint and Prox Card reader, IP-65 rated 1 pc PTE-1 Exit Button 1 pc ZK4500 - USB Enrollment Fingerprint Reader ZKAccess software Gross Weight: 13 lbs. Package Size: 16" x 16" x 8"</p>	<p>\$1,320</p>
	<p>2-door KIT includes: 1 pc USinBio-260 panel, power supply and metal cabinet 2 pcs FR1200-ID - Slave Fingerprint and Prox Card reader, IP-65 rated 2 pcs PTE-1 Exit Button 1 pc ZK4500 - USB Enrollment Fingerprint Reader ZKAccess software Gross Weight: 14 lbs. Package Size: 16" x 16" x 8"</p>	<p>\$2,000</p>
	<p>4-door KIT includes: 1 pc USinBio-460 panel, power supply and metal cabinet 4 pcs FR1200-ID - Slave Fingerprint and Prox Card reader, IP-65 rated 4 pcs PTE-1 Exit Button 1 pc ZK4500 - USB Enrollment Fingerprint Reader ZKAccess software Gross Weight: 15 lbs. Package Size: 16" x 16" x 8"</p>	<p>\$3,020</p>
	<p>inBio Wireless Bundle Options</p>	
<p>US-inBio-160-WBUN</p>	<p>A package of inBio-160 in Metal Cabinet with Power Supply and Wireless Kit</p>	<p>\$1,380</p>
<p>US-inBio-260-WBUN</p>	<p>A package of inBio-260 in Metal Cabinet with Power Supply and Wireless Kit</p>	<p>\$1,760</p>
<p>US-inBio-460-WBUN</p>	<p>A package of inBio-460 in Metal Cabinet with Power Supply and Wireless Kit</p>	<p>\$2,160</p>
	<p>Slave Fingerprint Reader with built in prox reader Communication: RS485 with inBio panel or Standalone Biometric Reader Controllers Gross Weight: 2 lbs. Package Size: 10" x 6" x 4"</p>	<p>\$230</p>
<p>FR1200-Mifare</p>	<p><i>Special Order 4-6 weeks</i></p>	<p>\$380</p>
<p>FR1500-ID (NEW)</p> 	<p>Flushmount Slave Fingerprint Reader with built in prox reader Communication: RS485 with inBio panel or Standalone Biometric Reader Controllers Gross Weight: 2 lbs. Package Size: 10" x 6" x 4"</p>	<p>\$350</p>
<p>FR1500-HID (NEW)</p>	<p><i>Special Order 4-6 weeks</i></p>	<p>\$470</p>
<p>FR1500-iClass (NEW)</p>	<p><i>Special Order 4-6 weeks</i></p>	<p>\$550</p>
	<p>Enrollment Fingerprint Reader Required for enrollment of fingerprints with inBio panels Communication: USB connectivity with the computer Gross Weight: 2 lbs. Package Size: 10" x 6" x 4"</p>	<p>\$120</p>

Confidential Distributor Price List for Access Control Products

MSRP

Standalone Biometric and RFID Reader Controllers Note: (*) means a Special order with 4-6 weeks delivery.

	<p>Standalone Multi Biometric & Card Reader Controller Communication: TCP/IP, USB Host, Weigand Input/Output Finger Vein and Fingerprint Capacity:1000 templates Logs Capacity: 30000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"</p>	<p>\$1,120</p>
<p>FV350-Mifare</p>	<p><i>Special order 4-6 weeks*</i></p>	<p>\$1,220</p>
	<p>Standalone Biometric & Card Reader Controller Communication: TCP/IP, RS485; USB- Host Weigand Input/Output Fingerprint Capacity:1500 Logs Capacity: 30000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"</p>	<p>\$780</p>
<p>F18-Mifare</p>	<p><i>Special order 4-6 weeks*</i></p>	<p>\$880</p>
<p>F18-HID</p>	<p><i>Special order 4-6 weeks*</i></p>	<p>\$920</p>
	<p>Standalone Biometric & Card Reader Controller Communication: TCP/IP, USB Host, Weigand Input/Output Fingerprint Capacity:2000 Face Capacity: 1200 Logs Capacity: 10000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"</p>	<p>\$980</p>
<p>MB700-Mifare</p>	<p><i>Special order 4-6 weeks*</i></p>	<p>\$1,080</p>
<p>MB700-HID</p>	<p><i>Special order 4-6 weeks*</i></p>	<p>\$1,140</p>
<p>SMK-V (NEW)</p> 	<p>Standalone metallic RFID Reader Controller Communication: Weigand Output Card Capacity: 1,000 Dimensions (HxWxD) 6.3 x 2" x .8"</p>	<p>\$200</p>
<p>SMK-H (NEW)</p> 	<p>Standalone metallic RFID Reader Controller Communication: Weigand Output Card Capacity: 1,000 Dimensions (HxWxD) 4.7" x 3.4" x .8"</p>	<p>\$200</p>
<p>inBio Biometric Access Control Panel - Demo Case</p>		
	<p>inBio Demo Case Includes: 1 pc. USinBio- 460 panel, Integrated 12V DC Power Supply 2 pc. FR1200 - Slave Fingerprint reader 1 pc. PTE-1 Request to Exit button 1 pc. ZKABK - Exit button Gross Weight: 17 lbs. Package Size: 20" x 16" x 8"</p>	

Confidential Distributor Price List for Access Control Products

MSRP


Standalone Biometric and RFID Reader Controllers Note: (*) means a Special order with 4-6 weeks delivery.

<p>TF1700</p> 	<p>Weatherproof (IP-65) Standalone Fingerprint, Card Reader Communication: TCP/IP, USB Host 26-bit Weigand Input/Output Fingerprint Capacity: 2200 Card Capacity: 10000 Logs Capacity: 30000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"</p>	<p>\$1,000</p>
<p>TF1700-Mifare</p>	<p><i>Special order 4-6 weeks*</i></p>	<p>\$1,100</p>
<p>TF1600</p> 	<p>Weatherproof (IP-65) Standalone Fingerprint, Card Reader Operates in Temperature: -40 °F to 113 °F Communication: TCP/IP, USB Host 26-bit Weigand Input/Output Fingerprint Capacity: 2200 Card Capacity: 10000 Logs Capacity: 30000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"</p>	<p>\$1,120</p>
<p>TF1600-Mifare</p>	<p><i>Special order 4-6 weeks*</i></p>	<p>\$1,220</p>
<p>SC700</p> 	<p>Standalone RFID Reader Controller Communication: RS232/485, TCP/IP and USB-Host User Capacity:30000 Logs Capacity: 100000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"</p>	<p>\$400</p>
<p>SC700-Mifare</p>	<p><i>Special order 4-6 weeks*</i></p>	<p>\$500</p>
<p>Standalone IP Camera with Long Range Facial Recognition</p>		
<p>BioCam 300</p> 	<p>Standalone HD IP Camera with Long Range Facial Recognition Face Capacity: 400 Logs: 100,000 Long Range: 12 -15 feet Enrollment time: approx. 10 sec. Verification Time: approx. 1-2 seconds Camera Resolution: 1.3MP Communication: TCP/IP and Weigand Input and Output Gross Weight: 8 lbs. Package Size: 16" x 16" x 10"</p>	<p>\$1,400</p>

Confidential Distributor Price List for Access Control Products

MSRP

Elevator Control Module and Expansion boards

<p>EC10</p> 	<p>EC10 Elevator Control Module Controls up to 10 floors Communication: TCP/IP and RS485 Fingerprint Capacity: 3000 Card Capacity:10000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"</p>	<p>\$1,440</p>
<p>EC10-BUN</p> 	<p>EC10 with Metal Cabinet and Power Supply Elevator Control Module Bundle Gross Weight: 11 lbs. Package Size: 15 1/2" x 13 1/2" x5"</p>	<p>\$1,880</p>
<p>EX16</p> 	<p>Elevator Control Expansion Board- EX16 Controls upto 16 floors Communication: RS485 Gross Weight: 3 lbs. Package Size: 12" x 6" x 4"</p>	<p>\$420</p>
<p>EX 16-BUNDLE</p> 	<p>EX 16-BUN-1: One Elevator Expansion Module EX16-BUN-1 with metal cabinet and power supply</p>	<p>\$700</p>
	<p>EX 16-BUN-2: Two Elevator Expansion Modules EX16-BUN-2 with metal cabinet and power supply</p>	<p>\$1,200</p>
	<p>EX 16-BUN-3: Three Elevator Expansion Modules EX16-BUN-3 with metal cabinet and power supply Gross Weight: 11 lbs. Package Size: 15 1/2" x 13 1/2" x5"</p>	<p>\$1,720</p>
<p>EC10-LIC</p>	<p>Software License for Elevator Control Module</p>	<p>\$180</p>
<p>VIDEO-LIC</p>	<p>Software License for Video Module</p>	<p>\$180</p>
<p>VMGT-LIC</p>	<p>Software License for Visitor Management Module</p>	<p>\$180</p>

Confidential Distributor Price List for Access Control Products

MSRP




ZKAccess Weigand only Readers Note: (*) means a Special Order with 4-6 weeks delivery.

<p>KR500E</p> 	<p>KR500E: Read 125kHz Proximity ID card number Weigand output 26bit, Mullion mount Dimension: 78x44x16mm</p>	<p>\$40</p>
<p>KR500M</p>	<p>KR500M*:Read 13.56MHz Mifare ID card number Weigand output 34bit, Mullion mount Dimension: 78x44x16mm</p>	<p>\$80</p>
<p>KR501E</p> 	<p>KR501E: Read 125kHz Proximity ID card number Weigand output 26bit Dimension: 86x86x16mm</p>	<p>\$40</p>
<p>KR501M</p>	<p>KR501M*: Read 13.56MHz Mifare ID card number Weigand output 34bit Dimension: 86x86x16mm Gross Weight: 1 lb.</p>	<p>\$80</p>
<p>KR502E</p> 	<p>KR502E: Read 125kHz Proximity ID card number Weigand output 26bit Dimension: 86x86x16mm</p>	<p>\$40</p>
<p>KR502M</p>	<p>KR502M*: Read 13.56MHz Mifare ID card number Weigand output 34bit Dimension: 86x86x16mm Gross Weight: 1 lb.</p>	<p>\$80</p>
<p>KR503E</p> 	<p>KR503E: Read 125kHz Proximity ID card number Weigand output 26bit, Single gang Dimension: 116x75x16mm</p>	<p>\$40</p>
<p>KR503M</p>	<p>KR503M*:Read 13.56MHz Mifare ID card number Weigand output 34bit, Single gang Dimension: 116x75x16mm</p>	<p>\$80</p>
<p>KR1000 (NEW)</p> 	<p>KR1000: Medium-range (2 feet) 125kHz Proximity ID card reader Weigand output 26bit Dimension: 240 x 235 x 35mm</p>	<p>\$360</p>
<p>CR10E</p> 	<p>CR10E: Enrollment Reader 125kHz Proximity Card reader with USB interface Package Size: 10" x 6" x 2" Gross Weight: 1 lb.</p>	<p>\$40</p>
<p>CR10M</p>	<p>CR10M: Enrollment Reader 13.56MHz Mifare Card with USB interface</p>	<p>\$80</p>




Confidential Distributor Price List for Access Control Products

MSRP


HID Weigand only Readers Note: (*) means a Special Order with 4-6 weeks delivery.

KR500H (NEW)		
	KR500 HID compatible 125kHz Proximity ID card reader Weigand output 26bit, Mullion mount Dimension: 116x75x16mm	\$100
KR503H (NEW)		
	KR503 HID compatible 125kHz Proximity ID card reader Weigand output 26bit, Designed to be mounted to a standard North American single-gang wall switch box.	\$160
KR502H (NEW)		
	KR502 HID compatible 125kHz Proximity ID card reader Weigand output 26bit, Designed to be mounted directly to standard North American sized single-gang wall box, and integrates both a proximity reader and keypad into a single unit.	\$400




Credentials- HID Cards and Fobs (Min. Order Quantity- 100 cards or Fobs or RFID Stickers)

HID Prox Card Thick		
	HID 125kHz Prox Cards Thick (Read only) (Min. Order Quantity- 100 cards) Gross Weight: 3 lb Package Size: 10" x 6" x 4"	\$4.00
HID Prox Card Thin		
	HID 125kHz Prox Cards Thin (Read only) (Min. Order Quantity- 100 cards) Gross Weight: 3 lb Package Size: 10" x 6" x 4"	\$7.00
HID Prox Key-Fob		
	HID 125kHz HID Prox Key-Fob Small proximity tag designed to be carried on a key ring, includes a re-enforcing brass eyelet, and is backed by a lifetime warranty.	\$9.80

Accessories--Exit Button

PTE-1		
	Exit Switch with Soft Touch Power: 12V DC. Current Consumption: 70mA NO/ NC/ COM relay output Gross Weight: 2 lb Package Size: 10" x 6" x 4"	\$60

Credentials-ZKAccess Card and Fobs (Min. Order Quantity- 100 cards or Fobs or RFID Stickers)

Prox Card Thick (Clamshell)		
	125kHz Prox Cards Thick (Read only) (Min. Order Quantity- 100 cards) Gross Weight: 3 lb Package Size: 10" x 6" x 4"	\$2.00
Prox Card Thin (ISO)		
	125kHz Thin Prox cards ISO Standard (Read only) (Min. Order Quantity- 100 cards) Gross Weight: 4 lb Package Size: 10" x 6" x 4"	\$2.50
Prox Key-Fob		
	125kHz Key Fobs (Read Only) (Min. Order Quantity- 100 cards) Gross Weight: 2 lb Package Size: 10" x 6" x 4"	\$2.90

Confidential Distributor Price List for Access Control Products		MSRP
Prox- Sticker 	125kHz Prox Stickers Diameter:25mm, Paper label with adhesive Frequency: 125kHz Gross Weight: 1 lb Package Size: 10" x 6" x 4"	\$2.75
Mifare Card 	MF1 S50 Mifare card With 1 Kbyte EEPROM (Min. Order Quantity- 100 cards) Gross Weight: 3 lb Package Size: 10" x 6" x 4"	\$4.00
Accessories--Other		
Metal Cabinet for Panels 	Metal Cabinet for C3 and inBio panels Gross Weight: 7 lbs. Package Size: 15 1/2" x 13 1/2" x5" Color: Black	\$210
12V DC POE SPL (NEW) 	POE - Injector and Splitter Power over Ethernet (12V DC, 2A Output) Dimensions: 94*70*26 mm (L*W*H) Gross Weight: 2 lbs. Package Size: 10" x 6" x 4"	\$100
LB7000 (NEW) 	Lock Box for Emergency Shutdown Communication: TCP/IP Panels Supported: 250 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$560
inBridge Server (NEW) 	inBridge Server with preloaded ZKACCESS software. Intel Celeron 1.6GHz processor,4GB RAM, 120GB SSD HDD,Win10 Home Operating System Gross Weight: 4 lbs. Package Size: 12" x 10" x 6"	\$750
Wireless Bridge (NEW) 	Wireless Bridge for ZKAccess C3 and InBio door controllers C3 and InBio metal enclosures. Mounts inside Supports IEEE 802.11g. Wireless range 150-300 feet C3 and InBio door controllers sold separately.	\$440
Terms and Conditions		
Pricing	Free freight for orders over \$900 for products only	
	If the value of the PO is less than \$100 , processing fee of \$10 will be applied.	
	Drop shipping fee - \$8 per order	
Warranty	2 Years against manufacturing defects	
Payment	Advance Payment unless an account is setup	
Returns	No Returns accepted without prior authorization. Shipping Charges are not refundable.	
	If products are returned without proper authorization a 25% restocking fees will apply.	
Duties and Taxes	All customers will be solely responsible for any/all applicable custom duties, brokerage fees, taxes etc.	
	levied in their state or country	
	Pricing,Design and Specifications subject to change without notice	

Confidential MSRP Price List for Smart Locks

End User

ML10 Door Locks- Confirms to ANSI/BHMA 156.2 Grade 3

ML10 -G		DIY Plug and Play Door Lock Color: Gold User Capacity: Admin-10 users, Normal- 60 users, Material : Zinc Alloy Single Latch and Reversible Handle Design	\$360
		ML10-G-BT - Lock with Bluetooth (Optional)	\$420
ML10 -S		DIY Plug and Play Door Lock Color: Silver and Black User Capacity: Admin-10 users, Normal- 60 users, Material : Zinc Alloy Single Latch and Reversible Handle Design	\$360
		ML10-S-BT - Lock with Bluetooth (Optional)	\$420
ML10R-G		DIY Plug and Play Door Lock Color: Gold and Black User Capacity: Admin-10 users, Normal- 60 users, Material : Zinc Alloy Single Latch and Reversible Handle Design	\$340
ML10R- S		DIY Plug and Play Door Lock Color: Silver and Black User Capacity: Admin-10 users, Normal- 60 users, Material : Zinc Alloy Single Latch and Reversible Handle Design	\$340
ML10S-ID		DIY Plug and Play Door Lock Color: Silver and Black User Capacity: Admin-10 users, Normal- 60 users, Material : Zinc Alloy Single Latch and Reversible Handle Design	\$480

Terms and Conditions (Design, price and specifications subject to change without notice)

Pricing	All the above prices are FOB, New Jersey
	If the value of the PO is less than \$100, processing fee of \$10 will be applied.
	Drop shipping fee - \$8 per order.
	Free freight for orders over \$500
Warranty	One year against manufacturing defects.
Payment	Advance payment unless an account is setup.
Returns	No returns accepted without prior authorization. Shipping Charges are not refundable.
	If products are returned without proper authorization, a 25% restocking fees will apply.
Duties and Taxes	All customers will be solely responsible for any/all applicable custom duties, brokerage fees, taxes etc.
	levied in their state or country.