

Indicator Handing Charts



ASSA ABLOY

Experience a safer
and more open world




Rehanding Mortise Indicators

With the indicator display showing "Vacant" or "Unlocked," confirm orientation of spindle cam based upon the lockset brand, function, hand of the door and mounting location. See charts.

Spindle cam will be orientated in either the left or right display slot.

Spindle cam located in the left display slot



Spindle cam located in the right display slot




If re-handing required:


1. Remove machine screw (if applicable), retaining pad and spindle cam from assembly.
 - a. For full escutcheon trim, remove backing plate to access spindle cam
2. Position spindle cam in correct display slide slot per function, door hand and mounting location.
3. Re-install retaining pad or backing plate.

For thumbturn indicators, make sure thumbturn is positioned in the 12 o'clock direction.

















Sectional Trim





Full Escutcheon Trim







Best® Functions

Best® Function	Function Illustration	Description	Outside Spindle Cam Orientation by Hand			Inside Spindle Cam Orientation by Hand		
			Indicator Illustration	RH/RHRB	LH/LHRB	Indicator Illustration	RH/RHRB	LH/LHRB
L		Privacy (F19)						
LT		Privacy						
AT		Office (F04)						
AB		Office (F20)						
RD		Classroom DL (F29)						
TA		Dormitory (F12)						
TD		Dormitory						
IND		Intruder (F33)						
INL		Intruder (F32)						

Schlage® Functions

Schlage® Function	Function Illustration	Description	Outside Spindle Cam Orientation by Hand			Inside Spindle Cam Orientation by Hand		
			Indicator Illustration	RH/RHRB	LH/LHRB	Indicator Illustration	RH/RHRB	LH/LHRB
L/LV9040		Privacy (F22)						
L/LV9044		Privacy						
L/LV9050		Office (F04)						
L/LV9456		Corridor (F13)						
L9473		Dormitory (F21)						
L/LV9060		Apartment Entrance Lock (F09)						
L/LV9071		Classroom Security (F32)						
L/LV9077		Classroom Security Holdback						

Schlage® Functions

Schlage® Function	Function Illustration	Description	Outside Spindle Cam Orientation by Hand			Inside Spindle Cam Orientation by Hand		
			Indicator Illustration	RH/RHRB	LH/LHRB	Indicator Illustration	RH/RHRB	LH/LHRB
L/LV9457		Classroom Security (F33)						
L/LV9458		Classroom Security (F34)						
L9466		Store/Utility Room Lock with Deadbolt (F14)						
L/LV9070		Classroom Lock (F05)						

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, locks, perimeter fencing, access control and service.



ASSA ABLOY

ARROW USA
3625 Alleghany Dr • Salem, VA 24153
Phone: 800.327.8539 • Fax:
800.421.6615
www.arrowlock.com